

LED LIGHTING SOLUTIONS

COMMERCIAL LIGHTING CATALOGUE  
PRODUCT GUIDE



 **Global Headquarters**  
Net Zero Energy Building spread over 48,000 sq. mtrs.

Conceived back in 1960, the Jaquar Group has been built on the platform of the highest quality standards, aesthetics and the intent of providing world-class products. Today, the Jaquar Group caters to luxury, premium and value bathroom segments with Artize, Jaquar & Essco brands, respectively, for residential and commercial sectors across the globe. The group's lighting division, Jaquar Lighting too, has been setting new parameters of excellence while witnessing unprecedented success.

## Artize

It pays tribute to the fine traditions of exquisite craftsmanship and precision where design, technology and talent combine to deliver a masterpiece. Artize products are crafted for luxurious bath spaces. Perfect harmony is the very essence of Artize- together as coordinates or even as individual pieces. Artize's exquisite craftsmanship is so stunning that it can inspire the design principles of not just your bath spaces but of your entire living spaces.



A leading global super brand known for its excellence in innovation and technology. The highest build standards combine with the most beautifully designed aesthetics to provide world-class products for tough conditions. With a superb blend of ergonomic shapes, contemporary styles and meticulous finish, Jaquar continues to enthrall millions of hearts across the world with its wide range of concepts and products.



For over 6 decades, 'Essco' the bathroom brand has been the benchmark for the organised bath industry in India. Essco defines base quality standards in India. A great value-for-money bath brand, Essco pioneered the concept of branded bath fittings in India, and is today one of the most respected names in the market, fulfilling a common man's ambition of a better quality of life through true quality, better hygiene, affordable pricing, trusted customer service & a 10-year warranty promise.



Jaquar

## LED lighting solutions

Jaquar lighting gives you LED lighting solutions – for residential, commercial and outdoor use. Choose for varied budgets without compromising on quality and reliability.

They are designed to complement and co-ordinate the most exclusive interior and exterior lifestyles and decors, from classic to contemporary.

In fact, Jaquar lighting carries forward the legacy of Jaquar Group where the thrust has always been on creating new parameters of design, quality and customer satisfaction.



# JAQUAR LIGHTING

## The torchbearer for innovation in lighting

Innovative, energy-efficient lighting solutions, for an array of places and purposes. From home to office, decorative to landscaping, from gorgeous chandeliers to unique LEDs, you name it, we have it. All, illuminating with the highest quality, fascinating designs and immaculate perfection.

What makes Jaquar lighting stand apart:

- LED lighting solutions
- Futuristic manufacturing facility
- Global certifications
- Unique customisation option for chandeliers
- Best in the world lighting, best for the Indian conditions
- Smart new products
- Trusted for prestigious projects
- Jaquar orientation centres
- Pro-active customer care



## Futuristic manufacturing facility

One of the flag-bearers of the government's 'Make in India' initiative, Jaquar's advanced LED plant produces a wide range of world-class lighting products under one roof.

- A fully automated state-of-the-art manufacturing facility sprawling over 68,000 sq. m. of covered area
- Fully automated facility with in-house ROHS-compliant LED driver manufacturing capability
- NABL-accredited lab with in-house testing of CCT upto 100,000 K
- LED module manufacturing unit with high-precision optical inspection equipment that can mount 160,000 LEDs per hour as well as 120,000 electronic components per hour simultaneously
- Powder coating machine to make 22,000 LED housing units a day
- In-house pressure die-casting machines of 250 tons and 350 tons for making housings
- With many firsts to its credit and with sustained investment in enhancing capabilities, Jaquar has been setting new benchmarks for the lighting industry



# BIS Certificate



**भारतीय मानक ब्यूरो**  
BUREAU OF INDIAN STANDARDS

भारतीय मानक ब्यूरो, एन.डी.ए.ए. बिल्डिंग, एन.डी.ए. बिल्डिंग - 110002  
110002, New Delhi, India  
Bureau of Indian Standards  
Ministry of Consumer Affairs, Food & Public Distribution, Govt. of India  
Website: www.bis.org.in  
E-mail: registration@bis.org.in

Our Ref: Registration/CRS 2018-3285/R-91002879 Date: 07-09-2018

**Subject : Licence Document**

MANUFACTURING UNIT : JAGUAR AND COMPANY PVT. LTD.  
PLOT NO.3, SECTOR M11, IMT MANESAR, GURGAON, HARYANA - 122050, INDIA  
sa@kushvetha@jaguar.com  
7290027208

Dear Sir,

1. With reference to your Application, we are pleased to inform you that it has been decided to grant you License through registration based on self-declaration of conformity as per details given below:

PRODUCT :	LED FLOOD LIGHTS
IS NO :	IS 10322 (PART 5/SEC 5) : 2013
BRAND :	JAGUAR LIGHTING
MODEL :	250W JFCW, 240W JFCW, 220W JFCW, 200W JFCW, 190W JFCW, 150W JFCW, 140W JFCW, 120W JFCW, 110W JFCW, 100W JFCW, 90W JFCW, 70W JFCW, 60W JFCW
MANUFACTURING ADDRESS :	JAGUAR AND COMPANY PVT. LTD. PLOT NO.3, SECTOR M11, IMT MANESAR, GURGAON, HARYANA - 122050, INDIA

2. The license is being granted to the unit located at the address and for the brand and models mentioned at serial no 1 above.

3. The number assigned to this License is **R-91002879** which has been made operative from **06-09-2018** and is valid upto **05-09-2020**. The license Number should invariably be referred to in your future correspondence.

4. The rights and privileges under the license shall not be exercised by any other factory / organisation at any other location and in the event of shifting of the manufacturing machinery from the registered premises to some other place use of the license number shall be stopped and BIS shall be informed.

5. The licensee shall comply with the provisions of the Act, Rules and Regulations framed thereunder and as amended from time to time.

6. The licensee shall follow the guidelines for the use of Standard Mark and labeling requirements as per Annexure.

7. The licensee shall not use the license in any manner which contravenes the provisions of Act, Rules and Regulations framed thereunder and as amended from time to time.

8. Upon expiry of validity, stoppage or suspension or cancellation of license, the licensee shall discontinue forthwith the self-declaration of conformity to the relevant Indian Standard(s) and withdraw all promotional and advertising matter which contains any reference thereto.

9. For renewal of license, the licensee shall have to apply to BIS three months in advance before expiration of the license and application form for Renewal is available on BIS website.

10. The license is not transferable.

Thanking you,

Yours faithfully,  
  
(MUCH PRABHAT)  
Scientist C (Reg. Dept.)  
Telefax : +91-11-23230856  
E-mail: registration@bis.org.in



**भारतीय मानक ब्यूरो**  
BUREAU OF INDIAN STANDARDS

भारतीय मानक ब्यूरो, एन.डी.ए.ए. बिल्डिंग, एन.डी.ए. बिल्डिंग - 110002  
110002, New Delhi, India  
Bureau of Indian Standards  
Ministry of Consumer Affairs, Food & Public Distribution, Govt. of India  
Website: www.bis.org.in  
E-mail: registration@bis.org.in

Our Ref: Registration/CRS 2018-3075/R-91002773 Date: 11-08-2018

**Subject : Licence Document**

MANUFACTURING UNIT : JAGUAR AND COMPANY PVT. LTD.  
PLOT NO.03, SECTOR M11, IMT MANESAR, GURGAON - 122050, HARYANA, INDIA  
sa@kushvetha@jaguar.com  
7290027208

Dear Sir,

1. With reference to your Application, we are pleased to inform you that it has been decided to grant you License through registration based on self-declaration of conformity as per details given below:

PRODUCT :	LED LUMINAIRES FOR ROAD AND STREET LIGHTING
IS NO :	IS 10322 (PART 5/SEC 3) : 2013
BRAND :	JAGUAR LIGHTING
MODEL :	250W JSCW, 220W JSCW, 200W JSCW, 180W JSCW, 150W JSCW, 140W JSCW, 120W JSCW, 110W JSCW, 100W JSCW, 90W JSCW, 70W JSCW, 60W JSCW, 45W JSCW, 40W JSCW, 30W JSCW, 30W JSCW, 20W JSCW, 18W JSCW
MANUFACTURING ADDRESS :	JAGUAR AND COMPANY PVT. LTD. PLOT NO.03, SECTOR M11, IMT MANESAR, GURGAON - 122050, HARYANA, INDIA

2. The license is being granted to the unit located at the address and for the brand and models mentioned at serial no 1 above.

3. The number assigned to this License is **R-91002773** which has been made operative from **07-08-2018** and is valid upto **06-08-2020**. The license Number should invariably be referred to in your future correspondence.

4. The rights and privileges under the license shall not be exercised by any other factory / organisation at any other location and in the event of shifting of the manufacturing machinery from the registered premises to some other place use of the license number shall be stopped and BIS shall be informed.

5. The licensee shall comply with the provisions of the Act, Rules and Regulations framed thereunder and as amended from time to time.

6. The licensee shall follow the guidelines for the use of Standard Mark and labeling requirements as per Annexure.

7. The licensee shall not use the license in any manner which contravenes the provisions of Act, Rules and Regulations framed thereunder and as amended from time to time.

8. Upon expiry of validity, stoppage or suspension or cancellation of license, the licensee shall discontinue forthwith the self-declaration of conformity to the relevant Indian Standard(s) and withdraw all promotional and advertising matter which contains any reference thereto.

9. For renewal of license, the licensee shall have to apply to BIS three months in advance before expiration of the license and application form for Renewal is available on BIS website.

10. The license is not transferable.

Thanking you,

Yours faithfully,  
  
(Sundeep Kumar)  
Scientist C (Reg. Dept.)  
Telefax : +91-11-2323 0856  
E-mail: registration@bis.org.in



**भारतीय मानक ब्यूरो**  
BUREAU OF INDIAN STANDARDS

भारतीय मानक ब्यूरो, एन.डी.ए.ए. बिल्डिंग, एन.डी.ए. बिल्डिंग - 110002  
110002, New Delhi, India  
Bureau of Indian Standards  
Ministry of Consumer Affairs, Food & Public Distribution, Govt. of India  
Website: www.bis.org.in  
E-mail: registration@bis.org.in

Our Ref: Registration/CRS 2018-3963/R-91003000 Date: 27-09-2018

**Subject : Licence Document**

MANUFACTURING UNIT : JAGUAR AND COMPANY PVT. LTD.  
PLOT NO.3, SECTOR M11, IMT MANESAR, GURUGRAM - 122050, HARYANA, INDIA  
sa@kushvetha@jaguar.com  
7290027208

Dear Sir,

1. With reference to your Application, we are pleased to inform you that it has been decided to grant you License through registration based on self-declaration of conformity as per details given below:

PRODUCT :	RECESSED LED LUMINAIRES
IS NO :	IS 10322 (PART 5/SEC 3) : 2013
BRAND :	JAGUAR LIGHTING
MODEL :	23W DL, 20W DL, 18W DL, 15W DL, 12W DL, 10W DL, 8W DL, 6W DL, 3W DL
MANUFACTURING ADDRESS :	JAGUAR AND COMPANY PVT. LTD. PLOT NO.3, SECTOR M11, IMT MANESAR, GURUGRAM - 122050, HARYANA, INDIA

2. The license is being granted to the unit located at the address and for the brand and models mentioned at serial no 1 above.

3. The number assigned to this License is **R-91003000** which has been made operative from **25-09-2018** and is valid upto **24-09-2020**. The license Number should invariably be referred to in your future correspondence.

4. The rights and privileges under the license shall not be exercised by any other factory / organisation at any other location and in the event of shifting of the manufacturing machinery from the registered premises to some other place use of the license number shall be stopped and BIS shall be informed.

5. The licensee shall comply with the provisions of the Act, Rules and Regulations framed thereunder and as amended from time to time.

6. The licensee shall follow the guidelines for the use of Standard Mark and labeling requirements as per Annexure.


7. The licensee shall not use the license in any manner which contravenes the provisions of Act, Rules and Regulations framed thereunder and as amended from time to time.

8. Upon expiry of validity, stoppage or suspension or cancellation of license, the licensee shall discontinue forthwith the self-declaration of conformity to the relevant Indian Standard(s) and withdraw all promotional and advertising matter which contains any reference thereto.

9. For renewal of license, the licensee shall have to apply to BIS three months in advance before expiration of the license and application form for Renewal is available on BIS website.

10. The license is not transferable.

Thanking you,

Yours faithfully,  
  
(Vishal Kumar)  
Scientist C (Reg. Dept.)  
Telefax : +91-11-2323 0856  
E-mail: registration@bis.org.in



**भारतीय मानक ब्यूरो**  
BUREAU OF INDIAN STANDARDS

भारतीय मानक ब्यूरो, एन.डी.ए.ए. बिल्डिंग, एन.डी.ए. बिल्डिंग - 110002  
110002, New Delhi, India  
Bureau of Indian Standards  
Ministry of Consumer Affairs, Food & Public Distribution, Govt. of India  
Website: www.bis.org.in  
E-mail: registration@bis.org.in

Our Ref: Registration/CRS 2016-3126/R-91000559 Date: 29-08-2020

**Subject : Grant of Registration**

MANUFACTURING UNIT : JAGUAR AND COMPANY PVT LTD  
PLOT NO.3, SECTOR M11, IMT MANESAR, GURGAON, HARYANA, INDIA  
MR. SAJU KUSHVETHA, HEAD, R & D & PRODUCTION  
sa@kushvetha@jaguar.com  
7290027208

Dear Sir,

1. With reference to your Application, we are pleased to inform you that it has been decided to grant you registration as per details given below:

PRODUCT :	Fixed General Purpose LED Luminaires
IS NO :	IS 10322(PART 5/SEC 3):2012
BRAND :	Jaguar Lighting
MODEL :	15W JMSF, 18W JMSF, 20W JMSF, 30W JMSF, 36W JMSF, 40W JMSF, 10W JMSF, 12W JMSF, 6W JMSF
FACTORY ADDRESS :	JAGUAR AND COMPANY PVT LTD PLOT NO.3, SECTOR M11, IMT MANESAR, GURGAON, HARYANA, INDIA

2. The Registration is being granted for your unit located at the address and for the brand and models mentioned at serial no 1 above.

3. The number assigned to this Registration is **R-91000559** which has been made operative from **23-08-2018** and is valid upto **22-08-2025**. The Registration Number should invariably be referred to in your future correspondence.

4. The rights and privileges under the registration shall not be exercised by any other factory / organisation at any other location. This registration is not transferable. In the event of shifting of the manufacturing machinery from the registered premises to some other place use of the Registration Number shall be stopped and BIS shall be informed.

5. You shall comply with the provisions of Bureau of Indian Standards Act, 1986 and Rules and Regulations framed there under and as amended from time to time.

6. You shall follow the guidelines for the use of Standard Mark and labeling requirements under BIS Compulsory Registration Scheme for Electronic and IT Products given in circular No. Ref : CMD 3/8: 1/8/75 dated 01/12/2013 available on BIS website and Department of Electronics and Information Technology (DEITY) notification S. O. 636(E) dated 10/01/2016.

7. You shall not use the registration in any manner which contravenes the provisions of Bureau of Indian Standards Act, 1986 and Rules and Regulations framed there under and as amended from time to time.

8. Upon expiry of validity, stoppage or suspension or cancellation of registration, you shall discontinue forthwith the self-declaration of conformity to the relevant Indian Standard(s) and withdraw all promotional and advertising matter which contains any reference thereto.

9. As per your declaration, MR. SAJU KUSHVETHA, HEAD, R & D & PRODUCTION is your authorized representative. Any intended change in the name of the authorized representative ought to be brought to our notice immediately.

10. It may be noted that for consideration of renewal of your registration, you shall have to apply to BIS at least one month in advance before expiry of the validity period. Application Form for Renewal (FORM D) is available on BIS website.

11. This letter is being issued with the approval of competent authority. Kindly acknowledge receipt of this letter.

Thanking you,

Yours faithfully,  
  
(Vishal Kumar)  
Scientist C (Reg. Dept.)  
Telefax : +91-11-23230856  
E-mail: registration@bis.org.in





## Unique customisation option for Chandeliers

Jaquar Lighting has the first chandelier manufacturing plant in India with in-house facilities for designing, fabrication, plating and assembly, to provide unique customised solutions.

As a chandelier manufacturer, Jaquar is also the first and only one in India to offer 24K gold plating in Antique Gold, as well as Chrome plating with some of the world's best crystals.



# Best in the world lighting, best for Indian conditions

Jaquar lighting products are built keeping in mind the tough, ever-changing Indian weather conditions. These products pass through a wide range of tests to ensure their endurance, reliability and durability.

Jaquar lighting products follow the philosophy of sustained development. That is precisely why all these products are eco-friendly and energy-efficient.

Jaquar lighting LED products:

- Save up to 90% of the energy required for similar levels of illumination by conventional, non-LED products
- Designed to be glare-free and provide uniform illumination
- Built to be high-efficiency products that provide approximately 100 Lm/W-higher than most competing products

# Trusted for prestigious projects

Jaquar lighting has been entrusted to light up an array of prestigious premises for its expertise in coming up with the best lighting solutions. Have a look:

- Central Hall, Parliament of India
- Supreme Court, Delhi
- Jammu & Kashmir Assembly, Srinagar
- Governor House, Dehradun
- Air Force Headquarters, Delhi
- National Defence Academy (NDA), Pune
- ISRO
- Royal Orchid hotels in Bangalore, Hyderabad and Jaipur
- Hotel Mount View, Chandigarh
- Hotel Westin, Hyderabad
- Hotel India Awadh, Lucknow
- Amber Conventional Centre, Indore
- Hindustan Club, Kolkata
- Hotel Crown, Bhubaneswar

- IIM Shillong
- IIT Mandi & IIT Guwahati
- Bangur House, Kolkata
- Holiday Inn, Kolkata
- Mahagun, Noida
- Supertech, Noida
- MG Motors, Delhi
- Jeep Showroom, Haryana
- Hotel Hyatt, Gurgaon
- Hotel Marriott, Nasik
- HP (Hewlett Packard)

Jaquar lighting also has corporate tie-ups with Sayaji Group, Lemontree, and Jaypee, among others.



## Good lighting takes good planning

Give your property's lighting design the benefit of professional advice. With Jaquar's Light Planning Service you get expert guidance to achieve the right effect using the key features of your building's architecture, as well as evoke the right mood in your interior spaces.

Jaquar uses the latest professional design software to develop and present the entire solution to you – from AutoCAD drawings of the layouts to the analysis of the plan, to creating simulations, designs, renders and culminating in the documentation, right down to details like the BoQ.



## Jaquar's Luxstudio

Imagine a space where the boundaries between architecture and light are blurred. The Luxstudio by Jaquar, in New Delhi, is a first-of-its-kind light studio where a wide range of architectural lighting solutions is showcased in an applied scenario.

The designers of the studio, Harmeet Singh Issar and Nivedita Sehrawat of Design Matrix, say we took *"...took the three constructs of space, time and light and merged them together to create an experience that is unpretentious, unexpected, fluid in form and program, and dignified yet engaging."*

Unlike the usual design of experience centres for lighting that typically tends to fall into two categories - white, matte minimalism driven by surface textures, or a dark, edgier aesthetic emphasizing contrasts- the design of Luxstudio amalgamates and represents both these approaches.

Dark, solid, charcoal grey walls of the Studio, contrast with luminous, textural 'light' partitions. Both sit side by side in an amorphous, flowing plan. Designed to be flexible, the space is both a blank canvas for lighting experiments - making allowance for tests and trials, as well as evaluating space for light/light quality - in the Dark Room. The setting of the Luxstudio itself is a display of Jaquar's lighting capability and possibilities.

To discover how Jaquar's lighting range carries forward the legacy of the brand's commitment to excellence in bathroom fixtures, quality and customer satisfaction, the Luxstudio is a perfect showcase of possibilities and ideas for everyone who's planning to create buildings and spaces that are illuminated brilliantly.





## Jaquar orientation centres

Jaquar orientation centres are spread across the length & breadth of the nation and even abroad.


You can discover the whole gamut of Jaquar lighting products under one roof. Offering a one-stop solution to the discovery and selection process, the orientation centre is manned by trained experts who can help you find the perfect match even for your most unique lighting requirements.

So drop into a Jaquar orientation centre today. And bring home the glow of happiness!

For more information, visit any of our 21 orientation centres in the following cities:

Ahmedabad, Bangalore, Bhopal, Bhubaneswar, Chandigarh, Chennai, Cochin, Guwahati, Hyderabad, Jaipur, Jammu, Kolkata, Lucknow, Ludhiana, Mumbai, Nagpur, New Delhi, Pune, Raipur, Siliguri and Surat





# Pro-active customer care

Even peers vouch for Jaquar's enviable customer care.

Backed by over 1,000 trained technicians and a warranty on its products, Jaquar lighting provides India's most reliable service to its customers with a fully integrated service network across the country.

Toll-free customer care no: 1800 212 6808

E-mail: [ccare.lighting@jaquar.com](mailto:ccare.lighting@jaquar.com)

# Category Content

## Professional Lighting



### Chandeliers & Decorative Lights

The best of global lighting designs and craftsmanship in a large range of chandeliers and decorative lighting designs



### Commercial Indoor Lights

The latest options in LED lighting solutions for indoor spaces in offices, malls, and commercial areas



### Commercial Outdoor Lights

The most comprehensive range of high-quality products for landscape and outdoor lighting



### Landscape Lights Choice Series

Affordable yet efficient Landscape lighting products to light up your spaces

## Smart Lighting



### Smart Lights

The world is getting smarter and so are the Jaquar Lighting Products

## Consumer Lighting



### Consumer Lights

Cutting-edge, energy-efficient LED lighting solutions for an array of residential requirements



# Professional Lighting

Discover the best of global lighting designs and craftsmanship in our comprehensive range of technologically advanced professional lighting products. Designed keeping your space in mind, our lighting solutions are essential in creating aesthetically pleasing urban & professional environments.

Our range of professional lighting includes:

- Chandeliers & Decorative Lights
- Commercial Indoor Lights
- Commercial Outdoor Lights
- Landscape Lights



## Chandeliers

There are a few bigger statements of luxury in an indoor space than a sparkling chandelier. Discover a grand centrepiece for your indoor space in Jaquar's range of chandeliers.

- Our chandeliers, a fusion of class and quality, are made with lead-free Asfour Almaaza crystals of high-precision cut, clarity, colour, and shape, from some of the world's best crystal manufacturers.
- We use mainly brass in the frame of our chandeliers, which come with a 7 year to 10 year warranty on the plating – ranging from 24K Gold to Chrome, Antique Brass and Copper.
- With the fabrication and plating of chandeliers being done in-house, Jaquar is one of the leading brands of India with its own production facility for crystal chandeliers.
- Available in classic and contemporary styles, reflecting traditional grace or modern elegance, our chandeliers range from 3-head to 24-head designs, with suspended or ceiling-mounted options.
- In fact, apart from the extensive choice, Jaquar Lighting also offers a unique customisation option in Crystal chandeliers - you can redesign, mix and match, and even ask to increase or reduce the crystals used in the chandeliers you select.

But no matter which chandelier you choose from Jaquar, it'll definitely have the power to be the cynosure of all eyes in the room.

# Content

## CHANDELIERS WITH SHADES

Carina	032
Octans	033
Ara	034
Ursa	035

## TIERED CANDLE CHANDELIERS

Grandiose	038
Meridian	039
Gondola	040
Celeste	041
Orion	042
Etheria	043
Mensa	044
Pictor	045
Antlia	046
Apus	047
Vela	048
Pollux	049
Celosia	050
Trillium	051
Centaurus	052
Circinus	053
Cassia	054
Wisteria	055
Pegasus	056
Bergenia	057
Phoenix	058
Selene	059
Lantana	060

## CONCEALED LIGHT CHANDELIERS

Sirius	064
Nobella	065
Grapewine	066
Honey comb	067
Lancia	068
Lancia	069
Galaxy	070
Cosmos	071
Liner	072
Supernova	073
Starling	074
Starling	074

## MODERN CHANDELIERS

Lepus	078
Gemini	079
Nebula	080
Arcturus	081
Nova	082
Umbra	083
Norma	084
Capella	085
Canis	086
Lynx	087
Auriga	088

## MINIMALISTIC CHANDELIERS

Tortile	092
Saggita	093

## WALL LAMPS

Arena	096
Trident	096
Tulipz	097
Exalta	097
Trident Gold	098
Celestia Pearl	098
Volans	099
Gloria	099





## Chandeliers with Shades

Perfect for making the light source in the room discrete, a chandelier with shades works even better when paired with drapery that matches the colour and texture of the shades in the chandelier.



## Carina

### Asfour Almaaza

Product code: DTD-SKG-ASCARL0095436C

Color:	SK gold
Material:	Zinc alloy and fabric shade
No. of heads:	6+12+18
Cap type:	E14
Wattage:	36 x 4.5 W LED
Dimension (mm):	Ø 1530 x H 2300
Weight (Kg):	177
No. of boxes for one product:	9



## Octans

### Asfour Almaaza

Product code: DTD-ABR-ASOCT0095430C

Color:	Bronze
Material:	Zinc alloy and fabric shade
No. of heads:	5+10+15
Cap type:	E14
Wattage:	30 x 4.5 W LED
Dimension (mm):	Ø 1500 x H 1850
Weight (Kg):	115
No. of boxes for one product:	6



## Ara

### Asfour Almaaza

Product code: DCS-ABR-CHL00954005

Color:	Bronze
Material:	Copper, bronze and fabric
No. of heads:	4+8+12
Cap type:	E14
Wattage:	24 x 4.5 W LED
Dimension (mm):	Ø 1260 x H 1400
Weight (Kg):	59
No. of boxes for one product:	6
Premium fabric shade	



## Ursa

Product code: DCS-SKG-14844X15C

Color:	Gold finish
Material:	Zinc alloy and fabric shade
No. of heads:	15
Cap type:	E14
Wattage:	15 x 4.5 W LED
Dimension (mm):	Ø 1000 x H 600
Weight (Kg):	20
No. of boxes for one product:	1



## Tiered Candle Chandeliers

A tiered candle chandelier like this one is the perfect way to accentuate a room's traditional elegance. Reminiscent of real candle chandeliers from many centuries ago, that were lowered, lit and then pulled up by a rope, the unmasked light source allows the crystals underneath to sparkle with greater intensity.



## Grandiose

### Asfour Almaaza

Gold

Product code: DTD-GLD-AS110212

Chrome

Product code: DTD-CHR-AS110212

Color:	Gold and chrome
Material:	Brass casting
No. of heads:	12
Cap type:	E14
Wattage:	12 x 4.5 W LED
Dimension (mm):	Ø 850 x H 560
Weight (Kg):	18
No. of boxes for one product:	1



## Meridian

### Asfour Almaaza

#### Gold

Product code: DTD-GLD-AS20918B

#### Chrome

Product code: DTD-CHR-AS20918B

Color:	Gold and chrome
Material:	Brass casting
No. of heads:	18
Cap type:	E14
Wattage:	18 x 4.5 W LED
Dimension (mm):	Ø 1050 x H 560
Weight (Kg):	20
No. of boxes for one product:	1



## Gondola

### Asfour Almaaza

Gold

Product code: DTD-GLD-AS2028A

Chrome

Product code: DTD-CHR-AS2028A

Color:	Gold and chrome
Material:	Brass casting
No. of heads:	8
Cap type:	E14
Wattage:	8 x 4 W LED
Dimension (mm):	Ø 700 x H 430
Weight (Kg):	12
No. of boxes for one product:	1



## Celeste

### Asfour Almaaza

#### Gold

Product code: DTD-GLD-AS93112A

#### Chrome

Product code: DTD-CHR-AS93112A

Color:	Gold and chrome
Material:	Brass
No. of heads:	6+6
Cap type:	E14
Wattage:	12 x 4.5 W LED
Dimension (mm):	Ø 630 x H 930
Weight (Kg):	21
No. of boxes for one product:	2



## Orion

### Asfour Almaaza

Product code: DTD-GLD-AS2038BCAG

Color:	Gold/Black powder
Material:	Brass/Asfour Crystal/MS
No. of heads:	8
Cap type:	E14
Wattage:	8 x 4.5 W LED
Dimension (mm):	D 660 x H 1200
Weight (Kg):	10
No. of boxes for one product:	2



**NEW**  
**ARRIVAL**

## Etheria

### Asfour Almaaza

Product code: DTD-GLD-AS20918X1500

Color:	Gold
Material:	Brass/Glass/Asfour Crystal
No. of heads:	36
Cap type:	E14
Wattage:	36 x 4.5 W
Dimension (mm):	D 1500 x H 1800
Weight (Kg):	38
No. of boxes for one product:	5



## Mensa

### Asfour Almaaza

Product code: DTD-GLD-ASMEN0095456C

Color:	Gold
Material:	Copper with natural pink jade
No. of heads:	8+12+16+20
Cap type:	E14
Wattage:	56 x 4.5 W LED
Dimension (mm):	Ø 2260 x H 3000
Weight (Kg):	450
No. of boxes for one product:	13
24K gold used for perfect finish	



## Pictor

### Asfour Almaaza

Product code: DTD-SKG-ASPIC0095430C

Color:	SK gold
Material:	Zinc alloy with jade
No. of heads:	5+10+15
Cap type:	E14
Wattage:	30 x 4.5 W LED
Dimension (mm):	Ø 1450 x H 2100
Weight (Kg):	110
No. of boxes for one product:	13



## Antlia

### Asfour Almaaza

Product code: DTD-SLV-ASANT0095424C

Color:	Silver
Material:	Copper and glass
No. of heads:	8+16
Cap type:	E14
Wattage:	24 x 4.5 W LED
Dimension (mm):	Ø 1230 x H 1100
Weight (Kg):	115
No. of boxes for one product:	3



## Apus

### Asfour Almaaza

Product code: DTD-GLD-ASAPU0095451C

Color:	Bronze
Material:	Copper with natural jade
No. of heads:	6+10+15+20
Cap type:	E14
Wattage:	51 x 4.5 W LED
Dimension (mm):	Ø 1900 x H 2800
Weight (Kg):	340
No. of boxes for one product:	16



## Vela

### Asfour Almaaza

Product code: DTD-SKG-ASVEL09540636C

Color:	SK gold
Material:	Zinc alloy with natural pink jade
No. of heads:	6+12+18
Cap type:	E14
Wattage:	36 x 4.5 W LED
Dimension (mm):	Ø 1550 x H 2110
Weight (Kg):	166
No. of boxes for one product:	8



## Pollux

### Asfour Almaaza

Product code: DTD-ABR-ASPOL0095443C

Color:	Bronze
Material:	Zinc alloy and bobèche glass
No. of heads:	6+8+10+19+5
Cap type:	E14
Wattage:	48 x 4.5 W LED
Dimension (mm):	Ø 1600 x H 2300
Weight (Kg):	212
No. of boxes for one product:	6



## Celosia

### Asfour Almaaza

Product code: DTD-SLV-ASCEL716510C

Color:	Silver (Real)
Material:	Copper and bobèche glass
No. of heads:	10
Cap type:	E14
Wattage:	10 x 4.5 W LED
Dimension (mm):	Ø 1000 x H 885
Weight (Kg):	60
No. of boxes for one product:	1
Real silver used for perfect finish	



## Trillium

### Asfour Almaaza

Product code: DTD-GLD-ASTRISYY15730C

Color:	Gold
Material:	Copper and bobèche glass
No. of heads:	5+10+15
Cap type:	E14
Wattage:	30 x 4.5 W LED
Dimension (mm):	Ø 1500 x H 2120
Weight (Kg):	175
No. of boxes for one product:	6
24K gold used for perfect finish	



## Centaurus

### Asfour Almaaza

Product code: DTD-GLD-ASCEL1771230C

Colour:	Gold
Material:	Zinc alloy with natural jade
No. of heads:	15+10+5
Cap type:	E14
Wattage:	30 x 4.5 W LED
Dimension (mm):	Ø 1470 x H 1900
Weight (Kg):	160
No. of boxes for one product:	7



## Circinus

### Asfour Almaaza

Product code: DTD-GLD-ASCIR1780218C

Color:	Gold
Material:	Zinc alloy with natural jade
No. of heads:	12+6
Cap type:	E14
Wattage:	18 x 4.5 W LED
Dimension (mm):	Ø 1150 x H 1000
Weight (Kg):	65
No. of boxes for one product:	3



## Cassia

### Asfour Almaaza

Product code: DTD-GLD-ASCAS178027C

Color:	Gold
Material:	Zinc alloy with natural jade
No. of heads:	70
Cap type:	E14
Wattage:	70 x 4.5 W LED
Dimension (mm):	Ø 2000 x H 3100
Weight (Kg):	350
No. of boxes for one product:	15



## Wisteria

### Asfour Almaaza

Product code: DTD-BRS-ASWISSYY0170C

Color:	Bronze
Material:	Zinc alloy and marble
No. of heads:	6+12+18+12+24+8
Cap type:	E14
Wattage:	80 x 4.5 W LED
Dimension (mm):	Ø 2330 x H 3300
Weight (Kg):	300
No. of boxes for one product:	17



## Pegasus

### Asfour Almaaza

Product code: DTD-GLD-ASPEG173918C

Color:	Gold
Material:	Zinc alloy with natural jade
No. of heads:	12+6
Cap type:	E14
Wattage:	18 x 4.5 W LED
Dimension (mm):	Ø 1160 x H 690
Weight (Kg):	50
No. of boxes for one product:	3



## Bergenia

### Asfour Almaaza

Product code: DTD-GLD-ASBER1739536C

Color:	Gold
Material:	Zinc alloy and glass
No. of heads:	6+15+10+5
Cap type:	E14
Wattage:	36 x 4.5 W LED
Dimension (mm):	Ø 1500 x H 2350
Weight (Kg):	118
No. of boxes for one product:	6



## Phoenix

### Asfour Almaaza

Product code: DTD-GLD-ASPHOSYA65032C

Color:	Gold
Material:	Copper with natural jade
No. of heads:	6+10+16
Cap type:	E14
Wattage:	32 x 4.5 W LED
Dimension (mm):	Ø 1550 x H 1920
Weight (Kg):	205
No. of boxes for one product:	9
18K gold used for perfect finish	



## Selene

### Asfour Almaaza

Product code: DTD-SLV-ASSEL716530C

Color:	Silver (Real)
Material:	Copper and bobèche glass
No. of heads:	5+10+15
Cap type:	E14
Wattage:	30 x 4.5 W LED
Dimension (mm):	Ø 1460 x H 1900
Weight (Kg):	198
No. of boxes for one product:	4
Real silver used for perfect finish	



## Lantana

### Asfour Almaaza

Product code: DTD-GLD-ASLANSY66031C

Color:	Gold
Material:	Copper with natural jade
No. of heads:	15+10+6
Cap type:	E14
Wattage:	31 x 4.5 W LED
Dimension (mm):	Ø 1460 x H 2290
Weight (Kg):	180
No. of boxes for one product:	7
18K gold used for perfect finish	





## Concealed Light Chandeliers

A complete creation in crystal, the opulence of chandeliers like these demand décor that's no less magnificent. Concealing the light source within allows the crystals to appear as if they are the light source themselves – a multitude of little suns scattering beautiful rays around the room.



## Sirius

### Asfour Almaaza

Gold

Product code: DCO-GLD-AS11063XB

Chrome

Product code: DCO-CHR-AS11063XB

Color:	Gold and chrome
Material:	Brass
No. of heads:	27
Cap type:	E14
Wattage:	27 x 4.5 W LED
Dimension (mm):	Ø 1066 x H 2743
Weight (Kg):	55
No. of boxes for one product:	2



## Nobella

### Asfour Almaaza

Gold

Product code: DCO-GLD-AS1009

Chrome

Product code: DCO-CHR-AS1009

Color:	Gold and chrome
Material:	Brass
No. of heads:	12
Cap type:	E14
Wattage:	12 x 4.5 W LED
Dimension (mm):	Ø 610 x H 920
Weight (Kg):	20.5
No. of boxes for one product:	2



## Grapewine

### Asfour Almaaza

#### Gold

Product code: DCO-GLD-AS4032

#### Chrome

Product code: DCO-CHR-AS4032

Color:	Gold and chrome
Material:	Brass
No. of heads:	8
Cap type:	E14
Wattage:	8 x 4.5 W LED
Dimension (mm):	Ø 600 x H 380
Weight (Kg):	16
No. of boxes for one product:	1



## Honey Comb

### Asfour Almaaza

#### Gold

Product code: DCO-GLD-AS4031A

#### Chrome

Product code: DCO-CHR-AS4031A

Color:	Gold and chrome
Material:	Brass
No. of heads:	6
Cap type:	E14
Wattage:	6 x 4.5 W LED
Dimension (mm):	Ø 550 x H 510
Weight (Kg):	17
No. of boxes for one product:	1



## Lancia

### Asfour Almaaza

#### Gold

Product code: DCO-GLD-AS8051B

#### Chrome

Product code: DCO-CHR-AS8051B

Color:	Gold and chrome
Material:	Brass casting
No. of heads:	4
Cap type:	E14
Wattage:	4 x 4.5 W LED
Dimension (mm):	Ø 400 x H 180
Weight (Kg):	4.5
No. of boxes for one product:	1



## Lancia

### Asfour Almaaza

#### Gold

Product code: DCO-GLD-AS8051D25

#### Chrome

Product code: DCO-CHR-AS8051D25

Color:	Gold and chrome
Material:	Brass casting
No. of heads:	3
Cap type:	E14
Wattage:	3 x 4.5 W LED
Dimension (mm):	Ø 300 x H 200
Weight (Kg):	2
No. of boxes for one product:	1



## Galaxy

### Asfour Almaaza

Gold

Product code: DCO-GLD-AS11025

Chrome

Product code: DCO-CHR-AS11025

Color:	Chrome and gold
Material:	Brass
No. of heads:	N/A
Cap type:	N/A
Wattage:	120 W LED
Dimension (mm):	Ø 914 x H 330
Weight (Kg):	25
No. of boxes for one product:	1



## Cosmos

### Asfour Almaaza

Gold

Product code: DCO-GLD-AS11021

Chrome

Product code: DCO-CHR-AS11021

Color:	Chrome and gold
Material:	Brass
No. of heads:	N/A
Cap type:	N/A
Wattage:	60 W LED
Dimension (mm):	Ø 600 x H 90
Weight (Kg):	12
No. of boxes for one product:	1



**NEW  
ARRIVAL**

## Liner

**Asfour Almaaza**

Gold

Product code: DCO-GLD-AS11025X700MM

Color:	Gold
Material:	Brass/Asfour Crystal
No. of heads:	N/A
Cap type:	LED
Wattage:	30W
Dimension (mm):	D 700 x H 1100
Weight (Kg):	15
No. of boxes for one product:	1



## Supernova

### Asfour Almaaza

Gold

Product code: DCO-GLD-AS11028

Chrome

Product code: DCO-CHR-AS11028

Color:	Chrome and gold
Material:	Brass
No. of heads:	N/A
Cap type:	N/A
Wattage:	105 W LED
Dimension (mm):	L 533 x W 533 x H 450
Weight (Kg):	18
No. of boxes for one product:	1



## Starling

### Asfour Almaaza

Gold

Product code: DCO-GLD-AS80881B

Chrome

Product code: DCO-CHR-AS80881B

Color:	Gold and chrome
Material:	Brass casting
No. of heads:	4
Cap type:	E14
Wattage:	4 x 4.5 W LED
Dimension (mm):	Ø 500 x H 180
Weight (Kg):	6
No. of boxes for one product:	1

The actual product may slightly vary from the above pic attached



## Starling

### Asfour Almaaza

Gold

Product code: DCO-GLD-AS8088B

Chrome

Product code: DCO-CHR-AS8088B

Color:	Gold and chrome
Material:	Brass casting
No. of heads:	3
Cap type:	E14
Wattage:	3 x 4.5 W LED
Dimension (mm):	Ø 330 x H 140
Weight (Kg):	4.5
No. of boxes for one product:	1

The actual product may slightly vary from the above pic attached



## Modern Chandeliers

Representing the evolution of chandeliers, rectilinear and curved forms of chandeliers question traditional outlines and pay tribute to the more functional forms seen in the architecture of the 20th century. Ideal for interiors where modern lines and newer, man-made materials are chosen.



## Lepus

### Asfour Almaaza

Gold

Product code: DMO-GLD-AS40510X2

Chrome

Product code: DMO-CHR-AS40510X2

Color:	Gold and chrome
Material:	SS
No. of heads:	8
Cap type:	G9
Wattage:	8 x 5 W LED
Dimension (mm):	L 1066 x W 381 x H 304
Weight (Kg):	20
No. of boxes for one product:	1



**NEW**  
**ARRIVAL**

## Gemini

### Asfour Almaaza

Product code: DMO-GLD-AS12032X1500

Color:	Gold
Material:	S.S/Asfour Crystal
No. of heads:	N/A
Cap type:	LED
Wattage:	200 W
Dimension (mm):	D 1500 x H 2400
Weight (Kg):	45
No. of boxes for one product:	2



## Nebula

**Asfour Almaaza**

Gold

Product code: DMO-GLD-AS11058/3

Chrome

Product code: DMO-CHR-AS11058/3

Color:	Gold and chrome
Material:	Brass
No. of heads:	N/A
Cap type:	N/A
Wattage:	225 W LED
Dimension (mm):	L 1500 x W 457 x H 457
Weight (Kg):	30
No. of boxes for one product:	1



## Arcturus

### Asfour Almaaza

Gold

Product code: DMO-GLD-AS11065

Chrome

Product code: DMO-CHR-AS11065

Color:	Gold and chrome
Material:	Brass
No. of heads:	N/A
Cap type:	N/A
Wattage:	150 W LED
Dimension (mm):	L 1053 x W 600 x H 600
Weight (Kg):	28
No. of boxes for one product:	1



## Nova

### Gold

Product code: DMO-GLD-DROP11066

### Chrome

Product code: DMO-CHR-DROP11066

Color:	Gold and chrome
Material:	SS and glass
No. of heads:	8
Cap type:	E14
Wattage:	8 x 4.5 W LED
Dimension (mm):	L 1210 x W 457 x H 395
Weight (Kg):	20
No. of boxes for one product:	1
Available in mouth blown drop glass only	



## Umbra

### Asfour Almaaza

Gold

Product code: DMO-GLD-AS9111

Chrome

Product code: DMO-CHR-AS9111

Color:	Gold and chrome
Material:	Brass
No. of heads:	1
Cap type:	E14
Wattage:	1 x 4.5 W LED
Dimension (mm):	Ø 250 x H 260
Weight (Kg):	1.5
No. of boxes for one product:	1



## Norma

Product code: DMO-GLD-MD177218009

Color:	Gold
Material:	SS/Brass
No. of heads:	9
Cap type:	E14
Wattage:	10 x 4.5 W LED
Dimension (mm):	Ø 800 x H 375
Weight (Kg):	30
No. of boxes for one product:	1
Available in K9 crystals only	



**NEW**  
**ARRIVAL**

## Capella

**Asfour Almaaza**

Product code: DMO-BRS-SL12024X6L

Color:	Brass
Material:	Brass/Solid Glass Rod
No. of heads:	6
Cap type:	E14
Wattage:	6 x 4.5 W LED
Dimension (mm):	D 650 x H 1320
Weight (Kg):	8
No. of boxes for one product:	1



## Canis

### Asfour Almaaza

Gold

Product code: DMO-GLD-AS11003

Chrome

Product code: DMO-CHR-AS11003

Color:

Material:

No. of heads:

Cap type:

Wattage:

Dimension (mm):

Weight (Kg):

No. of boxes for one product:

Chrome and gold

Brass

7

G9

7 x 5 W LED

Ø 457 x H 225

8

1



## Lynx

### Asfour Almaaza

Product code: DMO-BLK-GLS11042X70CM

Color:	Black chrome
Material:	Brass/Rock glass
No. of heads:	N/A
Cap type:	N/A
Wattage:	15 W LED
Dimension (mm):	Ø 700 x H 195
Weight (Kg):	12
No. of boxes for one product:	1



## Auriga

### Asfour Almaaza

Product code: DMO-BLK-K9CUBE10X10

Color:	Black nickel finished
Material:	Brass and K9 crystals
No. of heads:	N/A
Cap type:	N/A
Wattage:	45 W LED
Dimension (mm):	L 360 x H 450
Weight (Kg):	13.800
No. of boxes for one product:	1





## Minimalistic Chandeliers

Pushing the boundaries of the definition of chandeliers, iconic pieces like these are carefully designed to achieve the maximum effect with a minimum of elements. Accepting the challenge of today's minimalistic design aesthetic, pieces like this embody the concept of 'less is more'.



## Tortile

### Asfour Almaaza

Gold

Product code: DMN-GLD-AS11037

Chrome

Product code: DMN-CHR-AS11037

Color:

Chrome and gold

Material:

Brass

No. of heads:

5

Cap type:

Spot light

Wattage:

5 x 2 W LED

Dimension (mm):

Ø 360 x H 800

Weight (Kg):

8

No. of boxes for one product: 1



## Saggita

### Asfour Almaaza

Product code: DMN-CHR-AS600X335X2

Color:	Chrome
Material:	Brass/Asfour crystal
No. of heads:	N/A
Cap type:	N/A
Wattage:	60 W LED
Dimension (mm):	D 600 x H 600
Weight (Kg):	18
No. of boxes for one product:	1



## Wall Lamps

Take a look at the brilliant new ideas from Jaquar for ambient room illumination. From timeless elegance to quirky designs and artful expressions there's a wall light for every need here.



## Arena

**Asfour Almaaza**

**Gold**

Product code: DCW-GLD-AS20SW

**Chrome**

Product code: DCW-CHR-AS20SW

Color:	Chrome and gold
Material:	Brass and bobèche glass
No. of heads:	2
Cap type:	E14
Wattage:	2 x 4.5 W LED
Dimension (mm):	L 270 x W 190 x H 250
Weight (Kg):	1.3
No. of boxes for one product:	1



## Trident

**Asfour Almaaza**

**Gold**

Product code: DCW-GLD-AS9118

**Chrome**

Product code: DCW-CHR-AS9118

Color:	Chrome and gold
Material:	Brass and bobèche glass
No. of heads:	2
Cap type:	E14
Wattage:	2 x 4.5 W LED
Dimension (mm):	L 250 x W 160 x H 270
Weight (Kg):	1.5
No. of boxes for one product:	1



## Tulipz

**Asfour Almaaza**

**Gold**

Product code: DCW-GLD-AS7771

**Chrome**

Product code: DCW-CHR-AS7771

Color:	Chrome and gold
Material:	Brass
No. of heads:	1
Cap type:	LED
Wattage:	3 W
Dimension (mm):	L 130 x W 140 x H 500
Weight (Kg):	1.5
No. of boxes for one product:	1



## Exalta

**Asfour Almaaza**

**Gold**

Product code: DCW-GLD-AS98181

**Chrome**

Product code: DCW-CHR-AS98181

Color:	Chrome and gold
Material:	Brass and bobèche glass
No. of heads:	1
Cap type:	E14
Wattage:	1 x 4.5 W LED
Dimension (mm):	L 100 x W 180 x H 280
Weight (Kg):	1
No. of boxes for one product:	1



## Trident Gold

**Asfour Almaaza**

**Gold**

Product code: DCW-GLD-AS98182

**Chrome**

Product code: DCW-CHR-AS98182

Color:	Gold and chrome
Material:	Brass
No. of heads:	2
Cap type:	E14
Wattage:	2 x 4.5 W LED
Dimension (mm):	L 280 x W 180 x H 300
Weight (Kg):	1.5
No. of boxes for one product:	1



## Celestia Pearl

**Asfour Almaaza**

**Gold**

Product code: DCW-GLD-AS96069

**Chrome**

Product code: DCW-CHR-AS96069

Color:	Gold and chrome
Material:	Brass
No. of heads:	2
Cap type:	E 14
Wattage:	2 x 4.5 W LED
Dimension (mm):	L 260 x W 130 x H 240
Weight (Kg):	1.5
No. of boxes for one product:	1



## Volans

**Gold**

Product code: DCW-GLD-5057

**Chrome**

Product code: DCW-CHR-5057

Color:	Chrome and gold
Material:	Brass
No. of heads:	NA
Cap type:	LED strip
Wattage:	9 W
Dimension (mm):	L 110 x W 75 x H 290
Weight (Kg):	2.5
No. of boxes for one product:	1
Available in twist glass tube	



**NEW  
ARRIVAL**

## Gloria

**Asfour Almaaza**

**Gold**

Product code: DCW-COP-5057XRC

Color:	Copper
Material:	Brass
No. of heads:	N/A
Cap type:	LED
Wattage:	10 W
Dimension (mm):	L100 x W 120 x H 350
Weight (Kg):	1.8
No. of boxes for one product:	1



## Decorative Lights

Jaquar decorative lighting collection combines the very best of global design and craftsmanship in an impressively large range of designs and shapes. Jaquar range of products in the Decorative category includes Chandeliers, Pendant lights, Wall and Ceiling mounted lights, Table lamps and Floor lamps, and even Aqua lights for use in bathrooms.

Within each type of light too, there's one for every preference. Pendant lights are available in single or multiple heads with suspended or ceiling-mounted options. Ceiling lights are available in standalone, single-tier, 2-tier and 3-tier variants with Chrome, White, or Rose Gold finishes with Metal and Glass options. Our innovative range of LED wall lights are available in standalone, single-head, 2-head and 3-head variants with matching chandeliers.

For enhancing the ambience of interiors, choose from our trendsetting table lamps that are available in Chrome, Glass, Wood and Metallic finishes with fabric or PVC shades. Similar options are available in our Floor lamps too, which are distinctive and contemporary.

For use in moist environments like bathrooms, Jaquar Aqua lights feature a Chrome finish and Ingress Protection (IP) 44 rating.

Unless otherwise specified, all Jaquar lighting products are built with the flexibility to be compatible with not just LED lamps but CFL and GLS lamps too.

# Content

## DECORATIVE LIGHTS

Ceiling Lights	102
Floor Lamps	144
Table Lamps	150
Wall Lights	164
Bath (Aqua) Lights	186





## Ceiling Lights

To meet the sophisticated design requirements of ceiling lighting, Jaquar offers a vast repertoire to choose from. Discover some of the most alluring models from our latest collection.



**DCH-CHR-MD80473A**

**Description:** 3 Light cone shaped with chrome finish ceiling light

**Fixture Height:** 1000

**Standard Packaging Box:** 1

**Net Weight (Kg):** 1.5

**Lamp:** E14 LED 4.5 W x 3

L	W	D	H
600			1000

**DCH-CHR-MD80476A**

**Description:** 6 Light cone shaped with chrome finish ceiling light

**Fixture Height:** 1000

**Standard Packaging Box:** 1

**Net Weight (Kg):** 2.6

**Lamp:** E14 LED 4.5 W x 6

L	W	D	H
650			1000



## Ceiling Lights



### DCL-CHR-MX81364B

**Description:** 4 Light star shape glass tube with chrome finish ceiling light

**Fixture Height:** 225

**Standard Packaging Box:** 1

**Net Weight (Kg):** 5.5

**Lamp:** G9 LED 5 W x 4

L	W	D	H
350			225



### DCL-CHR-MX81366B

**Description:** 6 Light star shape glass tube with chrome finish ceiling light

**Fixture Height:** 225

**Standard Packaging Box:** 1

**Net Weight (Kg):** 9.2

**Lamp:** G9 LED 5 W x 6

L	W	D	H
450			225



### DCL-CHR-MX81364A

**Description:** 4 Light star shape glass tube with chrome finish ceiling light

**Fixture Height:** 225

**Standard Packaging Box:** 1

**Net Weight (Kg):** 7

**Lamp:** G9 LED 5 W x 4

L	W	D	H
330	330		225



### DCL-CHR-MX81368A

**Description:** 8 Light star shape glass tube with chrome finish ceiling light

**Fixture Height:** 225

**Standard Packaging Box:** 1

**Net Weight (Kg):** 11

**Lamp:** G9 LED 5 W x 8

L	W	D	H
430	430		225

Height Adjustable

**DPN-COP-MD501001512C**

**Description:** 12 Light aluminium curved strips with copper finish pendant


**Fixture Height:** 560

**Standard Packaging Box:** 1

**Net Weight (Kg):** 5.2

**Lamp:** G9 LED 5 W x 12

L	W	D	H
560	1200		



Height Adjustable



**DPN-BCH-MD501001512B**

**Description:** 12 Light aluminium curved strips with black finish pendant

**Fixture Height:** 650

**Standard Packaging Box:** 1

**Net Weight (Kg):** 6.5

**Lamp:** G9 LED 5 W x 12

L	W	D	H
		650	1300



**DCH-BLK-MX809812A**

**Description:** 12 Light meta swan with black finish ceiling light  
**Available in:** Black / Matt Gold / Nickel  
**Fixture Height:** 620  
**Standard Packaging Box:** 1  
**Net Weight (Kg):** 9.5  
**Lamp:** G4 Bulb 5 W x 12

L	W	D	H
		710	620



**DCH-BLK-MD809812A**

**Description:** 12 Light meta swan with black finish ceiling light with chain  
**Available in:** Black / Matt Gold / Nickel  
**Fixture Height:** 620  
**Standard Packaging Box:** 1  
**Net Weight (Kg):** 9.5  
**Lamp:** G4 Bulb 5 W x 12

L	W	D	H
		710	620



**DCH-GLD-MX809818A**

**Description:** 18 Light meta swan with gold finish ceiling light  
**Available in:** Black / Matt Gold / Nickel  
**Fixture Height:** 780  
**Standard Packaging Box:** 1  
**Net Weight (Kg):** 18  
**Lamp:** G4 Bulb 5 W x 18

L	W	D	H
		860	780



**DCH-GLD-MD809818A**

**Description:** 18 Light meta swan with gold finish ceiling light with chain  
**Available in:** Black / Matt Gold / Nickel  
**Fixture Height:** 780  
**Standard Packaging Box:** 1  
**Net Weight (Kg):** 18  
**Lamp:** G4 Bulb 5 W x 18

L	W	D	H
		860	780



**DPN-BLK-SL1027S400**

**Description:** 1 Light black hemp rope ball pendant

**Fixture Height:** 400

**Available in:** Black

**Standard Packaging Box:** 1

**Net Weight (Kg):** 1.2

**Lamp:** E27 LED 7 W x 1

L	W	D	H
400	1200		



**DPN-BLK-SL1027S600**

**Description:** 1 Light black hemp rope ball pendant

**Fixture Height:** 600

**Available in:** Black

**Standard Packaging Box:** 1

**Net Weight (Kg):** 1.5

**Lamp:** E27 LED 7 W x 1

L	W	D	H
600	1200		



**DCH-CHR-MD150330026A**

**Description:** 6 Light champagne opal glass with chrome finish chandelier

**Fixture Height:** 620

**Standard Packaging Box:** 1

**Net Weight (Kg):** 7

**Lamp:** E14 LED 4.5 W x 6

L	W	D	H
600		1200	



**DCH-CHR-MD1503300212**

**Description:** 12 Light champagne opal glass with chrome finish chandelier

**Fixture Height:** 620

**Standard Packaging Box:** 1

**Net Weight (Kg):** 15

**Lamp:** E14 LED 4.5 W x 12

L	W	D	H
830		1200	



**DCH-WTC-MX150300086A**

**Description:** 6 Light white pitcher glass with white finish chandelier

**Fixture Height:** 380

**Standard Packaging Box:** 1

**Net Weight (Kg):** 5

**Lamp:** E14 LED 4.5 W x 6

L	W	D	H
		430	600



**DCH-WTC-MD150300088A**

**Description:** 8 Light white pitcher glass with white finish chandelier

**Fixture Height:** 380

**Standard Packaging Box:** 1

**Net Weight (Kg):** 6

**Lamp:** E14 LED 4.5 W x 8

L	W	D	H
		760	1200



**DCH-WTC-MX1503000812**

**Description:** 12 Light white pitcher glass with white finish chandelier

**Fixture Height:** 380

**Standard Packaging Box:** 1

**Net Weight (Kg):** 10

**Lamp:** E14 LED 4.5 W x 12

L	W	D	H
		870	490



**DCH-WTC-MD1503000818**

**Description:** 18 Light white pitcher glass with white finish chandelier

**Fixture Height:** 380

**Standard Packaging Box:** 1

**Net Weight (Kg):** 18

**Lamp:** E14 LED 4.5 W x 18

L	W	D	H
		1050	1200

## Ceiling Lights



### **DCH-CHR-MD160275216A**

**Description:** 6 Light frosted glass with chrome finish chandelier

**Fixture Height:** 320

**Standard Packaging Box:** 1

**Net Weight (Kg):** 5

**Lamp:** E27 LED 7 W x 6

L	W	D	H
800	1000		



### **DCH-CHR-MD160275218A**

**Description:** 8 Light frosted glass with chrome finish chandelier

**Fixture Height:** 540

**Standard Packaging Box:** 1

**Net Weight (Kg):** 6.5

**Lamp:** E27 LED 7 W x 8

L	W	D	H
800	1000		



### **DPN-BLK-SL1174S**

**Description:** 3 Light frosted glass, aluminium with black and gold finish pendant

**Fixture Height:** 50

**Standard Packaging Box:** 1

**Net Weight (Kg):** 4.02

**Lamp:** E14 LED 4.5 W x 3

L	W	D	H
350	1100		

## Ceiling Lights



### DPN-COP-MD150031251C

**Description:** 1 Light copper glass with copper finish pendant

**Fixture Height:** 270

**Standard Packaging Box:** 8

**Net Weight (Kg):** 0.9

**Lamp:** E27 LED 7 W x 1

L	W	D	H
100	1200		



### DPN-COP-MD150031251B

**Description:** 1 Light copper glass with copper finish pendant

**Fixture Height:** 280

**Standard Packaging Box:** 1

**Net Weight (Kg):** 0.8

**Lamp:** E27 LED 7 W x 1

L	W	D	H
130	1200		



### DPN-COP-MD150031251A

**Description:** 1 Light copper glass with copper finish pendant

**Fixture Height:** 220

**Standard Packaging Box:** 8

**Net Weight (Kg):** 0.6

**Lamp:** E27 LED 7 W x 1

L	W	D	H
170	1200		



### DPN-CHR-MD140030571C

**Description:** 1 Light PC globe diffuser with rose gold finish pendant

**Available in:** Nickel / Chrome / Antique brass

**Fixture Height:** 250

**Standard Packaging Box:** 1

**Net Weight (Kg):** 1.4

**Lamp:** E27 LED 7 W x 1

L	W	D	H
200	1500		

Bulb included



**DPN-CHR-MD150031291A**

**Description:** 1 Light smoky glass with chrome finish pendant

**Fixture Height:** 225

**Standard Packaging Box:** 1

**Net Weight (Kg):** 1.2

**Lamp:** E27 LED 7 W x 1

L	W	D	H
280			1200



**DPN-CHR-MD150031291B**

**Description:** 1 Light smoky glass with chrome finish pendant

**Fixture Height:** 220

**Standard Packaging Box:** 8

**Net Weight (Kg):** 1

**Lamp:** E27 LED 7 W x 1

L	W	D	H
200			1200



**DPN-CHR-MD160020053B**

**Description:** 3 Light clear glass, rose gold mesh with chrome finish pendant

**Fixture Height:** 260-750

**Standard Packaging Box:** 1

**Net Weight (Kg):** 3.5

**Lamp:** G9 LED 5 W x 3

L	W	D	H
375			1200

Bulb included



**DPN-CHR-MD160020051C**

**Description:** 1 Light clear glass, rose gold mesh with chrome finish pendant

**Fixture Height:** 160

**Standard Packaging Box:** 1

**Net Weight (Kg):** 1

**Lamp:** G9 LED 5 W x 1

L	W	D	H
190			1200



**DPN-CHR-MD160030111A**

**Description:** 1 Light clear globe glass with chrome finish pendant

**Fixture Height:** 210

**Standard Packaging Box:** 1

**Net Weight (Kg):** 0.6

**Lamp:** G9 LED 5 W x 1

L	W	D	H
130		1200	



**DPN-RDG-MD160030111A**

**Description:** 1 Light clear globe glass with rose gold finish pendant

**Fixture Height:** 210

**Standard Packaging Box:** 1

**Net Weight (Kg):** 0.6

**Lamp:** G9 LED 5 W x 1

L	W	D	H
130		1200	

## Ceiling Lights



### DPN-CHR-MD150031271A

**Description:** 1 Light smoky glass with chrome finish pendant

**Fixture Height:** 436

**Standard Packaging Box:** 1

**Net Weight (Kg):** 1.3

**Lamp:** E27 LED 7 W x 1

L	W	D	H
150	1200		



### DPN-CHR-MD150031271B

**Description:** 1 Light smoky glass with chrome finish pendant

**Fixture Height:** 180

**Standard Packaging Box:** 1

**Net Weight (Kg):** 1.2

**Lamp:** E27 LED 7 W x 1

L	W	D	H
220	1200		



### DPN-BLK-SL00WCNIE27

**Description:** 1 Light bar with black finish conical pendant

**Fixture Height:** 380

**Standard Packaging Box:** 4

**Net Weight (Kg):** 1.3

**Lamp:** E27 LED 7 W x 1

L	W	D	H
300	120		



**NEW  
ARRIVAL**

### DPN-BLK-SL6003MESH

**Description:** 1 Light mild steel fabric with metal finish pendant

**Fixture Height:** 530

**Standard Packaging Box:** 1

**Net Weight (Kg):** 1.5

**Lamp:** E27 LED 8 W x 1

L	W	D	H
300	1530		

## Ceiling Lights



**NEW  
ARRIVAL**

### DPN-BLK-SL6001MESH

**Description:** 1 Light mild steel fabric with metal finish pendant

**Fixture Height:** 360

**Standard Packaging Box:** 1

**Net Weight (Kg):** 1.8

**Lamp:** E27 LED 8 W x 1

L	W	D	H
490	1360		



**NEW  
ARRIVAL**

### DPN-BLK-SL6002MESH

**Description:** 1 Light mild steel fabric with metal finish pendant

**Fixture Height:** 295

**Standard Packaging Box:** 1

**Net Weight (Kg):** 2.5

**Lamp:** E27 LED 8 W x 1

L	W	D	H
395	1295		



**NEW  
ARRIVAL**

### DPN-BLK-SL6004MESH

**Description:** 1 Light mild steel fabric with metal finish pendant

**Fixture Height:** 270

**Standard Packaging Box:** 1

**Net Weight (Kg):** 1.5

**Lamp:** E27 LED 8 W x 1

L	W	D	H
260	1270		

**DPN-RDG-SL00FRD3E27**

**Description:** 3 Light frosted glass with rose gold finish pendant

**Fixture Height:** 340

**Standard Packaging Box:** 4

**Net Weight (Kg):** 2.9

**Lamp:** E27 LED 7 W x 3

L	W	D	H
300	1200		



**DPN-RDG-SL00FRD1E27**

**Description:** 1 Light frosted glass with rose gold finish pendant

**Fixture Height:** 260

**Standard Packaging Box:** 8

**Net Weight (Kg):** 0.9

**Lamp:** E27 LED 7 W x 1

L	W	D	H
120	1200		





**DPN-COP-SL180461A**

**Description:** 1 Light mesh shade with copper finish pendant

**Fixture Height:** 235

**Standard Packaging Box:** 4

**Net Weight (Kg):** 1.2

**Lamp:** E27 LED 7 W x 1

L	W	D	H
100	1200		



**DPN-BRS-MD150273871B**

**Description:** 1 Light clear glass with brass finish pendant

**Fixture Height:** 270

**Standard Packaging Box:** 1

**Net Weight (Kg):** 1.3

**Lamp:** E27 LED 7 W x 1

L	W	D	H
200	1200		



**DPN-COG-SL1216S**

**Description:** 1 Light cognac glass with copper finish pendant

**Fixture Height:** 460

**Standard Packaging Box:** 1

**Net Weight (Kg):** 0.9

**Lamp:** E14 LED 4.5 W x 1

L	W	D	H
			130 2000



**DPN-GRY-SLSM2329S**

**Description:** 1 Light smoked glass with chrome finish pendant

**Fixture Height:** 250

**Standard Packaging Box:** 1

**Net Weight (Kg):** 1.5

**Lamp:** G9 LED 5 W x 1

L	W	D	H
80		1200	



**DPN-ABS-SL1217S2**

**Description:** 1 Light glass with antique brass finish pendant

**Fixture Height:** 520

**Standard Packaging Box:** 1

**Net Weight (Kg):** 3.5

**Lamp:** E27 LED 7 W x 1

L	W	D	H
350		2000	



**DPN-COP-SLPEA089AE27**

**Description:** 1 Light aluminium globe shape with copper finish pendant

**Available in:** Copper / Black

**Fixture Height:** 400

**Standard Packaging Box:** 1

**Net Weight (Kg):** 1.7

**Lamp:** E27 LED 7 W x 1

L	W	D	H
		400	1200



**DPN-COP-SLPEA031BE27**

**Description:** 1 Light aluminium, white wood with copper finish pendant

**Fixture Height:** 310

**Standard Packaging Box:** 1

**Net Weight (Kg):** 0.8

**Lamp:** E27 LED 7 W x 1

L	W	D	H
		300	1200



**DPN-BLK-11086X3**

**Description:** 3 Light black powder coated pendant

**Fixture Height:** 305

**Standard Packaging Box:** 1

**Net Weight (Kg):** 1.5

**Lamp:** LED 3 W x 3 (In-built)

L	W	D	H
510	65		1200



**DPN-BLK-11086X5**

**Description:** 5 Light black powder coated pendant

**Fixture Height:** 305

**Standard Packaging Box:** 1

**Net Weight (Kg):** 1.5

**Lamp:** LED 3 W x 3 (In-built)

L	W	D	H
510	65		1200



**DPN-BLK-11086**

**Description:** 1 Light black powder coated pendant  
**Fixture Height:** 300  
**Standard Packaging Box:** 12  
**Net Weight (Kg):** 0.6  
**Lamp:** LED 3 W x 1 (In-built)

L	W	D	H
25			1200



**DPN-GLD-SLKS2450S**

**Description:** 1 Light clear glass with gold finish pendant  
**Fixture Height:** 425  
**Standard Packaging Box:** 1  
**Net Weight (Kg):** 6.5  
**Lamp:** E27 LED 7 W x 1

L	W	D	H
450			1200



**DPN-GLD-SLKS2450S1**

**Description:** 1 Light clear glass with gold finish pendant  
**Fixture Height:** 290  
**Standard Packaging Box:** 1  
**Net Weight (Kg):** 4.6  
**Lamp:** E27 LED 7 W x 1

L	W	D	H
300			1200



**DPN-BRS-SLPEA020BE27**

**Description:** 1 Light aluminium with shiny brass paint finish pendant

**Fixture Height:** 400

**Standard Packaging Box:** 1

**Net Weight (Kg):** 0.8

**Lamp:** E27 LED 7 W x 1

L	W	D	H
		250	1200

**DPN-BLK-SLHPP0414E27**

**Description:** 1 Light aluminium industrial style with sanded black finish pendant

**Fixture Height:** 380

**Standard Packaging Box:** 1

**Net Weight (Kg):** 2.8

**Lamp:** E27 LED 7 W x 1

L	W	D	H
		380	1200



**DPN-BRN-SLPEA299E27**

**Description:** 1 Light aluminum with coffee paint finish pendant

**Fixture Height:** 310

**Standard Packaging Box:** 1

**Net Weight (Kg):** 1

**Lamp:** E27 LED 7 W x 1

L	W	D	H
		320	1200



**DPN-BLK-SLPEA138E27**

**Description:** 1 Light aluminum with sanded black paint finish pendant

**Fixture Height:** 370

**Standard Packaging Box:** 1

**Net Weight (Kg):** 1.2

**Lamp:** E27 LED 7 W x 1

L	W	D	H
		350	1200



**DPN-NKL-SLPEAW15833E27**

**Description:** 1 Light aluminum, brown wood with satin nickel finish pendant

**Fixture Height:** 400

**Standard Packaging Box:** 1

**Net Weight (Kg):** 2

**Lamp:** E27 LED 7 W x 1

L	W	D	H
330	1200		



**DPN-COP-SLHPPA0414DE27**

**Description:** 1 Light aluminium industrial style, frosted glass with copper finish pendant

**Fixture Height:** 430

**Standard Packaging Box:** 1

**Net Weight (Kg):** 2.4

**Lamp:** E27 LED 7 W x 1

L	W	D	H
400	1200		



**DPN-WHT-SLPEA034AE27**

**Description:** 1 Light aluminium with white powder finish pendant

**Fixture Height:** 260

**Standard Packaging Box:** 1

**Net Weight (Kg):** 0.8

**Lamp:** E27 LED 7 W x 1

L	W	D	H
		350	1200



**DPN-WHT-SLWAVEGLS200E27**

**Description:** 1 Light globe shaped SS finish ceiling light

**Fixture Height:** 200

**Standard Packaging Box:** 2

**Net Weight (Kg):** 0.85

**Lamp:** E27 LED 7 W x 1

L	W	D	H
200	1200		



**DPN-YEL-SLWAVEGLS200E27**

**Description:** 1 Light globe shaped SS finish ceiling light

**Fixture Height:** 200

**Standard Packaging Box:** 2

**Net Weight (Kg):** 0.85

**Lamp:** E27 LED 7 W x 1

L	W	D	H
200	1200		



**DPN-AMB-SLGLS250E27**

**Description:** 1 Light apple shape amber glass pendant with nickel finish

**Fixture Height:** 300

**Standard Packaging Box:** 1

**Net Weight (Kg):** 1.2

**Lamp:** E27 LED 7 W x 1

L	W	D	H
		250	1200



**DPN-GLD-SLCONE200E27**

**Description:** 1 Light bell shaped aluminium finish ceiling light

**Fixture Height:** 285

**Standard Packaging Box:** 2

**Net Weight (Kg):** 0.6

**Lamp:** E27 LED 7 W x 1

L	W	D	H
		200	1200



**DPN-GRY-SL275GLWCE27**

**Description:** 1 Light bell shaped aluminium finish ceiling light

**Fixture Height:** 220

**Standard Packaging Box:** 4

**Net Weight (Kg):** 0.75

**Lamp:** E27 LED 7 W x 1

L	W	D	H
		170	1200



**DPN-GRN-SLCONE300E27**

**Description:** 1 Light bell shaped aluminium finish ceiling light

**Fixture Height:** 215

**Standard Packaging Box:** 1

**Net Weight (Kg):** 0.7

**Lamp:** E14 LED 4.5 W x 6

L	W	D	H
		300	1200

## Ceiling Lights



### DPN-WNE-SLHALFRDL305E27

**Description:** 1 Light bell shaped aluminium finish ceiling light

**Fixture Height:** 280

**Standard Packaging Box:** 1

**Net Weight (Kg):** 1.1

**Lamp:** E27 LED 7 W x 1

L	W	D	H
290	1200		



### DPN-WNE-SLDL200E27

**Description:** 1 Light bell shaped aluminium/ MS finish ceiling light

**Fixture Height:** 260

**Standard Packaging Box:** 2

**Net Weight (Kg):** 1.2

**Lamp:** E27 LED 7 W x 1

L	W	D	H
200	1200		



### DPN-GRY-SL270GLWCE27

**Description:** 1 Light bell shaped aluminium finish ceiling light

**Fixture Height:** 275

**Standard Packaging Box:** 1

**Net Weight (Kg):** 1.25

**Lamp:** E27 LED 7 W x 1

L	W	D	H
260	1200		



### DPN-WHT-SLCON107E27

**Description:** 1 Light cone shaped aluminium finish ceiling light

**Fixture Height:** 330

**Standard Packaging Box:** 4

**Net Weight (Kg):** 0.75

**Lamp:** E27 LED 7 W x 1

L	W	D	H
105	1200		



**DPN-GRY-SLCON107X3E27**

**Description:** 3 Light cone shaped aluminium finish ceiling light

**Fixture Height:** 330

**Standard Packaging Box:** 1

**Net Weight (Kg):** 2.5

**Lamp:** E27 LED 7 W x 3

L	W	D	H
550	105		1200



**DPN-ACR-SL11086X6W**

**Description:** 1 Light cylindrical brass finish ceiling light

**Fixture Height:** 305

**Standard Packaging Box:** 1

**Net Weight (Kg):** 0.5

**Lamp:** LED 6 W (In-built)

L	W	D	H
	42		1200



**DCH-BLK-CHL0006PRE14**

**Description:** 6 Light black glass with black crystal chandelier

**Fixture Height:** 900

**Standard Packaging Box:** 1

**Net Weight (Kg):** 6.1

**Lamp:** E14 LED 4.5 W x 6

L	W	D	H
580	1200		



**DCH-AMB-CHL0006SYE14**

**Description:** 6 Light honey glass with gold finish chandelier

**Fixture Height:** 900

**Standard Packaging Box:** 1

**Net Weight (Kg):** 5

**Lamp:** E14 LED 4.5 W x 6

L	W	D	H
770	1200		



**DCH-WHT-CHL0006TAE14**

**Description:** 6 Light clear glass with gold finish chandelier

**Fixture Height:** 1100

**Standard Packaging Box:** 1

**Net Weight (Kg):** 10.5

**Lamp:** E27 LED 7 W x 6

L	W	D	H
755		1400	

**DCL-CHR-MD400500618C**

**Description:** 1 Tier metal string with chrome finish ceiling light

**Fixture Height:** 1500

**Standard Packaging Box:** 1

**Net Weight (Kg):** 18

**Lamp:** G9 LED 4 W x 8

L	W	D	H
680		1500	



**DCL-CHR-MD400500636C**

**Description:** 2 Tier metal string with chrome finish ceiling light

**Fixture Height:** 1700

**Standard Packaging Box:** 1

**Net Weight (Kg):** 32

**Lamp:** G9 LED 4 W x 16

L	W	D	H
680		1700	



**DCL-CHR-MD400500654C**

**Description:** 3 Tier metal string with chrome finish ceiling light

**Fixture Height:** 2500

**Standard Packaging Box:** 1

**Net Weight (Kg):** 38

**Lamp:** G9 LED 4 W x 24

L	W	D	H
680		2500	



## Ceiling Lights

### DCL-RDG-MD400500618C

**Description:** 1 Tier metal string with rose gold finish ceiling light

**Fixture Height:** 1500

**Standard Packaging Box:** 1

**Net Weight (Kg):** 18

**Lamp:** G9 LED 4 W x 8

L	W	D	H
680	1500		



### DCL-RDG-MD400500636C

**Description:** 2 Tier metal string with rose gold finish ceiling light


**Fixture Height:** 1700

**Standard Packaging Box:** 1

**Net Weight (Kg):** 32

**Lamp:** G9 LED 4 W x 16

L	W	D	H
680	1700		



### DCL-RDG-MD400500654C

**Description:** 3 Tier metal string with rose gold finish ceiling light


**Fixture Height:** 2500


**Standard Packaging Box:** 1

**Net Weight (Kg):** 38

**Lamp:** G9 LED 4 W x 24

L	W	D	H
680	2500		





**DCH-COP-SL1162S2**

**Description:** 14 Light aluminium pipe with copper finish pendant

**Fixture Height:** 320

**Standard Packaging Box:** 1

**Net Weight (Kg):** 33.2

**Lamp:** E14 LED 4.5 W x 14

L	W	D	H
1720	300		2000



**DCH-COP-SL1162S1**

**Description:** 12 Light aluminium pipe with copper finish pendant

**Fixture Height:** 320

**Standard Packaging Box:** 1

**Net Weight (Kg):** 26

**Lamp:** E14 LED 4.5 W x 12

L	W	D	H
		950	2000



**DCH-COP-SL1162S3**

**Description:** 37 Light aluminium pipe with copper finish pendant

**Fixture Height:** 750

**Standard Packaging Box:** 1

**Net Weight (Kg):** 44

**Lamp:** E14 LED 4.5 W x 37

L	W	D	H
		1050	2000-3000



**DCH-COP-SL1162S7**

**Description:** 89 Light aluminium pipe with copper finish pendant

**Fixture Height:** 1250

**Standard Packaging Box:** 1

**Net Weight (Kg):** 164

**Lamp:** E14 LED 4.5 W x 89

L	W	D	H
		1950	2000-3000

## Ceiling Lights



**NEW  
ARRIVAL**

### DPN-ABR-SL5010ST

**Description:** 1 Light frosted glass with brass finish ceiling light

**Fixture Height:** 648

**Standard Packaging Box:** 1

**Net Weight (Kg):** 0.75

**Lamp:** G9 LED 5 W x 1

L	W	D	H
		170	648



**NEW  
ARRIVAL**

### DPN-ABR-SL5010S

**Description:** 1 Light frosted glass with brass finish ceiling light

**Fixture Height:** 880

**Standard Packaging Box:** 1

**Net Weight (Kg):** 0.900

**Lamp:** G9 LED 5 W x 1

L	W	D	H
		300	880



**NEW  
ARRIVAL**

### DPN-BRS-SL1600030111A

**Description:** 1 Light hammer glass with brass finish ceiling light

**Fixture Height:** 200

**Standard Packaging Box:** 1

**Net Weight (Kg):** 0.7

**Lamp:** G9 LED 5 W x 1

L	W	D	H
		200	1200

**DPN-GRY-SL966S3**

**Description:** 2 Light dark gold carbon steel pendant

**Fixture Height:** 820

**Standard Packaging Box:** 1

**Net Weight (Kg):** 12.5

**Lamp:** E27 LED 9 W x 2

L	W	D	H
		750	1200



Available in Grey also

**DPN-CHR-SL1128S**

**Description:** 9 Light black fabric shade with chrome finish pendant

**Fixture Height:** 970

**Standard Packaging Box:** 1

**Net Weight (Kg):** 23

**Lamp:** E27 LED 7 W x 9

L	W	D	H
		1030	1750



**DPN-BRS-SL1260S200**

**Description:** 1 Light clear glass with brushed brass finish pendant

**Fixture Height:** 420

**Standard Packaging Box:** 1

**Net Weight (Kg):** 0.9

**Lamp:** G4 LED 5 W x 1

L	W	D	H
200	420	2000	



**DPN-BRS-SL1260S250**

**Description:** 1 Light clear glass with brushed brass finish pendant

**Fixture Height:** 500

**Standard Packaging Box:** 1

**Net Weight (Kg):** 1.2

**Lamp:** G4 LED 5 W x 1

L	W	D	H
250	520	2000	



**DPN-ABS-SLSF9001S1**

**Description:** 1 Light diamond cut style glass with antique brass finish pendant

**Fixture Height:** 500

**Standard Packaging Box:** 1

**Net Weight (Kg):** 1

**Lamp:** G4 LED 5 W x 1

L	W	D	H
100	100	1200	

## Ceiling Lights



### DCH-BRS-SL1260SX3

**Description:** 3 Light clear glass with brushed brass finish pendant

**Fixture Height:** 600

**Standard Packaging Box:** 1

**Net Weight (Kg):** 4.5

**Lamp:** G4 LED 5 W x 3

L	W	D	H
780	700-2000		



### DCH-BRS-SL1260S1

**Description:** 6 Light clear glass with brushed brass finish pendant

**Fixture Height:** 600

**Standard Packaging Box:** 1

**Net Weight (Kg):** 6.43

**Lamp:** G4 LED 5 W x 6

L	W	D	H
960	650		900-1800



### DCH-BRS-SL1260S3

**Description:** 8 Light clear glass with brushed brass finish pendant

**Fixture Height:** 1000

**Standard Packaging Box:** 1

**Net Weight (Kg):** 11.40

**Lamp:** G4 LED 5 W x 8

L	W	D	H
2000	1140		950-1900

All dimensions are in mm



**DPN-BLK-SL5010S9**

**Description:** 9 Light frosted glass with black finish ceiling light

**Fixture Height:** 300

**Standard Packaging Box:** 1

**Net Weight (Kg):** 3.5

**Lamp:** G9 LED 5 W x 9

L	W	D	H
1000	300		1300

**DPN-COP-SL1204S3**

**Description:** 3 Light aluminium hexagon style with antique copper finish pendant

**Available in:** Copper / ABS

**Fixture Height:** 200

**Standard Packaging Box:** 1

**Net Weight (Kg):** 4.5

**Lamp:** E14 LED 4.5 W x 3

L	W	D	H
		500	210-2000



**DPN-COP-SL1204S5**

**Description:** 5 Light aluminium hexagon style with antique copper finish pendant

**Available in:** Copper / ABS

**Fixture Height:** 200

**Standard Packaging Box:** 1

**Net Weight (Kg):** 6.5

**Lamp:** E14 LED 4.5 W x 3

L	W	D	H
		500	210-2000







## Floor Lamps

Add a unique touch to your décor with our exciting range of floor lights that not only add functional elegance to the room, but also become conversation pieces for your visitors.

## Floor Lamps



### DFL-WHT-FL306F

**Description:** 1 Light aluminium shade with white paint finish floor lamp

**Fixture Height:** 1765

**Standard Packaging Box:** 1

**Net Weight (Kg):** 12.5

**Lamp:** E27 LED 7 W x 1

L	W	D	H
500			1765



### DFL-BLK-FL306F

**Description:** 1 Light aluminium shade with black paint finish floor lamp

**Fixture Height:** 1765

**Standard Packaging Box:** 1

**Net Weight (Kg):** 12.5

**Lamp:** E27 LED 7 W x 1

L	W	D	H
500			1765



### DFL-CHR-FL12021192B

**Description:** 1 Light brass fabric with chrome finish floor lamp

**Fixture Height:** 550

**Standard Packaging Box:** 2

**Net Weight (Kg):** 6.5

**Lamp:** E27 LED 7 W x 1

L	W	D	H
350	350		1550

**NEW  
ARRIVAL**



### DFL-CHR-FL12021192A

**Description:** 1 Light brass fabric with chrome finish floor lamp

**Fixture Height:** 550

**Standard Packaging Box:** 2

**Net Weight (Kg):** 6.5

**Lamp:** E27 LED 7 W x 1

L	W	D	H
380			1550

**NEW  
ARRIVAL**

## Floor Lamps



### DFL-BLK-FL1174F

**Description:** 3 Light frosted glass with black and gold finish floor lamp

**Fixture Height:** 1400

**Standard Packaging Box:** 1

**Net Weight (Kg):** 16.2

**Lamp:** E14 LED 4.5 W x 3

L	W	D	H
610	350		1400



### DFL-CHR-ML49061A

**Description:** 1 Light opal glass shade with marble base and chrome finish floor lamp

**Fixture Height:** 1900

**Standard Packaging Box:** 1

**Net Weight (Kg):** 20

**Lamp:** E27 LED 7 W x 1

L	W	D	H
1250		300	1900



### DFL-WHT-FL1213F

**Description:** 3 Light metal half dome with antique white finish floor lamp

**Fixture Height:** 1680

**Standard Packaging Box:** 1

**Net Weight (Kg):** 30

**Lamp:** G9 LED 4 W x 3

L	W	D	H
		455	1680



### DFL-BRS-FL1260F

**Description:** 2 Light clear glass with brushed brass finish floor lamp

**Fixture Height:** 1880

**Standard Packaging Box:** 1

**Net Weight (Kg):** 8

**Lamp:** G4 LED 5 W x 2

L	W	D	H
1100	250		1220-1880



**NEW  
ARRIVAL**

**DFL-ABR-FL5010F**

**Description:** 6 Light frosted glass with antique brass finish floor lamp

**Fixture Height:** 625

**Standard Packaging Box:** 1

**Net Weight (Kg):** 9

**Lamp:** G9 LED 5 W x 6

L	W	D	H
		580	1625



**DFL-GRY-FL737F**

**Description:** 1 Light grey fabric shade pattern with black powder coated finish floor lamp

**Fixture Height:** 1900-2400

**Standard Packaging Box:** 1

**Net Weight (Kg):** 8.4

**Lamp:** E27 LED 9 W x 1

L	W	D	H
935	860		1900-2400



**DFL-WNG-FL1092FB**

**Description:** 1 Light fabric shade with wood, alloy zinc floor lamp

**Fixture Height:** 1850

**Standard Packaging Box:** 1

**Net Weight (Kg):** 16

**Lamp:** E27 LED 14 W x 1

L	W	D	H
850	800		1850



**DFL-CHR-FL1128F**

**Description:** 3 Light black fabric shade with chrome finish floor lamp

**Fixture Height:** 1750

**Standard Packaging Box:** 1

**Net Weight (Kg):** 19

**Lamp:** E27 LED 7 W x 3

L	W	D	H
		490	1750



**DFL-WNG-FL1092FA**

**Description:** 1 Light diffuser glass with wood, alloy zinc floor lamp

**Fixture Height:** 1850

**Standard Packaging Box:** 1

**Net Weight (Kg):** 35

**Lamp:** E27 LED 14 W x 1

L	W	D	H
850	800		1850



**DFL-BLK-FL1029F**

**Description:** 1 Light PVC shade cheval with black finish floor lamp

**Fixture Height:** 2550

**Standard Packaging Box:** 1

**Net Weight (Kg):** 52

**Lamp:** E27 LED 14 W x 1

L	W	D	H
2400	550		2550



**DFL-WNT-FLWD400E27**

**Description:** 1 Light wooden tripod with black fabric shade floor lamp

**Fixture Height:** 945

**Standard Packaging Box:** 2

**Net Weight (Kg):** 9

**Lamp:** E27 LED 7 W x 1

L	W	D	H
		400	1500



**DFL-GRY-FL737F**

**Description:** 1 Light black fabric shade with black powder coated finish floor lamp

**Fixture Height:** 1900-2400

**Standard Packaging Box:** 1

**Net Weight (Kg):** 14

**Height:** Adjustable

**Lamp:** E27 LED 7 W x 1

L	W	D	H
935	860		1900-2400



## Table Lamps

For the demanding needs of task lighting around your workspaces and your bedside, Jaquar Lighting's table lamps span a wide range of design influences – from the classic to the ultra contemporary.



**DTL-BLK-TL1018T2**

**Description:** 1 Light black fabric shade with black finish table lamp

**Fixture Height:** 750

**Standard Packaging Box:** 1

**Net Weight (Kg):** 3.26

**Lamp:** E27 LED 7 W x 1

L	W	D	H
		230	750



**DTL-BLK-TL1174T**

**Description:** 3 Light frosted glass, aluminium with black and gold finish table lamp

**Fixture Height:** 430

**Standard Packaging Box:** 1

**Net Weight (Kg):** 3.18

**Lamp:** E14 LED 4.5 W x 3

L	W	D	H
		350	430



**DTL-BLK-TL306T**

**Description:** 1 Light aluminium shade with black paint finish table lamp

**Fixture Height:** 575

**Standard Packaging Box:** 1

**Net Weight (Kg):** 3.1

**Lamp:** E27 LED 7 W x 1

L	W	D	H
		390	575



**DTL-CHR-MT49061A**

**Description:** 1 Light opal glass, marble base with chrome finish frame table lamp

**Fixture Height:** 520

**Standard Packaging Box:** 1

**Net Weight (Kg):** 2

**Lamp:** E14 LED 4.5 W x 1

L	W	D	H
425	130		520



**DTL-BRS-TL1300H**

**Description:** 1 Light fabric shade with hammered pattern base with brass finish table lamp

**Fixture Height:** 460

**Standard Packaging Box:** 4

**Net Weight (Kg):** 0.9

**Lamp:** E27 LED 7 W x 1

L	W	D	H
		350	460



**DTL-WNT-TLVPWODE27**

**Description:** 1 Light fabric shade with wooden vertical pyramid base table lamp

**Fixture Height:** 650

**Standard Packaging Box:** 4

**Net Weight (Kg):** 1.3

**Lamp:** E27 LED 7 W x 1

L	W	D	H
		300	650



**DTL-NKL-TL400WOS**

**Description:** 1 Light fabric shade with nickel finish base table lamp

**Fixture Height:** 470

**Standard Packaging Box:** 4

**Net Weight (Kg):** 0.75

**Lamp:** E27 LED 7 W x 1

L	W	D	H
		300	470



**DTL-CHR-MT160275451B**

**Description:** 1 Light fabric shade with chrome finish base table lamp

**Fixture Height:** 610

**Standard Packaging Box:** 1

**Net Weight (Kg):** 2

**Lamp:** E27 LED 7 W x 1

L	W	D	H
		350	610



**DTL-CHR-MT160275451A**

**Description:** 1 Light fabric shade with chrome finish base table lamp

**Fixture Height:** 680

**Standard Packaging Box:** 1

**Net Weight (Kg):** 2.65

**Lamp:** E27 LED 7 W x 1

L	W	D	H
380			680



**DTL-CHR-MT170275021L**

**Description:** 1 Light fabric shade, red leather with chrome finish base table lamp

**Fixture Height:** 950

**Standard Packaging Box:** 1

**Net Weight (Kg):** 2.6

**Lamp:** E27 LED 7 W x 1

L	W	D	H
355			950



**DTL-CHR-MT170275041C**

**Description:** 1 Light PVC shade, red leather with chrome finish base table lamp

**Fixture Height:** 880

**Standard Packaging Box:** 1

**Net Weight (Kg):** 3.2

**Lamp:** E27 LED 7 W x 1

L	W	D	H
355			880



**DTL-CHR-MT170275071I**

**Description:** 1 Light fabric shade, crystal with chrome finish base table lamp

**Fixture Height:** 670

**Standard Packaging Box:** 1

**Net Weight (Kg):** 4.2

**Lamp:** E27 LED 7 W x 1

L	W	D	H
410			670



**DTL-ABR-MT170275071J**

**Description:** 1 Light fabric shade, crystal with antique brass finish base table lamp

**Fixture Height:** 710

**Standard Packaging Box:** 1

**Net Weight (Kg):** 4.2

**Lamp:** E27 LED 7 W x 1

L	W	D	H
		380	710



**DTL-ABR-MT170275071J**

**Description:** 1 Light fabric shade, crystal with chrome finish base table lamp

**Fixture Height:** 670

**Standard Packaging Box:** 1

**Net Weight (Kg):** 2.75

**Lamp:** E27 LED 7 W x 1

L	W	D	H
		410	670



**DTL-WHT-TL1213T**

**Description:** 3 Light metal half dome with antique white finish table lamp

**Fixture Height:** 600

**Standard Packaging Box:** 1

**Net Weight (Kg):** 9.9

**Lamp:** G9 LED 5 W x 3

L	W	D	H
		305	600



**DTL-GRY-TL1187T1**

**Description:** 1 Light smoky grey glass with chrome finish table lamp

**Fixture Height:** 400

**Standard Packaging Box:** 1

**Net Weight (Kg):** 3.25

**Lamp:** E27 LED 7 W x 1

L	W	D	H
		285	400



**DTL-GLD-TLCYLND260E27**

**Description:** 1 Light fabric shade with gold finish table lamp

**Fixture Height:** 450

**Standard Packaging Box:** 1

**Net Weight (Kg):** 2.4

**Available in:** Chrome / Gold

**Lamp:** E27 LED 7 W x 1

L	W	D	H
		280	450



**DTL-ABR-TL5010T**

**Description:** 1 Light frosted glass with antique brass finish table lamp

**Fixture Height:** 465

**Standard Packaging Box:** 1

**Net Weight (Kg):** 2.2

**Lamp:** G9 LED 5 W x 1

L	W	D	H
		210	465

**NEW  
ARRIVAL**



**NEW  
ARRIVAL**

**DTL-ABR-TL954006**

**Description:** 1 Light antique brass finish table lamp

**Fixture Height:** 530

**Standard Packaging Box:** 2

**Net Weight (Kg):** 3.3

**Lamp:** E27 LED 7 W x 1

L	W	D	H
		265	530



**DTL-GLD-TLWAVE550E27**

**Description:** 1 Light fabric shade with gold finish table lamp

**Fixture Height:** 520

**Standard Packaging Box:** 1

**Net Weight (Kg):** 2.5

**Available in:** Chrome / Gold

**Lamp:** E27 LED 7 W x 1

L	W	D	H
		280	520



**NEW  
ARRIVAL**

**DTL-ACR-TL951001X265MM**

**Description:** 1 Light antique copper finish table lamp

**Fixture Height:** 490

**Standard Packaging Box:** 1

**Net Weight (Kg):** 1.2

**Lamp:** E27 LED 7 W x 1

L	W	D	H
		280	490



**NEW  
ARRIVAL**

**DTL-ACR-TL951003X150MM**

**Description:** 1 Light antique copper finish table lamp

**Fixture Height:** 250

**Standard Packaging Box:** 1

**Net Weight (Kg):** 1.2

**Lamp:** G9 LED 5 W x 1

L	W	D	H
		170	250



**NEW  
ARRIVAL**

**DTL-CHR-TL951002X265MM**

**Description:** 1 Light chrome finish table lamp

**Fixture Height:** 520

**Standard Packaging Box:** 1

**Net Weight (Kg):** 1.4

**Lamp:** E27 LED 7 W x 1

L	W	D	H
		265	520



**DTL-BRS-TL1260T**

**Description:** 2 Light clear glass with brushed brass finish base table lamp

**Fixture Height:** 510

**Standard Packaging Box:** 1

**Net Weight (Kg):** 3

**Lamp:** G4 LED 5 W x 2

L	W	D	H
400	200		360-510



**DTL-WHT-TL765T**

**Description:** 1 Light strip fabric shade with chrome finish table lamp

**Available in:** White

**Fixture Height:** 850

**Standard Packaging Box:** 1

**Net Weight (Kg):** 4.5

**Lamp:** E27 LED 14 W x 1

L	W	D	H
		370	850

Available in Red also



**DTL-CHR-TL1128T**

**Description:** 3 Light black fabric shade with chrome finish table lamp

**Fixture Height:** 875

**Standard Packaging Box:** 1

**Net Weight (Kg):** 13

**Lamp:** E27 LED 5 W x 3

L	W	D	H
		490	875



**DTL-RED-TL1187T2**

**Description:** 1 Light smoky grey glass with chrome finish table lamp

**Fixture Height:** 850

**Standard Packaging Box:** 1

**Net Weight (Kg):** 8.5

**Lamp:** E27 LED 14 W x 1

L	W	D	H
		509	850



**DTL-COG-TL1149T**

**Description:** 1 Light cognac glass table lamp

**Fixture Height:** 835

**Standard Packaging Box:** 1

**Net Weight (Kg):** 6.4

**Lamp:** G9 LED 5 W x 1

L	W	D	H
		380	835





## Wall Lights

Take a look at the brilliant new ideas from Jaquar for ambient room illumination. From timeless elegance to quirky designs and artful expressions, there's a wall light for every need.



**DWL-CHR-MB80471A**

**Description:** 1 Light cone shape with chrome finish wall lamp

**Fixture Height:** 310

**Standard Packaging Box:** 6

**Net Weight (Kg):** 0.8

**Lamp:** E14 LED 4.5 W x 1

L	W	D	H
280	110		310



**DWL-NKL-MB80985A**

**Description:** 5 Light meta swan shape with chrome finish wall lamp

**Available in:** Black / Gold / Nickel

**Fixture Height:** 850

**Standard Packaging Box:** 1

**Net Weight (Kg):** 3

**Lamp:** G4 Bulb 5 W x 5

L	W	D	H
230	460		850



**DWL-NKL-MB80983A**

**Description:** 3 Light meta swan shape with red finish wall lamp

**Available in:** Black / Gold / Nickel

**Fixture Height:** 470

**Standard Packaging Box:** 1

**Net Weight (Kg):** 2

**Lamp:** G4 Bulb 5 W x 3

L	W	D	H
228	425		470



**DWL-CHR-MB12021201A**

**Description:** 1 Light ivory fabric shade with chrome finish base wall lamp


**Fixture Height:** 205

**Standard Packaging Box:** 1

**Net Weight (Kg):** 2

**Lamp:** E14 LED 4.5 W x 1

L	W	D	H
155	280		205



**DWL-CHR-MB11002351B**

**Description:** 1 Light aluminium mesh with clear glass and chrome finish base wall lamp

**Fixture Height:** 160

**Standard Packaging Box:** 1

**Net Weight (Kg):** 1

**Lamp:** G9 Bulb 5 W x 1

L	W	D	H
150	160		160



**DWL-WTC-MB150300081A**

**Description:** 1 Light white pitcher glass with white finish base wall lamp

**Fixture Height:** 300

**Standard Packaging Box:** 1

**Net Weight (Kg):** 0.9

**Lamp:** E14 LED 4.5 W x 1

L	W	D	H
150	305		290



**DWL-WTC-MB150300082A**

**Description:** 2 Light white pitcher glass with white finish base wall lamp

**Fixture Height:** 250

**Standard Packaging Box:** 1

**Net Weight (Kg):** 2.5

**Lamp:** E14 LED 4.5 W x 2

L	W	D	H
440	250		290

## Wall Lights



### DWL-BLK-WL1174W

**Description:** 3 Light frosted glass, aluminium with black and gold finish wall lamp

**Fixture Height:** 360

**Standard Packaging Box:** 1

**Net Weight (Kg):** 3.9

**Lamp:** E14 LED 4.5 W x 3

L	W	D	H
590	350		360



### DWL-GRY-WL91301

**Description:** 1 Light mesh/ ceramic with rust finish wall lamp


**Fixture Height:** 340

**Standard Packaging Box:** 1

**Net Weight (Kg):** 3.5

**Lamp:** E27 LED 7 W x 1

L	W	D	H
210	150		340



### DWL-GLD-WL1153W2

**Description:** 2 Light frosted glass with matt gold finish base wall lamp

**Fixture Height:** 860

**Standard Packaging Box:** 1

**Net Weight (Kg):** 1.8

**Lamp:** G9 LED 5 W x 2

L	W	D	H
760	160		95



**DWL-GRY-WL92931**

**Description:** 1 Light cage type, antique green marble with antique finish wall lamp

**Fixture Height:** 310

**Standard Packaging Box:** 4

**Net Weight (Kg):** 2.3

**Lamp:** E27 LED 7 W x 1

L	W	D	H
130	170		310



**DWL-GRY-WL92932**

**Description:** 2 Light cage type, antique green marble with antique finish base wall lamp

**Fixture Height:** 310

**Standard Packaging Box:** 1

**Net Weight (Kg):** 4.5

**Lamp:** E27 LED 7 W x 2

L	W	D	H
340	160		310



**DWL-CHR-MB160275211A**

**Description:** 1 Light frosted glass with chrome finish base wall lamp

**Fixture Height:** 200

**Standard Packaging Box:** 8

**Net Weight (Kg):** 0.9

**Lamp:** E27 LED 7 W x 1

L	W	D	H
130	180		200



**DWL-CHR-MB160275212A**

**Description:** 2 Light frosted glass with chrome finish base wall lamp

**Fixture Height:** 195

**Standard Packaging Box:** 4

**Net Weight (Kg):** 2

**Lamp:** E27 LED 7 W x 2

L	W	D	H
300	180		195



**DWL-CHR-MB150330021A**

**Description:** 1 Light champagne opal glass with chrome finish wall lamp

**Fixture Height:** 355

**Standard Packaging Box:** 1

**Net Weight (Kg):** 1.5

**Lamp:** E14 LED 4.5 W x 1

L	W	D	H
210	330		355



**DWL-CHR-MB150330022A**

**Description:** 2 Light champagne opal glass with chrome finish wall lamp

**Fixture Height:** 355

**Standard Packaging Box:** 1

**Net Weight (Kg):** 2.2

**Lamp:** E14 LED 4.5 W x 2

L	W	D	H
480	260		355



**DWL-CHR-MB160275531B**

**Description:** 1 Light opal glass with chrome finish base wall lamp

**Fixture Height:** 215

**Standard Packaging Box:** 1

**Net Weight (Kg):** 0.6

**Lamp:** E14 LED 4.5 W x 1

L	W	D	H
120	130		215



**DWL-CHR-MB160275532B**

**Description:** 2 Light opal glass with chrome finish base wall lamp

**Fixture Height:** 215

**Standard Packaging Box:** 1

**Net Weight (Kg):** 1

**Lamp:** E14 LED 4.5 W x 2

L	W	D	H
270	130		215



**DWL-AGR-WL89872**

**Description:** 2 Light tap style with antique green finish base wall lamp


**Fixture Height:** 200

**Standard Packaging Box:** 4

**Net Weight (Kg):** 1.6

**Lamp:** E27 LED 7 W x 2

L	W	D	H
310	150		200



**DWL-AGR-WL89871**

**Description:** 1 Light tap style with antique green finish base wall lamp

**Fixture Height:** 200

**Standard Packaging Box:** 8

**Net Weight (Kg):** 0.6

**Lamp:** E27 LED 7 W x 1

L	W	D	H
130	150		200



**DWL-CHR-MB14048T1E27**

**Description:** 1 Light opal glass with chrome finish SS wall lamp

**Fixture Height:** 310

**Standard Packaging Box:** 8

**Net Weight (Kg):** 0.8

**Lamp:** E27 LED 7 W x 1

L	W	D	H
165	130		310



**DWL-CHR-MB14048T2E27**

**Description:** 2 Light opal glass aluminium finish wall light

**Fixture Height:** 265

**Standard Packaging Box:** 4

**Net Weight (Kg):** 1.5

**Lamp:** E27 LED 7 W x 2

L	W	D	H
275	165		265



**DWL-CHR-MB160275542A**

**Description:** 2 Light opal glass with chrome finish wall lamp

**Fixture Height:** 230

**Standard Packaging Box:** 4

**Net Weight (Kg):** 1.2

**Lamp:** E27 LED 7 W x 2

L	W	D	H
270	150		230



**DWL-CHR-MB160275541A**

**Description:** 1 Light frosted glass with chrome finish wall lamp

**Fixture Height:** 230

**Standard Packaging Box:** 8

**Net Weight (Kg):** 0.65

**Lamp:** E27 LED 7 W x 1

L	W	D	H
120	150		230



**DWL-NKL-WLRB0480SE27**

**Description:** 1 Light opal glass with nickel finish base wall lamp

**Fixture Height:** 235

**Standard Packaging Box:** 8

**Net Weight (Kg):** 0.58

**Lamp:** E27 LED 7 W x 1

L	W	D	H
100	140		235



**DWL-NKL-WLSL55004E27**

**Description:** 1 Light opal glass with nickel finish base wall lamp

**Fixture Height:** 295

**Standard Packaging Box:** 8

**Net Weight (Kg):** 0.65

**Lamp:** E27 LED 7 W x 1

L	W	D	H
125	220		295



**DWL-NKL-WLBPGG001E27**

**Description:** 1 Light opal globe glass with nickel finish base wall lamp

**Fixture Height:** 315

**Standard Packaging Box:** 8

**Net Weight (Kg):** 0.7

**Lamp:** E27 LED 7 W x 1

L	W	D	H
120	225		315



**DWL-NKL-WLBPGG002E27**

**Description:** 2 Light opal globe glass with nickel finish base wall lamp

**Fixture Height:** 315

**Standard Packaging Box:** 4

**Net Weight (Kg):** 1.45

**Lamp:** E27 LED 7 W x 2

L	W	D	H
275	225		315



**DWL-COP-WL180461B**

**Description:** 1 Light mesh with rust finish base wall lamp

**Fixture Height:** 350

**Standard Packaging Box:** 8

**Net Weight (Kg):** 1.5

**Lamp:** E27 LED 7 W x 1

L	W	D	H
120	140		350



**DWL-CHR-MB140048C1E**

**Description:** 1 Light opal glass with nickel finish base wall lamp

**Fixture Height:** 310

**Standard Packaging Box:** 8

**Net Weight (Kg):** 0.8

**Lamp:** E27 LED 7 W x 1

L	W	D	H
120	150		310



**DWL-BRG-WLCONESIE14**

**Description:** 1 Light cone opal glass wall lamp

**Fixture Height:** 280

**Standard Packaging Box:** 8

**Net Weight (Kg):** 0.7

**Lamp:** E14 LED 4.5 W x 1

L	W	D	H
100	140		300



**DWL-BRG-WLCYLNDIE14**

**Description:** 1 Light cylindrical opal glass wall lamp

**Fixture Height:** 300

**Standard Packaging Box:** 8

**Net Weight (Kg):** 0.6

**Lamp:** E14 LED 4.5 W x 1

L	W	D	H
100	140		300



**DWL-CHR-MB12021191B**

**Description:** 1 Light black fabric shade with chrome finish base wall lamp

**Fixture Height:** 205

**Standard Packaging Box:** 1

**Net Weight (Kg):** 1.5

**Lamp:** E14 LED 4.5 W x 1

L	W	D	H
240	280		205



**DWL-CHR-MB12021192B**

**Description:** 1 Light black fabric shade with chrome finish base wall lamp with 3 W reading lamp

**Fixture Height:** 405

**Standard Packaging Box:** 1

**Net Weight (Kg):** 1.5

**Lamp:** E14 LED 4.5 W x 1

and LED 3 W (In-built)

L	W	D	H
240	280		405



**DWL-CHR-MB12021192A**

**Description:** 1 Light ivory fabric shade with chrome finish base wall lamp (bulb included)

**Fixture Height:** 405

**Standard Packaging Box:** 1

**Net Weight (Kg):** 2

**Lamp:** E14 LED 4.5 W x 1 and LED 3 W (In-built)

L	W	D	H
155	280		405



**DWL-AMB-WL00002SYE14**

**Description:** 2 Light honey glass wall lamp

**Fixture Height:** 225

**Standard Packaging Box:** 4

**Net Weight (Kg):** 1.9

**Lamp:** E14 LED 4.5 W x 2

L	W	D	H
590	200		225



**DWL-SNS-5048X2**

**Description:** 2 Light SS finish with double neck wall lamp

**Fixture Height:** 80

**Standard Packaging Box:** 1

**Net Weight (Kg):** 1

**Lamp:** LED 3 W x 2 (In-built)

L	W	D	H
228	100		110



**DWL-SNS-5048**

**Description:** 1 Light SS finish with single neck wall lamp

**Fixture Height:** 125

**Standard Packaging Box:** 1

**Net Weight (Kg):** 0.6

**Lamp:** LED 3 W x 1 (In-built)

L	W	D	H
77	100		125



**DWL-CHR-WL5007X315**

**Description:** 1 Light flute with chrome finish wall lamp

**Fixture Height:** 345

**Standard Packaging Box:** 4

**Net Weight (Kg):** 2.5

**Lamp:** E14 LED 4.5 W x 1

L	W	D	H
110	100		345



**DWL-CHR-WLLED5006**

**Description:** 2 Light strip with chrome finish wall lamp

**Fixture Height:** 195

**Standard Packaging Box:** 1

**Net Weight (Kg):** 2.5

**Lamp:** E14 LED 4.5 W x 2

L	W	D	H
185	95		195

## Wall Lights



### DWL-COG-WL1216W

**Description:** 1 Light copper glass with cognac finish wall lamp

**Fixture Height:** 550

**Standard Packaging Box:** 1

**Net Weight (Kg):** 1.5

**Lamp:** E14 LED 4.5 W x 1

L	W	D	H
130	210		550



### DCW-ABR-FBCRYS155

**Description:** 1 Light fabric shade with crystal plate base wall lamp

**Fixture Height:** 310

**Standard Packaging Box:** 1

**Net Weight (Kg):** 2

**Lamp:** E14 LED 4.5 W x 1

L	W	D	H
230	160		310



### DWL-BRS-WL5009

**Description:** 1 Light with brass finish wall lamp

**Fixture Height:** 350

**Standard Packaging Box:** 1

**Net Weight (Kg):** 1.5

**Lamp:** E14 LED 4.5 W x 1

L	W	D	H
120	110		350



**NEW  
ARRIVAL**

### DWL-BRS-WL5009X2L

**Description:** 2 Light wall lamp with brass finish

**Fixture Height:** 595

**Standard Packaging Box:** 1

**Net Weight (Kg):** 0.9

**Lamp:** E14 LED 4.5 W x 2

L	W	D	H
115	115		595



**DWL-CHR-WLRDFAB150**

**Description:** 1 Light fabric shade with chrome finish base wall lamp

**Available in:** Antique brass

**Fixture Height:** 310

**Standard Packaging Box:** 1

**Net Weight (Kg):** 2

**Lamp:** E14 LED 4.5 W x 1 and LED 3 W (In-built)

L	W	D	H
210	160		310



**DWL-ABR-BELLFAB255**

**Description:** 1 Light bell shape fabric shade with antique brass finish base wall lamp

**Available in:** Chrome

**Fixture Height:** 315

**Standard Packaging Box:** 1

**Net Weight (Kg):** 2

**Lamp:** E14 LED 4.5 W x 1 and LED 3 W (In-built)

L	W	D	H
260	220		315



**DWL-BCH-5048XBC**

**Description:** 1 Light spot light with black chrome finish wall lamp

**Fixture Height:** 100

**Standard Packaging Box:** 1

**Net Weight (Kg):** 0.6

**Lamp:** LED 3 W x 1 (In-built)

L	W	D	H
80	90		100



**DWL-CHR-LBED01R003XW**

**Description:** 1 Light with chrome finish wall lamp

**Fixture Height:** 220

**Standard Packaging Box:** 1

**Net Weight (Kg):** 0.30

**Lamp:** LED 3 W x 1 (In-built)

L	W	D	H
200	80		220



**DWL-CHR-WL5048X6W**

**Description:** 1 Light cylindrical shaped brass finish wall light

**Fixture Height:** 120

**Standard Packaging Box:** 1

**Net Weight (Kg):** 0.4

**Lamp:** LED 6 W (In-built)

L	W	D	H
42	140		120



**DCW-ACR-WLG5012**

**Description:** 1 Light bell shaped brass finish wall light

**Fixture Height:** 325

**Standard Packaging Box:** 1

**Net Weight (Kg):** 0.85

**Lamp:** E14 LED 4 W x 1

L	W	D	H
125	220		325



**DWL-CHR-WL160020051C**

**Description:** 1 Light bell shaped aluminium finish wall light

**Fixture Height:** 210

**Standard Packaging Box:** 2

**Net Weight (Kg):** 0.8

**Lamp:** G9 LED 5 W x 1

L	W	D	H
140	240		210



**DWL-BRS-WL1260W1**

**Description:** 1 Light clear glass with brushed brass wall lamp

**Fixture Height:** 370

**Standard Packaging Box:** 1

**Net Weight (Kg):** 0.9

**Lamp:** G9 LED 5 W x 3

L	W	D	H
150	215		370



**NEW  
ARRIVAL**

**DWL-ABR-WL5010W**

**Description:** 1 Light frosted glass wall lamp with antique brass finish

**Fixture Height:** 280

**Standard Packaging Box:** 1

**Net Weight (Kg):** 0.6

**Lamp:** G9 LED 5 W x 1

L	W	D	H
100	175		280



**DCW-ABR-WL9601G9**

**Description:** 1 Light clear glass brass finish wall light

**Fixture Height:** 230

**Standard Packaging Box:** 1

**Net Weight (Kg):** 0.65

**Lamp:** G9 LED 5 W x 1

L	W	D	H
120	190		230



**DCW-ACR-WLC9602XK9**

**Description:** 1 Light clear glass brass finish wall light

**Fixture Height:** 260

**Standard Packaging Box:** 1

**Net Weight (Kg):** 1.2

**Lamp:** G9 LED 5 W x 1

L	W	D	H
190	255		260



**DCW-ABR-WLC9603XK9**

**Description:** 1 Light clear glass brass finish wall light

**Fixture Height:** 220

**Standard Packaging Box:** 1

**Net Weight (Kg):** 1.6

**Lamp:** E14 LED 4 W x 1

L	W	D	H
165	255		220



**DWL-BLK-WL00002PRE14**

**Description:** 2 Light black base with black crystal wall lamp

**Fixture Height:** 300

**Standard Packaging Box:** 4

**Net Weight (Kg):** 2.9

**Lamp:** E14 LED 4.5 W x 2

L	W	D	H
500	170		300



**DWL-GLD-WL00002TAE27**

**Description:** 2 Light clear glass with crystal wall lamp

**Fixture Height:** 360

**Standard Packaging Box:** 4

**Net Weight (Kg):** 2.1

**Lamp:** E27 LED 7 W x 2

L	W	D	H
440	160		360



**DWL-CHR-WL1128W**

**Description:** 2 Light black fabric shade with chrome finish base wall lamp

**Fixture Height:** 785


**Standard Packaging Box:** 1

**Net Weight (Kg):** 4.2

**Lamp:** E27 LED 5 W x 2

L	W	D	H
470	360		785

Available in Antique Brass also



**DWL-COP-WL1204W1**

**Description:** 1 Light aluminium hexagon style with antique copper finish wall lamp

**Available in:** Antique brass / Copper

**Fixture Height:** 160

**Standard Packaging Box:** 1

**Net Weight (Kg):** 1.2

**Lamp:** E14 LED 4.5 W x 1

L	W	D	H
230	160		160

**DWL-COP-WL1162W**

**Description:** 1 Light aluminium pipe with copper finish wall lamp


**Fixture Height:** 300

**Standard Packaging Box:** 1

**Net Weight (Kg):** 2

**Lamp:** E14 LED 4.5 W x 1

L	W	D	H
145	120		300



**DWL-COP-WL1162W3**

**Description:** 5 Light aluminium pipe with copper finish wall lamp

**Fixture Height:** 600

**Standard Packaging Box:** 1

**Net Weight (Kg):** 4

**Lamp:** E14 LED 4.5 W x 1

L	W	D	H
420	210		600





## Bath (Aqua) Lights

Take bath décor beyond the ordinary with Jaquar's Aqualite range. Created especially for the bathroom, these are the perfect choice for withstanding the rigours of the bath environment.



**DBL-CHR-MB12021341A**

**Description:** 1 Light opal glass with chrome finish base wall lamp

**Fixture Height:** 181

**Standard Packaging Box:** 12

**Net Weight (Kg):** 1.5

**Lamp:** G9 LED 5 W x 1

L	W	D	H
130	156		181

## Bath (Aqua) Lights



### DBL-CHR-MB12021151A

**Description:** 1 Light opal glass with chrome finish base wall lamp

**Fixture Height:** 166

**Standard Packaging Box:** 12

**Net Weight (Kg):** 0.9

**Lamp:** G9 LED 5 W x 1

L	W	D	H
120	160		166



### DBL-CHR-MB12021161A

**Description:** 1 Light opal glass with chrome finish base wall lamp

**Fixture Height:** 156

**Standard Packaging Box:** 12

**Net Weight (Kg):** 0.6

**Lamp:** G9 LED 5 W x 1

L	W	D	H
110	145		156



### DBL-CHR-MB48012A

**Description:** 2 Light opal glass with nickel finish wall lamp

**Fixture Height:** 95

**Standard Packaging Box:** 12

**Net Weight (Kg):** 0.9

**Lamp:** G9 LED 4W x 2

L	W	D	H
400	74		95



### DBL-CHR-MB12021321A

**Description:** 1 Light opal glass with chrome finish base wall lamp

**Fixture Height:** 270

**Standard Packaging Box:** 12

**Net Weight (Kg):** 1.5

**Lamp:** E14 LED 4.5 W x 1

L	W	D	H
107	80		270



**DBL-CHR-MB48011A**

**Description:** 1 Light opal glass with nickel finish base wall lamp

**Fixture Height:** 212

**Standard Packaging Box:** 12

**Net Weight (Kg):** 0.8

**Lamp:** G9 LED 5 W x 1

L	W	D	H
74	95		212

**DBL-CHR-MB48021A**

**Description:** 1 Light matt opal glass with nickel finish base wall lamp

**Fixture Height:** 290

**Standard Packaging Box:** 12

**Net Weight (Kg):** 1.5

**Lamp:** E14 LED 4.5 W x 1

L	W	D	H
74	100		290



**DBL-CHR-MB12021121A**

**Description:** 1 Light opal glass with chrome finish base wall lamp

**Fixture Height:** 290

**Standard Packaging Box:** 12

**Net Weight (Kg):** 0.6

**Lamp:** G9 LED 5 W x 1

L	W	D	H
70	137		290



**DBL-CHR-MB48022A**

**Description:** 2 Light opal glass with nickel finish base wall lamp


**Fixture Height:** 74

**Standard Packaging Box:** 12

**Net Weight (Kg):** 1

**Lamp:** E14 LED 4.5 W x 2

L	W	D	H
500	100		74



**DBL-CHR-MB12021172A**

**Description:** 2 Light opal glass with chrome finish base wall lamp

**Fixture Height:** 80

**Standard Packaging Box:** 12

**Net Weight (Kg):** 1.3

**Lamp:** E14 LED 4.5 W x 2

L	W	D	H
485	85		80



**DBL-CHR-MB48012D**

**Description:** 2 Light clear glass with chrome finish base wall lamp and inside frosted glass

**Fixture Height:** 130

**Standard Packaging Box:** 12

**Net Weight (Kg):** 1.3

**Lamp:** G9 LED 5 W x 2

L	W	D	H
400	100		130



**DBL-CHR-MB12021262A**

**Description:** 2 Light opal glass with chrome finish base wall lamp

**Fixture Height:** 60

**Standard Packaging Box:** 12

**Net Weight (Kg):** 0.6

**Lamp:** G9 LED 5 W x 2

L	W	D	H
330	55		60



**50 000 hrs**

**FREE**  
Mercury

IP20

## Commercial Lights

Jaquar Lighting pushes the boundaries of commercial lighting to provide you with some of the most advanced, high-performance, energy-saving lighting systems for the workplace. Choose from a wide variety of products to suit every application and meet the lighting needs of all kinds of commercial spaces, from workstations to conference rooms, reception areas to cabins, and small and large showrooms, workshops and factories.

### APPLICATIONS



OFFICE



HOTEL AND RESTAURANT



RESIDENCE



STAIRCASE



AUDITORIUM



CORRIDOR



RETAIL



HOSPITAL



ROHS COMPLIANT



ECAS



UL



CE

Applicable to select products only

# Content

## COMMERCIAL INDOOR LIGHTS

### DOWNLIGHTS

Lucent	197
Areva Prime	197
Nero Surface (Round)	198
Nero Surface (Square)	198
Ensave Plus	199
Microwave Sensor	199

### COB-DOWNLIGHTS

Eris (Low border deep-recessed)	200
Estus Swivel (Round)	201
Eris Swivel (Round)	202
Eris Reflecto	202
Eris Fixed	203

### RETAIL LIGHTS

Zoom Light	206
Multiple Zoom Light	206
Track Light	207

### Accessories for Track Light

3 Line Track	207
3 Line Track Connector	207
Epito	208
Cyno	208
Empha	208
Emina	209

Emina Tilttable	209
Rene	209
IP20 Strip Light (24 V DC)	210
IP65 Strip Light (24 V DC)	210
Power Supply for Indoor Strip Light (IP20)	211
Power Supply for Outdoor Strip Light (IP65 rated)	211

### MAGNETIC LIGHTS

Orelli Slim	214
Instaray Slim Linear- with Lens	214
Instaray Slim Linear	215
Instaray Round Slim	215
Orelli Slim Hanging	215
Instaray Slim Linear Diffused	216
Instaray Slim Tilttable & diffused	216
Magnetic Track Light Accessories	217

### PANELS

Ultima Slim (1'x1')	220
Ultima Slim (2'x2')	220
Accessories for Ultima Slim	220
Ultima Ultra Slim (1'x4')	220
Ultima Ultra Pro (2'x2')	221
Ultima Multi-colour (2'x2')	221

### BATTENS / TUBES

Glaze	222
Glaze Ultra (PC)	222
T8 Retro Tube	222
T8 Retro Accessories	223
Glaze Ultra Aluminium	223

### INDUSTRIAL LIGHTS

Kubik Ultra HD	226
Pride (Weather-proof IP65 rated)	226
Bulk Head	227
Well Glass	227
Highbay	228
Ultralite Highbay	228

### COMMERCIAL OUTDOOR LIGHTS

PCR	232
Trump	232
Street Light (45 W)	232
Street Light (25 & 30 W)	233
Street Light (45, 60, 70 & 72 W)	233
Street Light (90, 120, 150 & 200 W)	233
Faro (Low wattage floodlight)	234
Ledstar	234





# Commercial Indoor Lights

Jaquar's lighting solutions for indoor commercial spaces include a wide range of high quality Downlights, COB Downlights, Battens and Panel lights. The choice makes it easy to find the perfect solution for every décor and lighting need.

- **Downlights**  
Choose from as many as 10 different design ranges with sleek profiles, and multiple shapes and specifications.
- **COB Downlights**  
Jaquar's recess-mounted COB downlights are available in 3 extensive design ranges with multiple choices of illumination power.
- **Designer Lights**  
Jaquar's stunning offering in its Designer Lighting series brings state-of-the-art lighting solutions for commercial indoor spaces.
- **Retail Lights**  
Jaquar offers a complete range of recess-mounted and surface-mounted spotlights, strip lights, and accessories for innovative and attractive commercial indoor spaces.
- **Panels**  
Available in recess-mounted, surface-mounted or pendant applications, Jaquar's LED panels are first among the equals.
- **Battens and Tubes**  
Jaquar offers Battens in 2 designs, a variety of outputs, and 3 different colour temperatures. Also available are a wide range of Tubes.
- **Industrial Lights**  
Jaquar offers high-powered, long-lasting tube lights, bulk heads, and COB highbay lights for heavy-duty lighting requirements of industrial plants, factories and shop floors.



## Downlights

Recess-mounted, sleek, round downlight with die cast aluminium housing and polycarbonate diffuser for dazzle-free soft light.

### Lucent



Efficacy 100Lm/W  
in 6 W and above

Item Code	Wattage (W)	CCT (K)	Case No.
IDL-WHT-LLCN01R003XC	3	6500	20
IDL-WHT-LLCN01R003XN	3	4000	20
IDL-WHT-LLCN01R003XW	3	3000	20
IDL-WHT-LLCN01R006XC	6	6500	20
IDL-WHT-LLCN01R006XN	6	4000	20
IDL-WHT-LLCN01R006XW	6	3000	20
IDL-WHT-LLCN01R009XC	9	6500	20
IDL-WHT-LLCN01R009XN	9	4000	20
IDL-WHT-LLCN01R009XW	9	3000	20
IDL-WHT-LLCN01R012XC	12	6500	10
IDL-WHT-LLCN01R012XN	12	4000	10
IDL-WHT-LLCN01R012XW	12	3000	10
IDL-WHT-LLCN01R015XC	15	6500	10
IDL-WHT-LLCN01R015XN	15	4000	10
IDL-WHT-LLCN01R015XW	15	3000	10
IDL-WHT-LLCN01R018XC	18	6500	10
IDL-WHT-LLCN01R018XN	18	4000	10
IDL-WHT-LLCN01R018XW	18	3000	10
IDL-WHT-LLCN01R022XC	22	6500	10
IDL-WHT-LLCN01R022XN	22	4000	10
IDL-WHT-LLCN01R022XW	22	3000	10

**3 W** Cutout: Ø70 mm  
(DxH): Ø82x17 mm

**6 W** Cutout: Ø105 mm  
(DxH): Ø116x17 mm

**9 W** Cutout: Ø105 mm  
(DxH): Ø116x17 mm

**12 W** Cutout: Ø132 mm  
(DxH): Ø144x17 mm

**15 W** Cutout: Ø155 mm  
(DxH): Ø166x17 mm

**18 W** Cutout: Ø155 mm  
(DxH): Ø166x17 mm

**22 W** Cutout: Ø175 mm  
(DxH): Ø184x17 mm

Recess-mounted, maintenance-free, round downlight with die cast aluminium housing and sleek backlit design suitable for low height ceiling.

### Areva Prime



Item Code	Wattage (W)	CCT (K)	Case No.
IDL-WHT-LARP01R006XC	6	6500	20
IDL-WHT-LARP01R006XN	6	4000	20
IDL-WHT-LARP01R006XW	6	3000	20
IDL-WHT-LARP01R009XC	9	6500	20
IDL-WHT-LARP01R009XN	9	4000	20
IDL-WHT-LARP01R009XW	9	3000	20
IDL-WHT-LARP01R012XC	12	6500	10
IDL-WHT-LARP01R012XN	12	4000	10
IDL-WHT-LARP01R012XW	12	3000	10
IDL-WHT-LARP01R015XC	15	6500	10
IDL-WHT-LARP01R015XN	15	4000	10
IDL-WHT-LARP01R015XW	15	3000	10
IDL-WHT-LARP01R018XC	18	6500	10
IDL-WHT-LARP01R018XN	18	4000	10
IDL-WHT-LARP01R018XW	18	3000	10
IDL-WHT-LARP01R024XC	24	6500	10
IDL-WHT-LARP01R024XN	24	4000	10
IDL-WHT-LARP01R024XW	24	3000	10

**6 W** Cutout: Ø80 mm  
(DxH): Ø90x28 mm

**9 W** Cutout: Ø80 mm  
(DxH): Ø90x28 mm

**12 W** Cutout: Ø105 mm  
(DxH): Ø120x28 mm

**15 W** Cutout: Ø105 mm  
(DxH): Ø120x28 mm


**18 W** Cutout: Ø152 mm  
(DxH): Ø171x28 mm

**24 W** Cutout: Ø207 mm  
(DxH): Ø225x28 mm

\*Also available in black housing

## Downlights

Surface-mounted round panel with die cast aluminium housing.



### Nero Surface (Round)



Item Code	Wattage (W)	CCT (K)	Case No.
IDL-WHT-LNRO02R006SC	6	6500	20
IDL-WHT-LNRO02R006SN	6	4000	20
IDL-WHT-LNRO02R006SW	6	3000	20
IDL-WHT-LNRO02R012SC	12	6500	12
IDL-WHT-LNRO02R012SN	12	4000	12
IDL-WHT-LNRO02R012SW	12	3000	12
IDL-WHT-LNRO02R018SC	18	6500	12
IDL-WHT-LNRO02R018SN	18	4000	12
IDL-WHT-LNRO02R018SW	18	3000	12

**6 W** Dia: Ø125 mm  
Height: 35 mm

**12 W** Dia: Ø175 mm  
Height: 35 mm

**18 W** Dia: Ø225 mm  
Height: 35 mm

Surface-mounted square panel with die cast aluminium housing.



### Nero Surface (Square)

Item Code	Wattage (W)	CCT (K)	Case No.
IDL-WHT-LNRO02S006SC	6	6500	20
IDL-WHT-LNRO02S006SN	6	4000	20
IDL-WHT-LNRO02S006SW	6	3000	20
IDL-WHT-LNRO02S012SC	12	6500	12
IDL-WHT-LNRO02S012SN	12	4000	12
IDL-WHT-LNRO02S012SW	12	3000	12
IDL-WHT-LNRO02S018SC	18	6500	12
IDL-WHT-LNRO02S018SN	18	4000	12
IDL-WHT-LNRO02S018SW	18	3000	12

**6 W** Length: 125 mm  
Width: 125 mm  
Height: 35 mm

**12 W** Length: 175 mm  
Width: 175 mm  
Height: 35 mm

**18 W** Length: 225 mm  
Width: 225 mm  
Height: 35 mm

## Downlights

Recess-mounted round downlight with die cast aluminium housing.



## Ensave Plus

Item Code	Wattage (W)	CCT (K)	Case No.
IDL-WHT-LESP01R009XC	9	6500	20
IDL-WHT-LESP01R009XN	9	4000	20
IDL-WHT-LESP01R009XW	9	3000	20
IDL-WHT-LESP01R015XC	15	6500	10
IDL-WHT-LESP01R015XN	15	4000	10
IDL-WHT-LESP01R015XW	15	3000	10
IDL-WHT-LESP01R025XC	25	6500	10
IDL-WHT-LESP01R025XN	25	4000	10
IDL-WHT-LESP01R025XW	25	3000	10

**9 W** Cutout: Ø100 mm  
Height: 60 mm

**15 W** Cutout: Ø160 mm  
Height: 85 mm

**25 W** Cutout: Ø160 mm  
Height: 85 mm

Recess/ Surface mounted round microwave sensor with die cast aluminium housing.




## Microwave Sensor

Item Code	Cutout (MM)	Dimension (MM)	Case No.
AHL-WHT-MOTSENMW2IN1	Ø85	Ø85	5

## COB-Downlights

Deep recess-mounted, COB-based, round, fixed downlight with die cast aluminium housing and 24° beam angle.



### Eris (Low border deep recess)

Item Code	Wattage (W)	CCT (K)	Case No.
ICO-WHT-LERS02R005XC	5	6500	20
ICO-WHT-LERS02R005XN	5	4000	20
ICO-WHT-LERS02R005XW	5	3000	20
ICO-WHT-LERS02R010XC	10	6500	20
ICO-WHT-LERS02R010XN	10	4000	20
ICO-WHT-LERS02R010XW	10	3000	20
ICO-WHT-LERS02R015XC	15	6500	10
ICO-WHT-LERS02R015XN	15	4000	10
ICO-WHT-LERS02R015XW	15	3000	10
ICO-WHT-LERS02R020XC	20	6500	10
ICO-WHT-LERS02R020XN	20	4000	10
ICO-WHT-LERS02R020XW	20	3000	10

**5 W** Cutout: Ø47 mm  
Height: 100 mm

**10 W** Cutout: Ø69 mm  
Height: 110 mm

**15 W** Cutout: Ø80 mm  
Height: 120 mm


**20 W** Cutout: Ø115 mm  
Height: 130 mm

\*THD <10%, \*CRI >90

\*Also available in black housing in 10 & 15 W

## COB-Downlights

Recess-mounted, COB-based, round, tiltable downlight with die cast aluminium housing and 36° beam angle.



### Estus Swivel (Round)

Item Code	Wattage (W)	CCT (K)	Case No.
ICO-WHT-LETS36R003XC	3	6500	20
ICO-WHT-LETS36R003XN	3	4000	20
ICO-WHT-LETS36R003XW	3	3000	20
ICO-WHT-LETS36R006XC	6	6500	20
ICO-WHT-LETS36R006XN	6	4000	20
ICO-WHT-LETS36R006XW	6	3000	20
ICO-WHT-LETS36R009XC	9	6500	20
ICO-WHT-LETS36R009XN	9	4000	20
ICO-WHT-LETS36R009XW	9	3000	20
ICO-WHT-LETS36R012XC	12	6500	20
ICO-WHT-LETS36R012XN	12	4000	20
ICO-WHT-LETS36R012XW	12	3000	20
ICO-WHT-LETS36R015XC	15	6500	20
ICO-WHT-LETS36R015XN	15	4000	20
ICO-WHT-LETS36R015XW	15	3000	20
ICO-WHT-LETS36R018XC	18	6500	10
ICO-WHT-LETS36R018XN	18	4000	10
ICO-WHT-LETS36R018XW	18	3000	10
ICO-WHT-LETS36R024XC	24	6500	10
ICO-WHT-LETS36R024XN	24	4000	10
ICO-WHT-LETS36R024XW	24	3000	10
ICO-WHT-LETS36R030XC	30	6500	10
ICO-WHT-LETS36R030XN	30	4000	10
ICO-WHT-LETS36R030XW	30	3000	10

**3 W** Cutout: Ø58 mm  
Height: 50 mm

**6 W** Cutout: Ø74 mm  
Height: 65 mm

**9 W** Cutout: Ø74 mm  
Height: 65 mm

**12 W** Cutout: Ø95 mm  
Height: 85 mm

**15 W** Cutout: Ø95 mm  
Height: 85 mm

**18 W** Cutout: Ø118 mm  
Height: 85 mm

**24 W** Cutout: Ø118 mm  
Height: 85 mm

**30 W** Cutout: Ø118 mm  
Height: 100 mm

\*THD <10% for wattage ≥6 W.  
\*Also available in black housing

## COB-Downlights

Deep recess-mounted, COB-based swivel downlight with 38° beam angle.



### Eris Swivel (Round)

Item Code	Wattage (W)	CCT (K)	Case No.
ICO-WHT-LEERS03R007XC	7	6500	20
ICO-WHT-LEERS03R007XN	7	4000	20
ICO-WHT-LEERS03R007XW	7	3000	20
ICO-WHT-LEERS03R012XC	12	6500	10
ICO-WHT-LEERS03R012XN	12	4000	10
ICO-WHT-LEERS03R012XW	12	3000	10
ICO-WHT-LEERS03R020XC	20	6500	20
ICO-WHT-LEERS03R020XN	20	4000	20
ICO-WHT-LEERS03R020XW	20	3000	20
ICO-WHT-LEERS03R030XC	30	6500	10
ICO-WHT-LEERS03R030XN	30	4000	10
ICO-WHT-LEERS03R030XW	30	3000	10

**7 W** Cutout: Ø78 mm  
Height: 73 mm

**12 W** Cutout: Ø92 mm  
Height: 90 mm

**20 W** Cutout: Ø117 mm  
Height: 90 mm

**30 W** Cutout: Ø148 mm  
Height: 98 mm

\*THD <10%, CRI >90

\*Also available in black housing

Recess-mounted, COB-based downlight with die cast aluminium housing and anodized reflector.



### Eris Reflecto

Item Code	Wattage (W)	CCT (K)	Case No.
ICO-WHT-LEERS04R007XC	7	6500	50
ICO-WHT-LEERS04R007XN	7	4000	50
ICO-WHT-LEERS04R007XW	7	3000	50
ICO-WHT-LEERS04R012XC	12	6500	10
ICO-WHT-LEERS04R012XN	12	4000	10
ICO-WHT-LEERS04R012XW	12	3000	10
ICO-WHT-LEERS04R020XC	20	6500	20
ICO-WHT-LEERS04R020XN	20	4000	20
ICO-WHT-LEERS04R020XW	20	3000	20
ICO-WHT-LEERS04R030XC	30	6500	20
ICO-WHT-LEERS04R030XN	30	4000	20
ICO-WHT-LEERS04R030XW	30	3000	20

**7 W** Cutout: Ø75 mm  
Height: 43 mm  
Beam angle: 38°



**12 W** Cutout: Ø97 mm  
Height: 53 mm  
Beam angle: 43°

**20 W** Cutout: Ø115 mm  
Height: 65 mm  
Beam angle: 52°

**30 W** Cutout: Ø140 mm  
Height: 75 mm  
Beam angle: 52°

## COB-Downlights

Recess-mounted, COB-based downlight with die cast aluminium housing and clear glass.



### Eris Fixed

Item Code	Wattage (W)	CCT (K)	Case No.
ICO-WHT-LERS05R007XC	7	6500	50
ICO-WHT-LERS05R007XN	7	4000	50
ICO-WHT-LERS05R007XW	7	3000	50
ICO-WHT-LERS05R012XC	12	6500	40
ICO-WHT-LERS05R012XN	12	4000	40
ICO-WHT-LERS05R012XW	12	3000	40
ICO-WHT-LERS05R020XC	20	6500	10
ICO-WHT-LERS05R020XN	20	4000	10
ICO-WHT-LERS05R020XW	20	3000	10
ICO-WHT-LERS05R035XC	35	6500	10
ICO-WHT-LERS05R035XN	35	4000	10
ICO-WHT-LERS05R035XW	35	3000	10

**7 W** Cutout: Ø80 mm  
Height: 60 mm  
Beam angle: 33°

**12 W** Cutout: Ø100 mm  
Height: 65 mm  
Beam angle: 45°

**20 W** Cutout: Ø130 mm  
Height: 75 mm  
Beam angle: 45°

**35 W** Cutout: Ø185 mm  
Height: 95 mm  
Beam angle: 50°



## Retail Lights

For the specialised needs of the retail industry, Jaquar offers a complete range of recess-mounted and surface-mounted spot lights, strip lights and accessories, which make innovative and highly attractive product lighting possible.

Recess-mounted zoom light with powder coated die cast aluminium housing and anodized aluminium reflector. 38° beam angle.




## Zoom Light

Item Code	Wattage (W)	CCT (K)	Case No.
IRL-WHT-LZOM01R015XC	15	6500	1
IRL-WHT-LZOM01R015XN	15	4000	1
IRL-WHT-LZOM01R015XW	15	3000	1
IRL-WHT-LZOM01R025XC	25	6500	1
IRL-WHT-LZOM01R025XN	25	4000	1
IRL-WHT-LZOM01R025XW	25	3000	1


**15 W** Cutout: Ø85 mm  
Height: 72 mm

**25 W** Cutout: Ø140 mm  
Height: 121 mm

\*THD <10%




Recess-mounted, COB based multiple zoom light with die cast aluminium housing, anodized reflector and tempered transparent glass diffuser. 40° beam angle.




## Multiple Zoom Light

Item Code	Wattage (W)	CCT (K)	Case No.
IRL-WHT-LZOMMLR215XC	2x15	6500	20
IRL-WHT-LZOMMLR215XN	2x15	4000	20
IRL-WHT-LZOMMLR215XW	2x15	3000	20

**2 x 15 W** Length: 192 mm  
Width: 92 mm  
Height: 86 mm



Track-mounted round focus light with moveable base. Fully adjustable with aluminium housing (including driver casing). 40° beam angle.



## Track Light

Item Code	Wattage (W)	CCT (K)	Case No.
IRL-WHT-LTRLW1R010XC	10	5000	1
IRL-WHT-LTRLW1R010XN	10	4000	1
IRL-WHT-LTRLW1R010XW	10	3000	1
IRL-WHT-LTRLW1R020XC	20	5000	1
IRL-WHT-LTRLW1R020XN	20	4000	1
IRL-WHT-LTRLW1R020XW	20	3000	1
IRL-WHT-LTRLW1R030XC	30	5000	1
IRL-WHT-LTRLW1R030XN	30	4000	1
IRL-WHT-LTRLW1R030XW	30	3000	1
IRL-BLK-LTRLB1R010XC	10	5000	1
IRL-BLK-LTRLB1R010XN	10	4000	1
IRL-BLK-LTRLB1R010XW	10	3000	1
IRL-BLK-LTRLB1R020XC	20	5000	1
IRL-BLK-LTRLB1R020XN	20	4000	1
IRL-BLK-LTRLB1R020XW	20	3000	1
IRL-BLK-LTRLB1R030XC	30	5000	1
IRL-BLK-LTRLB1R030XN	30	4000	1
IRL-BLK-LTRLB1R030XW	30	3000	1

**10 W** Dia: Ø78 mm  
Length: 205 mm  
Width: 192 mm  
Height: 106 mm

**20 W** Dia: Ø110 mm  
Length: 268 mm  
Width: 240 mm  
Height: 131 mm

**30 W** Dia: Ø110 mm  
Length: 268 mm  
Width: 240 mm  
Height: 131 mm

## Accessories for Track Light

### 3 Line Track

Item Code	Length	Colour
ACI-WHT-LTRK3L1MTRBL	1 Meter	Black
ACI-WHT-LTRK3L1MTRWH	1 Meter	White
ACI-WHT-LTRK3L2MTRBL	2 Meter	Black
ACI-WHT-LTRK3L2MTRWH	2 Meter	White

### 3 Line Track Connector

Item Code	Shape	Colour
ACI-BLK-LTRCBL3LISHP	I	Black
ACI-WHT-LTRCWH3LISHP	I	White
ACI-BLK-LTRCBL3LLSHP	L	Black
ACI-WHT-LTRCWH3LLSHP	L	White
ACI-BLK-LTRCBL3LXSHP	X	Black
ACI-WHT-LTRCWH3LXSHP	X	White
ACI-BLK-LTRCBL3LTSHP	T	Black
ACI-WHT-LTRCWH3LTSHP	T	White

## Retail Lights

Recessed, directional COB downlight with die cast aluminium housing.




### Epito

Item Code	Wattage (W)	CCT (K)	Case No.
IRL-WHT-LEPO01R012XC	12	6500	10
IRL-WHT-LEPO01R012XN	12	4000	10
IRL-WHT-LEPO01R012XW	12	3000	10
IRL-WHT-LEPO01R020XC	20	6500	10
IRL-WHT-LEPO01R020XN	20	4000	10
IRL-WHT-LEPO01R020XW	20	3000	10

**12 W** Cutout: Ø75 mm  
Dia: Ø85 mm  
Height: 70 mm

**20 W** Cutout: Ø95 mm  
Dia: Ø108 mm  
Height: 85 mm

Deep recessed, surface mounted focus light with die cast aluminium housing.




### Cyno

Item Code	Wattage (W)	CCT (K)	Case No.
IRL-BLK-LCYN01R010SC	10	6500	20
IRL-BLK-LCYN01R010SN	10	4000	20
IRL-BLK-LCYN01R010SW	10	3000	20

**10 W** Dia: Ø50 mm  
Height: 165 mm

Deep recessed, extended COB focus light with die cast aluminium housing.



### Empha

Item Code	Wattage (W)	CCT (K)	Case No.
IRL-WHT-LEMP01R007XC	7	6500	20
IRL-WHT-LEMP01R007XN	7	4000	20
IRL-WHT-LEMP01R007XW	7	3000	20
IRL-WHT-LEMP01R015XC	15	6500	10
IRL-WHT-LEMP01R015XN	15	4000	10
IRL-WHT-LEMP01R015XW	15	3000	10

**7 W** Cutout: Ø62 mm  
Dia: Ø72 mm  
Height: 98 mm

**15 W** Cutout: Ø90 mm  
Dia: Ø103 mm  
Height: 99 mm

## Retail Lights

Deep recessed downlight with die cast aluminium housing.



## Emina

Item Code	Wattage (W)	CCT (K)	Case No.
IRL-WHT-LEMA01R008XC	8	6500	20
IRL-WHT-LEMA01R008XN	8	4000	20
IRL-WHT-LEMA01R008XW	8	3000	20
IRL-WHT-LEMA01R015XC	15	6500	20
IRL-WHT-LEMA01R015XN	15	4000	20
IRL-WHT-LEMA01R015XW	15	3000	20

**8 W** Cutout: Ø55 mm  
Dia: Ø65 mm  
Height: 65 mm

**15 W** Cutout: Ø75 mm  
Dia: Ø85 mm  
Height: 80 mm

\*CRI >90, THD <10% | \*Also available in black housing

Deep recessed downlight with die cast aluminium housing.



## Emina Tiltable


Item Code	Wattage (W)	CCT (K)	Case No.
IRL-WHT-LEMAT1R008XC	8	6500	20
IRL-WHT-LEMAT1R008XN	8	4000	20
IRL-WHT-LEMAT1R008XW	8	3000	20
IRL-WHT-LEMAT1R015XC	15	6500	20
IRL-WHT-LEMAT1R015XN	15	4000	20
IRL-WHT-LEMAT1R015XW	15	3000	20

**8 W** Cutout: Ø55 mm  
Dia: Ø65 mm  
Height: 65 mm

**15 W** Cutout: Ø75 mm  
Dia: Ø85 mm  
Height: 80 mm

\*CRI >90, THD <10%

Recess-mounted, COB based tiltable linear spot light with die cast aluminium housing and 30° beam angle.



## Rene

Item Code	Wattage (W)	CCT (K)	Case No.
IRL-WHT-LRNE01S002XC	2	6500	60
IRL-WHT-LRNE01S002XN	2	4000	60
IRL-WHT-LRNE01S002XW	2	3000	60
IRL-WHT-LRNE01S006XC	6	6500	48
IRL-WHT-LRNE01S006XN	6	4000	48
IRL-WHT-LRNE01S006XW	6	3000	48
IRL-WHT-LRNE01S010XC	10	6500	40
IRL-WHT-LRNE01S010XN	10	4000	40
IRL-WHT-LRNE01S010XW	10	3000	40
IRL-WHT-LRNE01S020XC	20	6500	25
IRL-WHT-LRNE01S020XN	20	4000	25
IRL-WHT-LRNE01S020XW	20	3000	25
IRL-WHT-LRNE01S030XC	30	6500	20
IRL-WHT-LRNE01S030XN	30	4000	20
IRL-WHT-LRNE01S030XW	30	3000	20

**2 W** Cutout: Ø50 x 47 mm  
Length: 55 mm  
Width: 55 mm  
Height: 47 mm

**6 W** Cutout: Ø111 x 47 mm  
Length: 116 mm  
Width: 55 mm  
Height: 47 mm

**10 W** Cutout: Ø153 x 47 mm  
Length: 158 mm  
Width: 55 mm  
Height: 47 mm

**20 W** Cutout: Ø286 x 47 mm  
Length: 290 mm  
Width: 55 mm  
Height: 47 mm

**30 W** Cutout: Ø419 x 47 mm  
Length: 423 mm  
Width: 55 mm  
Height: 47 mm

\*Also available in black housing

## Retail Lights

This strip light is suitable for indoor applications with different colours and wattages. Standard 5.0 meter roll.



### IP20 Strip Light (24 V DC)


Item Code	Wattage (W)	CCT (K)	Case No.
STI-WHT-LSTP03X005XC	25	6000	5
STI-WHT-LSTP03X005XN	25	4000	5
STI-WHT-LSTP03X005XW	25	3000	5
STI-WHT-LSTP03X008XC	40	6000	5
STI-WHT-LSTP03X008XW	40	3000	5
STI-WHT-LSTP03X015XC	75	6000	5
STI-WHT-LSTP03X015XW	75	3000	5

**25 W** Width: 8 mm  
Height: 2.5 mm

**40 W** Width: 8 mm  
Height: 2.5 mm

**75 W** Width: 8 mm  
Height: 2.5 mm

This strip light is suitable for outdoor applications with different colours and wattages. Standard 5.0 meter roll.





### IP65 Strip Light (24 V DC)

Item Code	Wattage (W)	CCT (K)	Case No.
STI-WHT-LSTP04X005XC	25	6000	5
STI-WHT-LSTP04X005XW	25	3000	5
STI-WHT-LSTP04X008XC	40	6000	5
STI-WHT-LSTP04X008XW	40	3000	5
STI-WHT-LSTP04X015XC	75	6000	5
STI-WHT-LSTP04X015XW	75	3000	5

**25 W** Width: 10 mm  
Height: 4.5 mm


**40 W** Width: 10 mm  
Height: 4.5 mm

**75 W** Width: 10 mm  
Height: 4.5 mm



## Power Supply for Indoor Strip Light (IP20)

Item Code	Wattage (W)
ZCI-WHT-LDRV01S030XX	30
ZCI-WHT-LDRV01S048XX	48
ZCI-WHT-LDRV01S060XX	60
ZCI-WHT-LDRV01S072XX	72
ZCI-WHT-LDRV01S096XX	96



## Power Supply for Outdoor Strip Light (IP65)

Item Code	Wattage (W)
ZCI-WHT-LDRV02S030XX	30
ZCI-WHT-LDRV02S048XX	48
ZCI-WHT-LDRV02S060XX	60
ZCI-WHT-LDRV02S072XX	72
ZCI-WHT-LDRV02S096XX	96



## Magnetic Lights

Adorn your space with modern, stylish, and innovative Magnetic Lights by Jaquar. Create vertical and horizontal styles to suit many creative lighting designs. These lights are perfect for accentuating a particular spot, object, painting or more – just stick them on and let your spaces shine!

## Magnetic Lights

Slim magnetic track light with die cast aluminium housing, 48 V DC operated.



### Orelli Slim

Item Code	Wattage (W)	CCT (K)	Case No.
IRL-BLK-LORLS24R07XC	7	6500	24
IRL-BLK-LORLS24R07XN	7	4000	24
IRL-BLK-LORLS24R07XW	7	3000	24
IRL-BLK-LORLS24R12XC	12	6500	24
IRL-BLK-LORLS24R12XN	12	4000	24
IRL-BLK-LORLS24R12XW	12	3000	24
IRL-BLK-LORLS24R18XC	18	6500	24
IRL-BLK-LORLS24R18XN	18	4000	24
IRL-BLK-LORLS24R18XW	18	3000	24
IRL-BLK-LORLS24R24XC	24	6500	24
IRL-BLK-LORLS24R24XN	24	4000	24
IRL-BLK-LORLS24R24XW	24	3000	24

**7 W** Length: 118 mm  
Width: 80 mm  
Height: 125 mm

**12 W** Length: 118 mm  
Width: 100 mm  
Height: 135 mm

**18 W** Length: 118 mm  
Width: 125 mm  
Height: 150 mm

**24 W** Length: 118 mm  
Width: 160 mm  
Height: 185 mm

Slim magnetic linear track light with die cast aluminium housing, 48 V DC operated.



### Instaray Slim Linear- with Lens

Item Code	Wattage (W)	CCT (K)	Case No.
IRL-BLK-LINRSL1F06XC	6	6500	36
IRL-BLK-LINRSL1F06XN	6	4000	36
IRL-BLK-LINRSL1F06XW	6	3000	36
IRL-BLK-LINRSL1F12XC	12	6500	36
IRL-BLK-LINRSL1F12XN	12	4000	36
IRL-BLK-LINRSL1F12XW	12	3000	36
IRL-BLK-LINRSL1F18XC	18	6500	36
IRL-BLK-LINRSL1F18XN	18	4000	36
IRL-BLK-LINRSL1F18XW	18	3000	36
IRL-BLK-LINRSL1F24XC	24	6500	36
IRL-BLK-LINRSL1F24XN	24	4000	36
IRL-BLK-LINRSL1F24XW	24	3000	36
IRL-BLK-LINRSL1F30XC	30	6500	36
IRL-BLK-LINRSL1F30XN	30	4000	36
IRL-BLK-LINRSL1F30XW	30	3000	36

**6 W** Length: 112 mm  
Width: 22 mm  
Height: 45 mm

**12 W** Length: 220 mm  
Width: 22 mm  
Height: 45 mm

**18 W** Length: 328 mm  
Width: 22 mm  
Height: 45 mm

**24 W** Length: 436 mm  
Width: 22 mm  
Height: 45 mm

**30 W** Length: 544 mm  
Width: 22 mm  
Height: 45 mm

## Magnetic Lights

Slim magnetic linear tiltable track light with die cast aluminium housing, 48 V DC operated.



### Instaray Slim Linear

Item Code	Wattage (W)	CCT (K)	Case No.
IRL-BLK-LINRSL2T12XC	12	6500	36
IRL-BLK-LINRSL2T12XN	12	4000	36
IRL-BLK-LINRSL2T12XW	12	3000	36
IRL-BLK-LINRSL2T24XC	24	6500	36
IRL-BLK-LINRSL2T24XN	24	4000	36
IRL-BLK-LINRSL2T24XW	24	3000	36

**12 W** Length: 135 mm  
Width: 35 mm  
Height: 150 mm

**24 W** Length: 270 mm  
Width: 35 mm  
Height: 150 mm

Slim magnetic round track light with die cast aluminium housing, 48 V DC operated.



### Instaray Round Slim

Item Code	Wattage (W)	CCT (K)	Case No.
IRL-BLK-LINRSL2R09XC	9	6500	24
IRL-BLK-LINRSL2R09XN	9	4000	24
IRL-BLK-LINRSL2R09XW	9	3000	24
IRL-BLK-LINRSD2R12XC	12	6500	120
IRL-BLK-LINRSD2R12XN	12	4000	120
IRL-BLK-LINRSD2R12XW	12	3000	120

**9 W** Length: 118 mm  
Width: 30 mm  
Height: 135 mm

**12 W** Length: 135 mm  
Width: 35 mm  
Height: 150 mm

Slim magnetic linear hanging light with die cast aluminium housing, 48 V DC operated.



### Orelli Slim Hanging

Item Code	Wattage (W)	CCT (K)	Case No.
IRL-BLK-LORLS24R12HN	12	6500/4000/3000	10

**12 W** Length: 36 mm  
Width: 27.5 mm  
Height: 38 mm

## Magnetic Lights

Slim magnetic linear diffused light with die cast aluminium housing, 48 V DC operated.



### Instaray Slim Linear Diffused

Item Code	Wattage (W)	CCT (K)	Case No.
IRL-BLK-LINRSD1F10XC	10	6500	20
IRL-BLK-LINRSD1F10XN	10	4000	20
IRL-BLK-LINRSD1F10XW	10	3000	20
IRL-BLK-LINRSD1F20XC	20	6500	20
IRL-BLK-LINRSD1F20XN	20	4000	20
IRL-BLK-LINRSD1F20XW	20	3000	20
IRL-BLK-LINRSD1F30XC	30	6500	10
IRL-BLK-LINRSD1F30XN	30	4000	10
IRL-BLK-LINRSD1F30XW	30	3000	10
IRL-BLK-LINRSD1F40XC	40	6500	10
IRL-BLK-LINRSD1F40XN	40	4000	10
IRL-BLK-LINRSD1F40XW	40	3000	10

**10 W** Length: 300 mm  
Width: 22 mm  
Height: 45 mm

**20 W** Length: 600 mm  
Width: 22 mm  
Height: 45 mm

**30 W** Length: 900 mm  
Width: 22 mm  
Height: 45 mm

**40 W** Length: 1200 mm  
Width: 22 mm  
Height: 45 mm

Slim magnetic linear tilttable & diffused light with die cast aluminium housing, 48 V DC operated.



### Instaray Slim Tilttable & diffused

Item Code	Wattage (W)	CCT (K)	Case No.
IRL-BLK-LINRSL1T06XC	6	6500	20
IRL-BLK-LINRSL1T06XN	6	4000	20
IRL-BLK-LINRSL1T06XW	6	3000	20
IRL-BLK-LINRSL1T12XC	12	6500	10
IRL-BLK-LINRSL1T12XN	12	4000	10
IRL-BLK-LINRSL1T12XW	12	3000	10
IRL-BLK-LINRSD1T06XC	6	6500	20
IRL-BLK-LINRSD1T06XN	6	4000	20
IRL-BLK-LINRSD1T06XW	6	3000	20
IRL-BLK-LINRSD1T12XC	12	6500	10
IRL-BLK-LINRSD1T12XN	12	4000	10
IRL-BLK-LINRSD1T12XW	12	3000	10

**6 W** Length: 118 mm  
Width: 35 mm  
Height: 110 mm

**12 W** Length: 220 mm  
Width: 35 mm  
Height: 110 mm

## Magnetic Track Light Accessories



Item Code	Description
-----------	-------------

ACI-BLK-LTRKSM1MTRXX      Magnetic track slim 1 meter recess mounted

Item Code	Description
-----------	-------------

ACI-BLK-LTRKSM2MTRXX      Magnetic track slim 2 meter recess mounted

Item Code	Description
-----------	-------------

ACI-BLK-LTRKSM1MTRXS      Magnetic track slim 1 meter surface/ hanging mounted

Item Code	Description
-----------	-------------

ACI-BLK-LTRKSM2MTRXS      Magnetic track slim 2 meter surface/ hanging mounted

Item Code	Description
-----------	-------------

ACI-BLK-LTRCMLSHPVXS      Magnetic track connector L shape vertical surface mounted

Item Code	Description
-----------	-------------

ACI-BLK-LTRCMLSHPHXS      Magnetic track connector L shape horizontal surface mounted

Item Code	Description
-----------	-------------

ACI-BLK-LTRCMLSHPVXX      Magnetic track connector L shape vertical recess mounted

Item Code	Description
-----------	-------------

ACI-BLK-LTRCMLSHPHXX      Magnetic track connector L shape horizontal recess mounted

Item Code	Description
-----------	-------------

ACI-BLK-LTRCMFJOINTR      Magnetic track channel fixed jointer

## Magnetic Track Light Accessories



Item Code	Description
-----------	-------------

ACI-BLK-LTRCMBINLINE	Magnetic track bendable input line connector
----------------------	--

Item Code	Description
-----------	-------------

ACI-BLK-LTRCMBLOOPIN	Magnetic track bendable loop in jointer
----------------------	---

Item Code	Description
-----------	-------------

ACI-BLK-LTRCMISHPXXX	Magnetic track I shape connector
----------------------	----------------------------------

Item Code	Description
-----------	-------------

ZCI-WHT-LDRVM48V30W	LED magnetic track driver 48 V 30 W
---------------------	-------------------------------------

Item Code	Description
-----------	-------------

ZCI-WHT-LDRVM48V50W	LED magnetic track driver 48 V 50 W
---------------------	-------------------------------------

Item Code	Description
-----------	-------------

ZCI-BLK-LDRVM48V100W	LED magnetic track driver 48 V 100 W
----------------------	--------------------------------------

Item Code	Description
-----------	-------------

ZCI-BLK-LDRVM48V200W	LED magnetic track driver 48 V 200 W
----------------------	--------------------------------------

Item Code	Description
-----------	-------------

ACI-BLK-HANGWIREMAGT	Hanging wire for surface mounted magnetic track
----------------------	---



## Panels

Recess-mounted 1'x1' panel with white powder coated CRCA housing and full mounted acrylic diffuser.



### Ultima Slim (1'x1')

Item Code	Wattage (W)	CCT (K)	Case No.
IPN-WHT-LULTSLS018XC	18	6500	2
IPN-WHT-LULTSLS018XN	18	5000	2
IPN-WHT-LULTSLS018XW	18	4000	2

**18 W** Length: 294 mm  
Width: 294 mm  
Height: 35 mm

THD <15%, CRI >80,  
Efficacy: 100 Lm/W  
Beam angle: 120°

Recess-mounted 2'x2' panel with white powder coated CRCA housing and full mounted acrylic diffuser.



### Ultima Slim (2'x2')

Item Code	Wattage (W)	CCT (K)	Case No.
IPN-WHT-LULTSLS036XC	36	6500	2
IPN-WHT-LULTSLS036XN	36	4000	2
IPN-WHT-LULTSLS036XW	36	3000	2
IPN-WHT-LULTSLSN36XC*	36	6500	2


**36 W** Length: 580 mm  
Width: 580 mm  
Height: 30 mm

\*With motion Sensor

### Accessories for Ultima Slim

Item Code	Description
ZCI-WHT-L2X2SLCLIPXX	Recess-mounted clip for Ultima Slim 2'x2' and 1'x4' panel
ACI-WHT-LTMPULTSL36S	Surface-mount template for Ultima Slim 2'x2' panel
ACI-WHT-HANGWIREYSHP	Y Shape wiring system for hanging

Recess-mounted 1'x4' panel with white powder coated CRCA housing and full mounted acrylic diffuser.



### Ultima Ultra Slim (1'x4')

Item Code	Wattage (W)	CCT (K)	Case No.
IPN-WHT-LULU4SL033XC	33	6500	2
IPN-WHT-LULU4SL033XN	33	4000	2
IPN-WHT-LULU4SL033XW	33	3000	2

**33 W** Length: 1185 mm  
Width: 285 mm  
Height: 34 mm

Efficacy: 120 Lm/W (for 6500K)

## Panels

High efficacy, recess-mounted panel with white powder coated CRCA housing and full mounted acrylic diffuser (2'x2'), 140 Lm / W for 36 W



### Ultima Ultra Pro (2'x2')

Item Code	Wattage (W)	CCT (K)	Case No.
IPN-WHT-LULPU2SL36XC	36	6500	2

**36 W** Length: 595 mm  
Width: 595 mm  
Height: 35 mm

Multi-colour changeable recess-mounted panel with white powder coated CRCA housing and full mounted acrylic diffuser (2'x2').



### Ultima Multi-colour (2'x2')


Item Code	Wattage (W)	CCT (K)	Case No.
IPN-WHT-LULTSLA032XM	32	6500/4000/3000	5
IPN-WHT-ULTSLAREMOTE*			

**32 W** Length: 595 mm  
Width: 595 mm  
Height: 35 mm

THD <10%, CRI >80  
Colour changes through switching  
\*Remote

## Battens / Tubes

High quality batten with extruded aluminium housing and decorative end caps.



### Glaze


Item Code	Wattage (W)	CCT (K)	Case No.
BTI-WHT-LGLZ01X010XC	10	6500	20
BTI-WHT-LGLZ01X010XN	10	4000	20
BTI-WHT-LGLZ01X010XW	10	3000	20
BTI-WHT-LGLZ01X020XC	20	6500	20
BTI-WHT-LGLZ01X020XN	20	4000	20
BTI-WHT-LGLZ01X020XW	20	3000	20
BTI-WHT-LGLZ01X024XC	24	6500	20
BTI-WHT-LGLZ01X024XN	24	4000	20
BTI-WHT-LGLZ01X024XW	24	3000	20

**10 W** Length: 570 mm  
Width: 22 mm  
Height: 37 mm

**20 W** Length: 1135 mm  
Width: 22 mm  
Height: 37 mm

**24 W** Length: 1185 mm  
Width: 22 mm  
Height: 37 mm

High quality batten with polycarbonate housing and decorative end caps.




### Glaze Ultra (PC)

Item Code	Wattage (W)	CCT (K)	Case No.
BTI-WHT-LGLZPCX022XC	22	6500	20
BTI-WHT-LGLZPCX022XW	22	3000	20

**22 W** Length: 1145 mm  
Width: 30 mm  
Height: 40 mm

Indoor tubelight with aluminium housing and polycarbonate diffuser.



### T8 Retro Tube

Item Code	Wattage (W)	CCT (K)	Case No.
BTI-WHT-LTBL01X020XC	20	6000	10
BTI-WHT-LTBL01X020XW	20	3000	10

**20 W** Length: 1200 mm  
Height: 30 mm



## T8 Retro Accessories

Item Code	Description
ACI-WHT-LBOXFTG020XX	Box fitting for 4 FT T8 Retro
ACI-WHT-LBOXFTG040XX	Box fitting for 40 W T8 Retro

High quality batten with extruded aluminium housing and decorative end caps.



\*22 W - 2650 Lumen

## Glaze Ultra Aluminium

Item Code	Wattage (W)	CCT (K)	Case No.
BTI-WHT-LGLZU1X022XC	22	6500	20
BTI-WHT-LGLZU1X022XN	22	4000	20
BTI-WHT-LGLZU1X022XW	22	3000	20

**22 W** Length: 1135 mm  
Width: 20 mm  
Height: 35 mm






## Industrial Lights

For the heavy-duty lighting requirements of industrial plants, factories and shop floors, Jaquar has high-powered, long-lasting solutions. Choose from weather-proof, corrosion-resistant lights, twin-tube lights, bulk heads, and suspended, industrial COB highbay lights in a wide range of options.

## Industrial Lights

High quality batten with extruded aluminium housing and decorative end caps.



### Kubik Ultra HD

Item Code	Wattage (W)	CCT (K)	Case No.
HBT-WHT-LKBU4KU535XC	35	6500	20

**35 W** Length: 1135 mm  
Width: 24 mm  
Height: 37 mm

Corrosion and impact resistant batten with polycarbonate housing. Dust and water-proof.



### Pride (Weather-proof IP65 rated)

Item Code	Wattage (W)	CCT (K)	Case No.
IIL-WHT-LPRD01X020XC	20	6000	1
IIL-WHT-LPRD01X020XW	20	3000	1
IIL-WHT-LPRD01X040XC	40	6000	1
IIL-WHT-LPRD01X040XW	40	3000	1
ISB-WHT-LPRD01S040XC*	40	6500	1

**20 W** Length: 590 mm  
Width: 86 mm  
Height: 67 mm

**40 W** Length: 1180 mm  
Width: 86 mm  
Height: 67 mm

\*With motion sensor


## Industrial Lights

Bulk head with pressure die cast aluminium housing and acrylic diffuser (IP65 protection).



02

03



### Bulk Head

Item Code	Wattage (W)	CCT (K)	Case No.
ILO-BLK-LBLK02X010XC	10	6500	1
ILO-BLK-LBLK02X010XN	10	4000	1
ILO-BLK-LBLK02X010XW	10	3000	1
ILO-BLK-LBLK03X010XC	10	6500	1
ILO-BLK-LBLK03X010XN	10	4000	1
ILO-BLK-LBLK03X010XW	10	3000	1

**10 W** Length: 216 mm

Width: 132 mm

Height: 58 mm

CRI >80

Well glass light with die cast aluminium housing and polycarbonate diffuser (IP65 rating).



### Well Glass

Item Code	Wattage (W)	CCT (K)	Case No.
ILO-GRY-LWGL02X035XC	35	6500	4
ILO-GRY-LWGL02X040XC	40	6500	4
ILO-GRY-LWGL02X070XC	70	5700	4

**35 W** Dia: Ø158 mm  
Height: 215 mm

**40 W** Dia: Ø158 mm  
Height: 215 mm

**70 W** Dia: Ø200 mm  
Height: 195 mm


\*THD <10%, CRI >70

## Industrial Lights

Discrete highbay light with die cast aluminium housing offering lumen intensity  $\geq 100$  Lm / W. Excellent thermal management with compact heat sink (IP65 rating).



With external SPD 10KV\*



### Highbay

Item Code	Wattage (W)	CCT (K)	Case No.
ILO-BLK-LHBLD1R070XC	70	5700	1
ILO-BLK-LHBLD1R100XC	100	5700	1
ILO-BLK-LHBLD1R120XC	120	5700	1
ILO-BLK-LHBLD1R150XC	150	5700	1
ILO-BLK-LHBLD1R200XC	200	5700	1

**70 W** Dia: Ø244 mm  
Height: 135 mm

**100 W** Dia: Ø244 mm  
Height: 135 mm

**120 W** Dia: Ø244 mm  
Height: 135 mm

**150 W** Dia: Ø276 mm  
Height: 135 mm

**200 W** Dia: Ø276 mm  
Height: 135 mm

\*THD <10%, CRI >70

Discrete highbay light with die cast aluminium housing offering lumen intensity  $\geq 130$  Lm / W. Excellent thermal management with compact heat sink (IP65 rating).

With external SPD 10KV\*

### Ultralite Highbay



Item Code	Wattage (W)	CCT (K)	Case No.
ILO-BLK-LHBLDUR070XC	70	5700	1
ILO-BLK-LHBLDUR100XC	100	5700	1
ILO-BLK-LHBLDUR120XC	120	5700	1
ILO-BLK-LHBLDUR150XC	150	5700	1
ILO-BLK-LHBLDUR200XC	200	5700	1

**70 W** Dia: Ø244 mm  
Height: 135 mm


**100 W** Dia: Ø244 mm  
Height: 135 mm


**120 W** Dia: Ø244 mm  
Height: 135 mm

**150 W** Dia: Ø276 mm  
Height: 135 mm

**200 W** Dia: Ø276 mm  
Height: 135 mm

\*THD <10%, CRI >70








## Commercial Outdoor Lights

Reducing energy consumption and increasing road safety can now go hand-in-hand with commercial outdoor lighting solutions from Jaquar. Choose from a wide range of durable and weather-resistant street light and flood light options in a choice of outputs to suit every road's requirement.

## Roadway Lights

IP66 rated street light with pressure die cast aluminium housing, glass cover and lens\*\*.



### PCR

Item Code	Wattage (W)	CCT (K)	Case No.
OSL-GRY-LPCRSRT25WLC	25	5700	1
OSL-GRY-LPCRSRT25WLW	25	3000	1
OSL-GRY-LPCRSRT30WXC	30	5700	1
OSL-GRY-LPCRSRT30WXW	30	3000	1
OSL-GRY-LPCRSRT36WXC	36	5700	1
OSL-GRY-LPCRSRT36WXW	36	3000	1

**25, 30 & 36 W** Mounting dia: Ø42 mm  
 Length: 330 mm  
 Width: 117 mm  
 Height: 67 mm

\*\*T&C apply

IP66 rated street light with pressure die cast aluminium housing and polycarbonate cover.



### Trump

Item Code	Wattage (W)	CCT (K)	Case No.
OSL-GRY-LTRUMP0025XC	25	5700	1
OSL-GRY-LTRUMP0025XW	25	3000	1
OSL-WHT-LTRUMP0030XC	30	5700	1
OSL-WHT-LTRUMP0030XW	30	3000	1

**25 & 30 W** Mounting dia: Ø41 mm  
 Length: 365 mm  
 Width: 105 mm  
 Height: 75 mm

LED street light with pressure die cast aluminium housing with toughened glass cover.



### Street Light

Item Code	Wattage (W)	CCT (K)	Case No.
OSL-GRY-LSRT015045XC	45	5700	10

**45 W** Mounting dia: Ø42 mm  
 Length: 330 mm  
 Width: 117 mm  
 Height: 67 mm

\*THD <10%, CRI >70

## Roadway Lights

LED street light with pressure die cast aluminium housing, top opening with separate driver compartment and polycarbonate cover.



### Street Light

Item Code	Wattage (W)	CCT (K)	Case No.
OSL-GRY-LSRT04S025XC	25	5700	10
OSL-GRY-LSRT04S025XW	25	3000	10
OSL-GRY-LSRTT0S025XC*	25	5700	10
OSL-GRY-LSRT015030XC	30	5700	10
OSL-GRY-LSRT015030XW	30	3000	10
OSL-GRY-LSRTT0S030XC*	30	5700	10

**25 & 30 W** Mounting dia: Ø26 mm  
 Length: 180 mm  
 Width: 115 mm  
 Height: 60 mm

\*System lumen efficacy 120 Lm / W

LED street light with pressure die cast aluminium housing, top opening with separate driver compartment and toughened glass.



### Street Light

Item Code	Wattage (W)	CCT (K)	Case No.
OSL-GRY-LSRTTOS045XC*	45	5700	1
OSL-GRY-LSRT015060XC	60	5700	1
OSL-GRY-LSRT015060XW	60	3000	1
OSL-GRY-LSRTTOS060XC*	60	5700	1
OSL-GRY-LSRT015070XC	70	5700	1
OSL-GRY-LSRT015070XW	70	3000	1
OSL-GRY-LSRTTOS072XC*	72	5700	1

**45, 60, 70 & 72 W** Mounting dia: Ø53 mm  
 Length: 320 mm  
 Width: 190 mm  
 Height: 80 mm

\*System lumen efficacy 120 Lm / W

LED street light with pressure die cast aluminium housing, top opening with separate driver compartment and toughened glass.



### Street Light

Item Code	Wattage (W)	CCT (K)	Case No.
OSL-GRY-LSRT015090XC	90	5700	1
OSL-GRY-LSRT015090XW	90	3000	1
OSL-GRY-LSRTTOS090XC*	90	5700	1
OSL-GRY-LSRT015120XC	120	5700	1
OSL-GRY-LSRT015120XW	120	3000	1
OSL-GRY-LSRTTOS120XC*	120	5700	1
OSL-GRY-LSRT015150XC	150	5700	1
OSL-GRY-LSRT015150XW	150	3000	1
OSL-GRY-LSRTTOS150XC*	150	5700	1
OSL-GRY-LSRT015200XC	200	5700	1
OSL-GRY-LSRT015200XW	200	3000	1
OSL-GRY-LSRTTOS200XC*	200	5700	1

**90 & 120 W** Mounting dia: Ø62 mm  
 Length: 400 mm  
 Width: 200 mm  
 Height: 108 mm

**150 & 200 W** Mounting dia: Ø62 mm  
 Length: 520 mm  
 Width: 200 mm  
 Height: 75 mm


\*System lumen efficacy 120 Lm / W

## Roadway Lights

IP65 rated floodlight with high pressure die cast aluminium housing and impact resistant polycarbonate lens.



With external SPD 10KV\*



### Faro (Low wattage floodlight)

Item Code	Wattage (W)	CCT (K)	Case No.
HFL-GRY-LFRO01S030XC	30	5700	1
HFL-GRY-LFRO01S050XC	50	5700	1

**30 W** Length: 198 mm  
Width: 188 mm  
Height: 36 mm

**50 W** Length: 238 mm  
Width: 228 mm  
Height: 36 mm

\*Efficacy is  $\geq 100$  Lm / W

IP66 rated floodlight with high pressure die cast aluminium housing, lens and toughened glass cover offering lumen intensity  $>110$  Lm / W.

### Ledstar

Item Code	Wattage (W)	CCT (K)	Case No.
OFL-GRY-LFLDLSL070XC	70	5700	1
OFL-GRY-LFLDLSL070XW	70	3000	1
OFL-GRY-LFLDLSL100XC	100	5700	1
OFL-GRY-LFLDLSL100XW	100	3000	1
OFL-GRY-LFLDLSL120XC	120	5700	1
OFL-GRY-LFLDLSL120XW	120	3000	1
OFL-GRY-LFLDLSL150XC	150	5700	1
OFL-GRY-LFLDLSL150XW	150	3000	1
OFL-GRY-LFLDLSL200XC	200	5700	1
OFL-GRY-LFLDLSL200XW	200	3000	1
OFL-GRY-LFLDLSL240XC	240	5700	1
OFL-GRY-LFLDLSL240XW	240	3000	1
OFL-GRY-LFLDLSL300XC	300	5700	1
OFL-GRY-LFLDLSL300XW	300	3000	1
OFL-GRY-LFLDLSL350XC	350	5700	1
OFL-GRY-LFLDLSL400XC	400	5700	1

**70 W** Length: 230 mm  
Width: 195 mm  
Height: 53 mm

**100 & 120 W** Length: 290 mm  
Width: 240 mm  
Height: 60 mm

**150 W** Length: 360 mm  
Width: 295 mm  
Height: 74 mm

**200 W** Length: 387 mm  
Width: 287 mm  
Height: 50 mm

**240 W** Length: 332 mm  
Width: 245 mm  
Height: 120 mm

**300 W** Length: 383 mm  
Width: 295 mm  
Height: 125 mm

**350 W** Length: 485 mm  
Width: 350 mm  
Height: 135 mm

**400 W** Length: 485 mm  
Width: 350 mm  
Height: 135 mm



With external SPD 10KV\*





## Landscape Lighting Choice Series

Choose the best of Choice Landscape Lighting products for your spaces. Affordable yet classy, the Jaquar Choice Series offers a wide range of Projector Lights, Ground Burials, Gate Tops, Bollards, and Wall Lights to light up your spaces. Carefully crafted to perfection to illuminate your spaces, the Choice Landscape Lighting products are unparalleled and beyond comparison.

# Content

## PROJECTOR LIGHTS

Luminz	240
Electra	240
Sparklz	241
Splash	241
Illumine	242
Rigel	242
Ossum	243
Garnet	243

## GROUND BURIAL LIGHTS

Castor	246
Hydrus	246
Polaris	247
Ikon	247

## GATE TOP LIGHTS

Capella	250
Irena	250
Reneva	251
Avior	251
Turais	252
Lex	252
Vimio	253
Navis	253
Sentinel	254
Ring Post Top	254

## BOLLARD LIGHTS

Miram	258
Visio	259
Cone Bollard	259
Cylinder Bollard	260
Disc Bollard	260
Orbarix	261
Elumx	261
Mushroom	262

## WALL LIGHTS

Lupus	266
Carina	266
Xcellent	266
Octan	267
Alfie	267
Preston	267
Woody	268
Lima	268
Cooper	268
Kira	269
Foot Light	269
Robo Light	269






# Projector Lights

**APPLICATIONS:**

- Façade lighting
- Accent lighting
- Atriums and columns
- Architectural lighting
- Varied beam angle applications



## Luminz

### Features


Die cast aluminium housing  
Transparent tempered glass diffuser  
Matt grey finish  
90 V - 260 V AC  
Warm white  
IP65

### Product Code

OSK-BLK-LSPK03R104XW

### Wattage

4 x 1 W LED



## Electra

### Features


Die cast aluminium housing  
Transparent tempered glass diffuser  
Matt grey finish  
90 V - 260 V AC  
Warm white  
IP65

### Product Code

OSK-BLK-LSPK04R108XW

### Wattage

1 x 8 W COB LED



## Sparklz

### Features


Die cast aluminium housing  
Transparent tempered glass diffuser  
Matt grey finish  
90 V - 260 V AC  
Warm white  
IP65

### Product Code

OSK-BLK-LSPK04R112XW

### Wattage

1 x 12 W COB LED



## Splash

### Features


Die cast aluminium housing  
Transparent tempered glass diffuser  
Matt grey finish  
90 V - 260 V AC  
Warm white  
IP54

### Product Code

OSK-BLK-LSPK05R112SW

### Wattage

1 x 12 W COB LED



## Illumine

### Features


Die cast aluminium housing  
Transparent tempered glass diffuser  
Matt grey finish  
90 V - 260 V AC  
Warm white  
IP54

### Product Code

OSK-BLK-LSPK05R112XW

### Wattage

1 x 12 W COB LED



## Rigel

### Features


Die cast aluminium housing  
Clear glass diffuser  
90 V - 260 V AC  
Warm white  
IP65

### Product Code

OSK-BLK-LSPK06R103SW

### Wattage

1 x 3 W LED



## Ossum

### Features

304 stainless steel housing  
Tempered glass diffuser  
12 V AC  
Warm white  
IP68


### Product Code

OSK-WHT-LSPK68R103SW

### Wattage

3 x 1 W LED

Note: Product has to be used with 12 V AC/DC power supply at the site, not to be used under water



## Garnet

### Features

304 stainless steel housing  
Tempered glass diffuser  
12 V AC  
Warm white  
IP68

### Product Code

OSK-WHT-LSPK68R108SW

### Wattage

8 x 1 W LED


Note: Product has to be used with 12 V AC/DC power supply at the site, not to be used under water



# Ground Burial Lights

**APPLICATIONS:**

- Outdoor façade lighting
- Landscape lighting
- Accent lighting



## Castor

### Features


304 stainless steel ring  
Transparent tempered glass diffuser  
Stainless steel finish  
90 V - 260 V AC  
Warm white  
IP67

### Product Code

OGB-BLK-LGBL04R301XW

### Wattage

3 x 1 W LED



## Hydrus

### Features


Die cast aluminium housing  
304 stainless steel ring  
Transparent tempered glass diffuser  
90 V - 260 V AC  
Warm white  
IP67

### Product Code

OGB-BLK-LGBL06R601XW

### Wattage

6 x 1 W LED



## Polaris

### Features


- Die cast aluminium housing
- 304 stainless steel ring
- Transparent tempered glass diffuser
- Stainless steel finish
- 90 V - 260 V AC
- Warm white
- IP67

### Product Code

OGB-BLK-LGBL05R101XW

### Wattage

10 x 1 W LED



## Ikon

### Features


- Die cast aluminium housing
- 304 stainless steel ring
- Transparent tempered glass diffuser
- 90 V - 260 V AC
- Warm white
- IP67

### Product Code

OGB-BLK-LGBL07R181XW

### Wattage


18 x 1 W LED



# Gate Top Lights

**APPLICATIONS:**

- Bungalows
- Villas
- Pavement lighting
- Landscape lighting



## Capella

### Features


Die cast aluminium housing  
Clear polycarbonate diffuser  
Matt grey finish  
140 V - 270 V AC  
Warm white  
IP66

### Product Code

OGL-GRY-LGTP03X012XW

### Wattage

1 x 12 W COB LED



## Irena

### Features


Die cast aluminium housing  
Opal polycarbonate diffuser  
Matt grey finish  
140 V - 270 V AC  
Warm white  
IP66

### Product Code

OGL-GRY-LGTP02X006XW

### Wattage

1 x 6 W LED



## Reneva

### Features


MS housing with PU paint  
Top canopy made of spun aluminium  
140 V - 270 V AC  
IP65  
IK10

### Product Code

OGL-GRY-LGTP01X030XW

### Wattage

30 W LED COB



## Avior

### Features


Die cast aluminium housing  
Heat resistant toughened bell shaped acrylic diffuser  
MS housing with PU paint  
Top canopy made of spun aluminium  
140 V - 270 V AC  
IP65

### Product Code

OGL-GRY-LGTP04X028XW

### Wattage

28 W LED



## Turais

### Features


Die cast aluminium housing  
Heat resistant toughened glass  
(clear diffuser)  
140 V - 270 V AC  
IP65

### Product Code

OGL-GRY-LGTP02X030XW

### Wattage

30 W mid power LED



## Lex

### Features


Heavy spun aluminium housing  
PU paint  
Heavy duty heat resistance /  
toughened acrylic diffuser  
140 V - 270 V AC  
IP65

### Product Code

OGL-GRY-LWLL01X045XW

### Wattage

45 W LED



## Vimio

### Features


Die cast aluminium housing  
Heat resistant toughened glass diffuser  
140 V - 270 V AC  
IP65

### Product Code

OGL-GRY-LGTP05X030XW

### Wattage

30 W LED



## Navis

### Features


Die cast aluminium housing  
Polycarbonate diffuser  
Powder coated  
IP65

### Product Code

OGL-GRY-LGTP06R040XC  
OGL-GRY-LGTP06R040XN  
OGL-GRY-LGTP06R040XW

### Wattage

40 W LED



## Sentinel

### Features


Die cast aluminium housing  
Polycarbonate diffuser  
Powder coated  
IP65

### Product Code

OGL-BLK-LGTP08X060XC  
OGL-BLK-LGTP08X060XW  
OGL-BLK-LGTP08X120XC  
OGL-GRY-LGTP08X120XW  
OGL-BLK-LGTP08X150XC  
OGL-GRY-LGTP08X150XW

### Wattage

60 W LED  
120 W LED  
150 W LED



## Ring Post Top

### Features

Die cast aluminium housing  
Polycarbonate diffuser  
Powder coated  
IP65

### Product Code

OGL-GRY-LGTP07X040XW  
OGL-GRY-LGTP07X060XW

### Wattage

40 W LED  
60 W LED






# Bollard Lights

**APPLICATIONS:**

- Landscape lighting
- Parks
- Lawns
- Colony streets
- Pathways
- Banquet Halls



## Miram

### Features

Die cast aluminium housing  
Opal white polycarbonate diffuser  
Matt grey finish  
90 V - 260 V AC  
Warm white  
IP54

---


### Product Code

OBL-GRY-LBLD01R305XW

---

### Wattage

3 x 10 x 0.5 W LED



## Visio

### Features


Die cast aluminium housing  
Tempered glass diffuser  
Matt grey finish  
90 V - 260 V AC  
Warm white  
IP54

### Product Code

OBL-GRY-LBLD06R108XW

### Wattage

8 W COB LED



## Cone Bollard

### Features

Die cast aluminium housing  
Opal diffuser with in-built LED  
140 V - 270 V AC  
IP65

### Product Code

OBL-GRY-LBLDCON010XW

### Wattage

10 W LED



## Cylinder Bollard

### Features

Die cast aluminium housing  
Opal diffuser with in-built LED  
140 V - 270 V AC  
IP65

### Product Code

OBL-GRY-LBLDCYL010XW

### Wattage

10 W LED



## Disc Bollard

### Features

Die cast aluminium housing  
Opal diffuser with in-built LED  
140 V - 270 V AC  
IP65

### Product Code

OBL-GRY-LBLDDSC010XW

### Wattage

10 W LED



## Orbarix

### Features

Die cast aluminium housing  
Tempered glass diffuser  
Matt grey finish  
90 V - 260 V AC  
Warm white  
IP54

### Product Code

OBL-GRY-LBLD02R108XW

### Wattage

8 W COB LED



## Elumx

### Features


Die cast aluminium housing  
Opal white polycarbonate diffuser  
Matt grey finish  
90 V - 260 V AC  
Warm white  
IP54

### Product Code

OBL-GRY-LBLD05R601XW

### Wattage

6 W LED



## Mushroom

### Features

Die cast aluminium housing  
Opal diffuser with in-built LED  
140 V - 270 V AC  
IP65

---

### Product Code

OBL-GRY-LBLDMSH009XW

---

### Wattage

9 W LED







# Wall Lights

**APPLICATIONS:**

- Residential
- Offices
- Hotels
- Banquet Halls
- Malls



## Lupus

### Features

Die cast aluminium housing  
 Transparent tempered glass diffuser  
 Matt grey finish  
 90 V - 260 V AC  
 Up and down light  
 Warm white  
 IP54

### Product Code

OWA-BLK-LVWWL03X203XW

### Wattage

2 x 3 W COB LED

## Carina

### Features



Die cast aluminium housing  
 Transparent tempered glass diffuser  
 Matt grey finish  
 90 V - 260 V AC  
 Warm white  
 IP54

### Product Code

OWA-BLK-LVWWL03X103XW

### Wattage

1 x 3 W COB LED



## Xcellent

### Features


Die cast aluminium housing  
 Opal polycarbonate diffuser  
 Matt grey finish  
 90 V - 260 V AC  
 Up and down light  
 Warm white  
 IP54

### Product Code

OWA-BLK-LVWWL02R206XW

### Wattage

2 x 6 W COB LED



## Octan

### Features

Die cast aluminium housing  
Opal polycarbonate diffuser  
Matt grey finish  
90 V - 260 V AC  
Warm white  
IP54

### Product Code

OWA-BLK-LWWL02R108XW

### Wattage

1 x 8 W COB LED

## Alfie

### Features



Die cast aluminium housing  
SUS304 ring  
Frosted polycarbonate diffuser  
Anti-glare  
90 V - 260 V AC  
Warm white  
IP65

### Product Code

OWA-GRY-LBRK01S105XW

### Wattage

10 x 0.5 W LED



## Preston

### Features

Die cast aluminium housing  
Tempered glass diffuser  
Grey finish  
90 V - 260 V AC  
Up and down light  
Warm white  
IP54

### Product Code

OWA-BLK-LWWL02X203XW

### Wattage

2 x 3 W LED

## Woody

### Features



Die cast aluminium housing  
Opal white polycarbonate diffuser  
Matt grey finish  
90 V - 260 V AC  
Warm white  
IP54

### Product Code

OWA-GRY-LWLL01X108XW

### Wattage

1 x 8 W COB LED



## Lima

### Features

Die cast aluminium housing  
Transparent tempered glass diffuser  
Matt grey finish  
170 V - 260 V AC  
Warm white  
Wall washer light  
IP54

### Product Code

OWA-GRY-LWWL03X012XW

### Wattage

1 x 12 W COB LED

## Cooper

### Features


Die cast aluminium housing  
Transparent tempered glass diffuser  
Matt grey finish  
90 V - 260 V AC  
Up and down light  
Warm white  
IP54


### Product Code

OWA-BLK-LWWL04X206XW

### Wattage

2 x 6 W COB LED





## Kira

### Features

Die cast aluminium housing  
 Transparent tempered glass diffuser  
 Matt grey finish  
 90 V - 260 V AC  
 Warm white  
 Wall washer light  
 IP54

### Product Code

OWA-GRY-LWWL04X012XW

### Wattage

1 x 12 W COB LED

## Foot Light

### Features

Die cast aluminium housing  
 Polycarbonate diffuser  
 White and grey finish  
 150 V - 300 V AC  
 IP54


### Product Code

OWA-BLK-LFTL01S003XW\*  
 OWA-WHT-LFTLW1S003XW#

### Wattage

3 W LED


\*Grey housing | #White housing



4 WAY



2 WAY



## Robo Light

### Features

Die cast aluminium housing  
 Black powder coated  
 Warm white  
 140 V - 270 V AC  
 IP65


### Product Code

OWA-BLK-LWWL05S401XW  
 OWA-BLK-LWWL05S201XW

### Wattage

4 x 1 W

2 x 1 W



## Smart Lights

The world of devices is getting smarter and so are Jaquar Lighting products.

For your daily lighting requirements, our in-house R&D has come up with several next-generation products.

From a bulb which can be operated using Bluetooth and Wi-Fi, to an emergency bulb with an in-built battery to stay lit during power cuts, and motion-sensing battens, downlights and panels which get switched on automatically as you approach.

All these products are designed to need minimal human touch to allow better hygiene, as well as provide ease of operation and save time, effort and energy.

# Content

## SMART LIGHTS

Smart Pole	272
Strella Tri-color	273
Strella Smart	274
Kubik Smart	274
Starlite Alka (with remote)	275
Starlite	275






## FUTURE PRODUCT

### Smart Pole

Next-generation street light LED poles with multiple applications, like:

- HI-DEF 360° camera for surveillance
- LED display board for traffic alerts, public announcements, weather reports and general advertising
- Electric vehicle charger
- Fully customized Wi-Fi
- Weather station, which can measure air temperature, noise, air humidity, pressure, wind speed and direction



## Strella Tri-color

Item Code	Wattage (W)	CCT (K)	Cutout (MM)	Dimension in MM (DXH)
HDL-WHT-LSTA3IN1R15X	15	CW/ NW/ WW	Φ 155	Φ 162 x 35



Long life



CRI > 80



Beam angle > 120°



\*3-in-1 color option CW-NW-WW

### Technical & Commercial Data:

- Input voltage range: 100 V - 300 V AC
- Luminous efficacy: >100 Lm/W @6500K
- Power factor: >0.95
- Housing material: Thermally conductive polycarbonate

Light turns on  
in presence  
of motion and  
will turn off  
after 2 minutes  
if there is  
no motion



## Strella\* SMART /// SQUARE / ROUND

### Motion sensor based downlights

Item Code	Wattage (W)	CCT (K)	Cutout (MM)	Dimension in MM (LXWXH / DXH)
SDL-WHT-LSTS01S008XC	8	CW	105 x 105	116 x 116 x 35
SDL-WHT-LSTS01S015XC	15	CW	155 x 155	162 x 162 x 35
SDL-WHT-LSTS01S022XC	22	CW	205 x 205	220 x 220 x 35
SDL-WHT-LSTS01S015XW	15	WW	155 x 155	162 x 162 x 35
SDL-WHT-LSTS01S022XW	22	WW	205 x 205	220 x 220 x 35
SDL-WHT-LSTS01R008XC	8	CW	Φ 105	116 x 35
SDL-WHT-LSTS01R015XC	15	CW	Φ 155	165 x 35
SDL-WHT-LSTS01R022XC	22	CW	Φ 205	220 x 35
SDL-WHT-LSTS01R008XW	8	WW	Φ 105	116 x 35
SDL-WHT-LSTS01R015XW	15	WW	Φ 155	165 x 35
SDL-WHT-LSTS01R022XW	22	WW	Φ 205	220 x 35



Long life



CRI>80



Beam angle >120°



#### Technical Data:

- Input voltage range: 110 - 300 V AC
- Luminous efficacy: >80 Lm/W for 8 W >90 Lm/W for 15 W & 22 W
- Power factor: >0.95
- Sensor coverage range: 5-7 meters
- Mounting height: Maximum up to 5 meter
- Housing materials: Thermally conductive polycarbonate

## Kubik\* SMART ///

### Motion sensor based battens

Item Code	Wattage (W)	CCT (K)	Dimension in MM (LXWXH)
SSB-WHT-LKBS01S020XC	20	CW	1135 x 22 x 37



Long life



CRI>80



Beam angle >120°

#### Technical Data:

- Input voltage range: 100 - 300 V AC
- Luminous efficacy: >100 Lm/W
- Power factor: >0.95
- Sensor coverage range: 5-7 meters
- Mounting height: Maximum up to 5 meter
- Housing materials: Thermally conductive polycarbonate



\*Make to order



## Starlite Alika (with remote)

### SMART

Remote control operated batten with tunable colors & dimming

Item Code	Wattage (W)	CCT (K)	Dimension in MM (LXWXH)
SSB-WHT-LSRA01S020DM*	20	CW/ NW/ WW	1170 x 20 x 40



Long life



CRI > 80



Beam angle > 120°



\*3-in-1 color option CW-NW-WW

#### BENEFITS:

- 80% energy saving
- Compact and sleek design
- 2000 lumen output
- Single batten with tunable colors & dimming

\*Single remote can control 30 battens

#### Technical & Commercial Data:

- Input voltage range: 100 - 300 V AC
- Luminous efficacy: >100 Lm/W @6500K
- Power factor: >0.95
- Housing materials: Thermally conductive polycarbonate



\*Remote control operation



\*Dimmable (100% - 20%)

## Starlite

### SMART

Single batten with tunable colours

Item Code	Wattage (W)	CCT (K)	Dimension in MM (LXWXH)
HBT-WHT-LSRE01S020X	20	CW/ NW/ WW	1170 x 20 x 40



Long life



CRI > 80



Beam angle > 120°




\*3-in-1 color option CW-NW-WW

Changing tri-color from CW to NW to WW in manual switching

#### Technical & Commercial Data:

- Input voltage range: 100 V - 300 V AC
- Luminous efficacy: >100 Lm/W
- Power factor: >0.95
- Housing materials: Thermally conductive polycarbonate





## Consumer Lights

Reflect your story to the world and let your spaces shine at their best with the right lighting solutions from Jaquar Lighting.

Choose from an array of options in varied sizes, shapes, and budgets, and enhance the indoor and outdoor spaces that will uplift the ambience invariably.

Our range of lighting includes: Smart Lights

- Downlights
- Spot Lights
- Battens
- Lamps
- Strip Lights
- Street Lights

### BENEFITS:



ENERGY SAVINGS  
UP TO 90%



LONG LIFE  
50,000 hrs



NO UV / IR  
RADIATION



SLEEK AND COMPACT  
DESIGN



GREEN LIGHTING  
SOLUTIONS



MAINTENANCE-  
FREE



UNIFORM  
ILLUMINATION



GLARE-FREE  
LIGHTING

# Content

## DOWNLIGHTS

Strella HD	280
Strella Accessories	280
Volga Prime Smart	281
Kriza Emergency	281
Pearl Plus	282
Striker	282
Eris Surface Round	283
Microwave Sensor	283
Lucent	284
Gem Surface	284

## SPOTLIGHTS

Gem Blaze	288
Gem Star	288
Jasper Prime	288

## BATTENS

Kubik Ultra	292
Kubik Plus	293

## LAMPS

Kriza Emergency Bulb	296
Illuminator	296
Prima HD	297
Night Lamps (0.5 W)	297

## STRIP LIGHTS

Janus	300
Strip Driver	300
Rope Light	300

## STREET LIGHTS

Hummer	304
Kriza Emergency Street Light	304
PCR	304
Street Light	305

## FLOOD LIGHTS

Faro	308
------	-----





# Downlights

Create an enchanting ambience with Jaquar's high-performance LED downlights in different wattages. Not only do these downlights uplift the entire mood & the ambience of the place, but they also make a great addition to your entire home décor.

- Recessed Downlights
- Surface Mounted Downlights
- Fixed Downlights
- Trimless Downlights
- Round Downlights
- Square Downlights

## APPLICATIONS



Living rooms



Kitchens



Lobbies



Staircases



Corridors

## Strella HD



Long life

CRI > 80

Beam angle  
> 120°

### Technical data:

- Input voltage range: 100 V - 300 V AC
- Luminous efficacy: >90 Lm/W
- Power factor: >0.95
- Housing material: Thermally conductive polycarbonate

Item Code	Wattage (W)	CCT (K)	Cutout (MM)	Dimension in MM (L X W X H / DXH)
HDL-WHT-LSTA4KVR05XC	5	CW	Ø 70	Ø 80 x 35
HDL-WHT-LSTA4KVR05XN	5	NW	Ø 70	Ø 80 x 35
HDL-WHT-LSTA4KVR05XW	5	WW	Ø 70	Ø 80 x 35
HDL-WHT-LSTA4KVS08XC	8	CW	105 x 105	116 x 116 x 35
HDL-WHT-LSTA4KVS08XN	8	NW	105 x 105	116 x 116 x 35
HDL-WHT-LSTA4KVS08XW	8	WW	105 x 105	116 x 116 x 35
HDL-WHT-LSTA4KVR08XC	8	CW	Ø 105	Ø 116 x 35
HDL-WHT-LSTA4KVR08XN	8	NW	Ø 105	Ø 116 x 35
HDL-WHT-LSTA4KVR08XW	8	WW	Ø 105	Ø 116 x 35
HDL-WHT-LSTA4KVS12XC	12	CW	125 x 125	132 x 132 x 35
HDL-WHT-LSTA4KVS12XN	12	NW	125 x 125	132 x 132 x 35
HDL-WHT-LSTA4KVS12XW	12	WW	125 x 125	132 x 132 x 35
HDL-WHT-LSTA4KVR12XC	12	CW	Ø 155	Ø 162 x 35
HDL-WHT-LSTA4KVR12XN	12	NW	Ø 155	Ø 162 x 35
HDL-WHT-LSTA4KVR12XW	12	WW	Ø 155	Ø 162 x 35
HDL-WHT-LSTA01S015XC	15	CW	155 x 155	162 x 162 x 35
HDL-WHT-LSTA01S015XN	15	NW	155 x 155	162 x 162 x 35
HDL-WHT-LSTA01S015XW	15	WW	155 x 155	162 x 162 x 35
HDL-WHT-LSTA01R015XC	15	CW	Ø 155	Ø 162 x 35
HDL-WHT-LSTA01R015XN	15	NW	Ø 155	Ø 162 x 35
HDL-WHT-LSTA01R015XW	15	WW	Ø 155	Ø 162 x 35
HDL-WHT-LSTA01S022XC	22	CW	205 x 205	220 x 220 x 35
HDL-WHT-LSTA01S022XN	22	NW	205 x 205	220 x 220 x 35
HDL-WHT-LSTA01S022XW	22	WW	205 x 205	220 x 220 x 35
HDL-WHT-LSTA01R022XC	22	CW	Ø 205	Ø 220 x 35
HDL-WHT-LSTA01R022XN	22	NW	Ø 205	Ø 220 x 35
HDL-WHT-LSTA01R022XW	22	WW	Ø 205	Ø 220 x 35



## Strella Accessories

Item Code	Wattage (W)	Dimension in MM (L X W X H / DXH)
HDL-WHT-LSTA01SMS008	8	105 x 105
HDL-WHT-LSTA01SMR008	8	Ø 105
HDL-WHT-LSTA01SMS015	15	155 x 155
HDL-WHT-LSTA01SMR015	15	Ø 155
HDL-WHT-LSTA01SMS022	22	205 x 205
HDL-WHT-LSTA01SMR022	22	Ø 205



Long life



CRI > 80



Beam angle  
>120°

### Technical data:

- Input voltage range: 220 V - 240 V AC
- Luminous efficacy: 55 Lm/W
- Power factor: >0.95
- Housing material: Thermally conductive polycarbonate
- Dazzle free soft light & no dark patches
- IP65- Protected against dust & splashing water
- PC diffuser - Uniform distribution of light



## Volga Prime Smart

Item Code	Wattage (W)	CCT (K)	Dimension in MM (DXH)
SDL-WHT-LVOLPS2R18SC	18	CW	280 x 70
SDL-WHT-LVOLPS2R18SN	18	NW	280 x 70
SDL-WHT-LVOLPS2R18SW	18	WW	280 x 70



Long life



CRI > 80



Beam angle  
>120°

### Technical data:

- Housing material: Thermally conductive polycarbonate
- Easy & safe installation
- Dazzle free soft light & no dark patches
- AC/DC Downlight - Perfect for power cuts and emergency situations



BATTERY BACKUP

## KRIZA EMERGENCY DOWNLIGHT

Item Code	Wattage (W)	CCT (K)	Dimension in MM (DXH)
HEL-WHT-KRZ01DLR15SC	15	6500	Ø 146 x 48

## Pearl Plus



Long life

CRI&gt;80

Beam angle  
>120°**Technical data:**

- Input voltage range: 100 V - 300 V AC
- Luminous efficacy: >70 Lm/W for 3 W, >80 Lm/W for 6 W, >90 Lm/W for 15 W
- Power factor: >0.9
- Housing material: Thermally conductive polycarbonate
- Suitable for junction box fitment

Item Code	Wattage (W)	CCT (K)	Cutout (MM)	Dimension in MM (DXH)
HDL-WHT-LPPS01R003XC	3	CW	Ø 45	Ø 80 x 45
HDL-WHT-LPPS01R003XN	3	NW	Ø 45	Ø 80 x 45
HDL-WHT-LPPS01R003XW	3	WW	Ø 45	Ø 80 x 45
HDL-WHT-LPPS01R003XR	3	RED	Ø 45	Ø 80 x 45
HDL-WHT-LPPS01R003XG	3	GREEN	Ø 45	Ø 80 x 45
HDL-WHT-LPPS01R003XB	3	BLUE	Ø 45	Ø 80 x 45
HDL-WHT-LPPS01R003XP	3	PINK	Ø 45	Ø 80 x 45
HDL-WHT-LPPS01R003XV	3	VIOLET / PURPLE	Ø 45	Ø 80 x 45
HDL-WHT-LPPS02R006XC	6	CW	Ø 45	Ø 80 x 45
HDL-WHT-LPPS02R006XN	6	NW	Ø 45	Ø 80 x 45
HDL-WHT-LPPS02R006XW	6	WW	Ø 45	Ø 80 x 45
HDL-WHT-LPPS02R006XR	6	RED	Ø 45	Ø 80 x 45
HDL-WHT-LPPS02R006XG	6	GREEN	Ø 45	Ø 80 x 45
HDL-WHT-LPPS02R006XB	6	BLUE	Ø 45	Ø 80 x 45
HDL-WHT-LPPS02R006XP	6	PINK	Ø 45	Ø 80 x 45
HDL-WHT-LPPS02R006XV	6	VIOLET / PURPLE	Ø 45	Ø 80 x 45
HDL-WHT-LPPS01R015XC	15	CW	Ø 45	Ø 80 x 45
HDL-WHT-LPPS01R015XN	15	NW	Ø 45	Ø 140 x 65
HDL-WHT-LPPS01R015XW	15	WW	Ø 45	Ø 140 x 65
HDL-WHT-LPPS01R015XR	15	RED	Ø 45	Ø 140 x 65
HDL-WHT-LPPS01R015XG	15	GREEN	Ø 45	Ø 140 x 65
HDL-WHT-LPPS01R015XB	15	BLUE	Ø 45	Ø 140 x 65
HDL-WHT-LPPS01R015XP	15	PINK	Ø 45	Ø 140 x 65
HDL-WHT-LPPS01R015XV	15	VIOLET / PURPLE	Ø 45	Ø 140 x 65



## Striker



Long life

CRI&gt;80

Beam angle  
>120°**Technical data:**

- Input voltage range: 100 V - 300 V AC
- Luminous efficacy: >75 Lm/W
- Power factor: >0.95
- Housing material: Thermally conductive polycarbonate with aluminium heat sink
- Suitable for junction box fitment

Item Code	Wattage (W)	CCT (K)	Cutout (MM)	Dimension in MM (DXH)
HDL-WHT-LSTK01R006XC	6	CW	Ø 83	Ø 108 x 62
HDL-WHT-LSTK01R006XN	6	NW	Ø 83	Ø 108 x 62
HDL-WHT-LSTK01R006XW	6	WW	Ø 83	Ø 108 x 62
HDL-WHT-LSTK01R006XR	6	RED	Ø 83	Ø 108 x 62
HDL-WHT-LSTK01R006XG	6	GREEN	Ø 83	Ø 108 x 62
HDL-WHT-LSTK01R006XB	6	BLUE	Ø 83	Ø 108 x 62
HDL-WHT-LSTK01R006XP	6	PINK	Ø 83	Ø 108 x 62
HDL-WHT-LSTK01R006XV	6	VIOLET / PURPLE	Ø 83	Ø 108 x 62
HDL-WHT-LSTK01R008XC	8	CW	Ø 83	Ø 110 x 50
HDL-WHT-LSTK01R008XN	8	NW	Ø 83	Ø 110 x 50
HDL-WHT-LSTK01R008XW	8	WW	Ø 83	Ø 110 x 50



Long life



CRI > 80



Beam angle > 26°

## Eris Surface Round

### Technical data:

- Input voltage range: 220-240 V AC
- Luminous efficacy: >70 Lm/W
- Power factor: >0.90
- Housing material: Die cast aluminium housing with black powder coating

Item Code	Wattage (W)	CCT (K)	Cutout (MM)	Dimension in MM (DXH)
HCO-BLK-LERSBRGR05SC	5	CW	Ø 53	Ø 53 x 70
HCO-BLK-LERSBRGR05SN	5	NW	Ø 53	Ø 53 x 70
HCO-BLK-LERSBRGR05SW	5	WW	Ø 53	Ø 53 x 70
HCO-BLK-LERSBRGR10SC	10	CW	Ø 72	Ø 72 x 90
HCO-BLK-LERSBRGR10SN	10	NW	Ø 72	Ø 72 x 90
HCO-BLK-LERSBRGR10SW	10	WW	Ø 72	Ø 72 x 90
HCO-BLK-LERSBRGR15SC	15	CW	Ø 95	Ø 95 x 95
HCO-BLK-LERSBRGR15SN	15	NW	Ø 95	Ø 95 x 95
HCO-BLK-LERSBRGR15SW	15	WW	Ø 95	Ø 95 x 95

2-in-1  
Microwave Sensor



### Technical data:

- Input voltage: 220 to 240 V AC
- Input frequency: 50/60 Hz
- Wiring input: 2 Wire/single phase
- Power consumption: < 1W
- Power on delay: 0-5 sec
- Size diameter (mm): 93 mm +/- 2 mm
- Type of mounting: Surface/recessed
- Hold time: 10 sec - 15 min (Adjustable)
- Detection distance: 6 meter
- HF System: 5.8 GHz

## Microwave Sensor

Item Code	Cutout (MM)	Dimension in MM (D)
AHL-WHT-MOTSENMW2IN1	Ø 85	Ø 93

## Lucent



**Technical data:**

- Input voltage range: 100 V - 300 V AC
- Luminous efficacy: >70 Lm/W for 6 W, >95 Lm/W for 22 W
- Power factor: >0.95
- Housing material: Thermally conductive polycarbonate

Item Code	Wattage (W)	CCT (K)	Cutout (MM)	Dimension in MM (DXH)
IDL-WHT-LLCN01R003XC	3	6500	Ø 70	Ø 82 x 17
IDL-WHT-LLCN01R003XN	3	4000	Ø 70	Ø 82 x 17
IDL-WHT-LLCN01R003XW	3	3000	Ø 70	Ø 82 x 17
IDL-WHT-LLCN01R006XC	6	6500	Ø 105	Ø 116 x 17
IDL-WHT-LLCN01R006XN	6	4000	Ø 105	Ø 116 x 17
IDL-WHT-LLCN01R006XW	6	3000	Ø 105	Ø 116 x 17
IDL-WHT-LLCN01R009XC	9	6500	Ø 105	Ø 116 x 17
IDL-WHT-LLCN01R009XN	9	4000	Ø 105	Ø 116 x 17
IDL-WHT-LLCN01R009XW	9	3000	Ø 105	Ø 116 x 17
IDL-WHT-LLCN01R012XC	12	6500	Ø 132	Ø 144 x 17
IDL-WHT-LLCN01R012XN	12	4000	Ø 132	Ø 144 x 17
IDL-WHT-LLCN01R012XW	12	3000	Ø 132	Ø 144 x 17
IDL-WHT-LLCN01R015XC	15	6500	Ø 155	Ø 166 x 17
IDL-WHT-LLCN01R015XN	15	4000	Ø 155	Ø 166 x 17
IDL-WHT-LLCN01R015XW	15	3000	Ø 155	Ø 166 x 17
IDL-WHT-LLCN01R018XC	18	6500	Ø 155	Ø 166 x 17
IDL-WHT-LLCN01R018XN	18	4000	Ø 155	Ø 166 x 17
IDL-WHT-LLCN01R018XW	18	3000	Ø 155	Ø 166 x 17
IDL-WHT-LLCN01R022XC	22	6500	Ø 175	Ø 184 x 17
IDL-WHT-LLCN01R022XN	22	4000	Ø 175	Ø 184 x 17
IDL-WHT-LLCN01R022XW	22	3000	Ø 175	Ø 184 x 17



## Gem Surface

Item Code	Wattage (W)	CCT (K)	Cutout (MM)	Dimension in MM (WXH)
HDL-WHT-LGEM01R006SC	6	6500	Ø90	90 x 27
HDL-WHT-LGEM01R006SW	6	4000	Ø90	90 x 27
HDL-WHT-LGEM01R006SN	6	3000	Ø90	90 x 27
HDL-WHT-LGEM01R012SC	12	6500	Ø121	121 x 27
HDL-WHT-LGEM01R012SW	12	4000	Ø121	121 x 27
HDL-WHT-LGEM01R012SN	12	3000	Ø121	121 x 27
HDL-WHT-LGEM01R018SC	18	6500	Ø156	156 x 27
HDL-WHT-LGEM01R018SW	18	4000	Ø156	156 x 27
HDL-WHT-LGEM01R018SN	18	3000	Ø156	156 x 27

**Technical data:**

- Input voltage range: 100 V - 230 V AC
- Luminous efficacy: For 6 & 12 W (65 Lm/W) For 18 W (60 Lm/W)
- Power factor: >0.9
- Housing material: PC body & diffuser with metal mounting plate





# Spotlights

Highlight the little details when you bring home Jaquar's energy-efficient LED spotlights. The different colour temperatures lend your home décor a vibrant and new look every time.

## APPLICATIONS



Living rooms



Kitchens



Decorations



Shelves



Focus



Cabinets



**Technical data:**

- Input voltage range: 220-240 V AC
- Luminous efficacy: >90 Lm/W
- Power factor: >0.95
- Housing material: Polycarbonate body with aluminum heat sink & lens



## Gem Blaze

Item Code	Wattage (W)	CCT (K)	Cutout (MM)	Dimension in MM (DXH)
HCO-WHT-LGEMB01R03XC	3	6500	Ø 55.5	Ø 74.5 x 42
HCO-WHT-LGEMB01R03XN	3	4000	Ø 55.5	Ø 74.5 x 42
HCO-WHT-LGEMB01R03XW	3	3000	Ø 55.5	Ø 74.5 x 42
HCO-WHT-LGEMB01R06XC	6	6500	Ø 67.5	Ø 94.5 x 46
HCO-WHT-LGEMB01R06XN	6	4000	Ø 67.5	Ø 94.5 x 46
HCO-WHT-LGEMB01R06XW	6	3000	Ø 67.5	Ø 94.5 x 46
HCO-WHT-LGEMB01R09XC	9	6500	Ø 87	Ø 116 x 53
HCO-WHT-LGEMB01R09XN	9	4000	Ø 87	Ø 116 x 53
HCO-WHT-LGEMB01R09XW	9	3000	Ø 87	Ø 116 x 53

**Technical data:**

- Surge protection upto 4KV
- Sustain voltage upto 400V
- Input voltage range: 220-240 V AC
- Luminous efficacy: >75 Lm/W
- Power factor: >0.90
- CRI: >80
- Polycarbonate housing



## Gem Star

Item Code	Wattage (W)	CCT (K)	Cutout (MM)	Dimension in MM (DXH)
HDL-WHT-LGEMS01R03XC	3	6500	Ø 60	70 x 35
HDL-WHT-LGEMS01R03XN	3	4000	Ø 60	70 x 35
HDL-WHT-LGEMS01R03XW	3	3000	Ø 60	70 x 35



**Technical data:**

- Input voltage range: 100 V - 300 V AC
- Luminous efficacy: >50 Lm/W
- Housing material: Thermally conductive polycarbonate



## Jasper Prime

Item Code	Wattage (W)	CCT (K)	Cutout (MM)	Dimension in MM (DXH)
HCO-WHT-LJPM01R002XC	2	CW	Ø 35	Ø 43 x 105
HCO-WHT-LJPM01R002XG	2	GW	Ø 35	Ø 43 x 105
HCO-WHT-LJPM01R002XW	2	WW	Ø 35	Ø 43 x 105
HCO-WHT-LJPM01R002XR	2	RW	Ø 35	Ø 43 x 105
HCO-WHT-LJPM01R002XB	2	BW	Ø 35	Ø 43 x 105





# Battens

Brighten up your space with Jaquar's range of environment-friendly LED battens. Available in different lumen intensity and colour temperatures, our battens are perfect for your home décor.

## APPLICATIONS



Bedrooms



Living rooms



Kitchens



Study rooms



Terraces



Balconies



Pooja rooms



Long life



CRI>80



Beam angle  
>120° for 35 W  
>180° for 25 W



117 Lm/W  
for 35 W  
130 Lm/W  
for 25 W

**Technical data:**

- Input voltage range: 100 V - 300 V AC
- Power factor: >0.95
- \*Housing material: Extruded aluminium

## Kubik Ultra

Item Code	Wattage (W)	CCT (K)	Dimension in MM (L X W X H)
HBT-WHT-LKBU4KVS22XC	22	CW	1135 x 31 x 40
HBT-WHT-LGLZU1X025XC*	25	CW	1135 x 31 x 40
HBT-WHT-LKBU4KVS35XC*	35	CW	1135 x 22 x 37



Long life



CRI>80



Beam angle  
>120°




100 Lm/W  
for 6 W - 20 W

**Technical data:**

- Input voltage range: 100 V - 300 V AC
- Power factor: >0.95
- Housing material: Thermally conductive polycarbonate

## Kubik Plus

Item Code	Wattage (W)	CCT (K)	Dimension in MM (L X W X H)
HBT-WHT-LKBP01S006XC	6	CW	300 x 22 x 37
HBT-WHT-LKBP01S006XN	6	NW	300 x 22 x 37
HBT-WHT-LKBP01S006XW	6	WW	300 x 22 x 37
HBT-WHT-LKBP4KV010XC	10	CW	575 x 22 x 37
HBT-WHT-LKBP4KV010XN	10	NW	575 x 22 x 37
HBT-WHT-LKBP4KV010XW	10	WW	575 x 22 x 37
HBT-WHT-LKBP4KV020XC	20	CW	1090 x 22 x 37
HBT-WHT-LKBP4KV020XN	20	NW	1090 x 22 x 37
HBT-WHT-LKBP4KV020XW	20	WW	1090 x 22 x 37



# Lamps

Welcome home holistic lighting solutions from Jaquar. Want to light up a small space or illuminate an entire room? Here is our range of LED lamps, from low-wattage night bulbs to high-wattage LED lamps, for you. Enjoy the extra brightness of happiness that fits every budget and requirement.

## APPLICATIONS



Bedrooms



Living rooms



Kitchens



Study rooms



Terraces



Balconies



Pooja rooms



Long life



CRI>80



Beam angle  
>120°

**Technical data:**

- Input voltage range: 100 - 300 V AC
- Luminous efficacy: >80 Lm/W @ Normal Supply
- Power factor: >0.95
- Charging time: Minimum 6 Hours
- Housing materials: Thermally conductive polycarbonate

## KRIZA EMERGENCY BULB

Item Code	Wattage (W)	CCT (K)	Dimension in MM (DXH)
HEL-WHT-LKRZ009B22CW	9	6500 K	Ø 70 x 146



Long life



CRI>80



Wide beam angle  
>180°

**Technical data:**

- Input voltage range: 100 V - 300 V AC
- Luminous efficacy: 100 Lm/W
- Power factor: >0.95
- Housing material: Die cast aluminium

## Illuminator

Item Code	Base Cap	Wattage (W)	CCT (K)	Dimension in MM (DXH)
HLB-WHT-LILM030B22CW	B22	30	CW	Ø 100 x 180
HLB-WHT-LILM040B22CW	B22	40	CW	Ø 115 x 198
HLB-WHT-LILM050B22CW	B22	50	CW	Ø 125 x 220



Long life



CRI&gt;80

Wide  
beam angle  
>240°**Technical data:**

- Full globe diffuser for wide distribution of light
- Input voltage range: 100 V - 300 V AC
- Luminous efficacy: 105 Lm/W
- Power factor: >0.95
- Housing material: Overmoulded PC

## Prima HD

Item Code	Base Cap	Wattage (W)	CCT (K)	Dimension in MM (DXH)
HLB-WHT-LPRM4KV03B2C	B22	3	CW	Ø 50 x 92
HLB-WHT-LPRM4KV03B2W	B22	3	WW	Ø 50 x 92
HLB-WHT-LPRM4KV03E2C	E27	3	CW	Ø 50 x 92
HLB-WHT-LPRM4KV03E2W	E27	3	WW	Ø 50 x 92
HLB-WHT-LPRMD4K05B2C	B22	5	CW	Ø 60 x 112
HLB-WHT-LPRMD4K05B2W	B22	5	WW	Ø 60 x 112
HLB-WHT-LPRMD4K05E2C	E27	5	CW	Ø 60 x 112
HLB-WHT-LPRMD4K05E2W	E27	5	WW	Ø 60 x 112
HLB-WHT-LPRMD4K07B2C	B22	7	CW	Ø 60 x 112
HLB-WHT-LPRMD4K07B2W	B22	7	WW	Ø 60 x 112
HLB-WHT-LPRMD4K07E2C	E27	7	CW	Ø 60 x 112
HLB-WHT-LPRMD4K07E2W	E27	7	WW	Ø 60 x 112
HLB-WHT-LPRM5KV09B2C	B22	9	CW	Ø 60 x 112
HLB-WHT-LPRMD4K09B2W	B22	9	WW	Ø 60 x 112
HLB-WHT-LPRMD4K09E2C	E27	9	CW	Ø 60 x 112
HLB-WHT-LPRMD4K09E2W	E27	9	WW	Ø 60 x 112
HLB-WHT-LPRMD4K12B2C	B22	12	CW	Ø 65 x 118
HLB-WHT-LPRMD4K12B2W	B22	12	WW	Ø 65 x 118
HLB-WHT-LPRMD4K12E2C	E27	12	CW	Ø 65 x 118
HLB-WHT-LPRMD4K12E2W	E27	12	WW	Ø 65 x 118
HLB-WHT-LPRMD4K14B2C	B22	14	CW	Ø 65 x 126
HLB-WHT-LPRMD4K14B2W	B22	14	WW	Ø 65 x 126
HLB-WHT-LPRMD4K14E2C	E27	14	CW	Ø 65 x 126
HLB-WHT-LPRMD4K14E2W	E27	14	WW	Ø 65 x 126
HLB-WHT-LPRMD4K20B2C	B22	20	CW	Ø 80 x 152
HLB-WHT-LPRMD4K20B2W	B22	20	WW	Ø 80 x 152
HLB-WHT-LPRMD4K20E2C	E27	20	CW	Ø 80 x 152
HLB-WHT-LPRMD4K20E2W	E27	20	WW	Ø 80 x 152



Long life




CRI&gt;80

Beam angle  
>180°**Technical data:**

- Input voltage range: 100 V - 300 V AC
- Luminous efficacy: >40 Lm/W
- Housing material: Polycarbonate

## Night Lamps (0.5 W)

Item Code	Base Cap	Wattage (W)	CCT (K)	Dimension in MM (DXH)
HLB-WHT-LPRM01R001XC	B22	0.5	CW	Ø 45 x 70
HLB-WHT-LPRM01R001XY	B22	0.5	YELLOW	Ø 45 x 70
HLB-WHT-LPRM01R001XR	B22	0.5	RED	Ø 45 x 70
HLB-WHT-LPRM01R001XG	B22	0.5	GREEN	Ø 45 x 70
HLB-WHT-LPRM01R001XB	B22	0.5	BLUE	Ø 45 x 70
HLB-WHT-LPRM01R001XO	B22	0.5	ORANGE	Ø 45 x 70
HLB-WHT-LPRM01R001XP	B22	0.5	PINK	Ø 45 x 70



# Strip Lights

Give your home a festive makeover or create awe-inspiring spaces within your home with our LED strip lights in blue, white, and other pleasing colours. Our strip lights come in a 5-meter roll with specific cut points.

## APPLICATIONS



Living rooms



Kitchens



Decorations



Shelves



Focus



Cabinets

## Janus

Item Code	Wattage (W)	CCT (K)	Dimension in MM (L X W X H)
STH-WHT-LJNS02S012XC	24	CW	8 x 2.25
STH-WHT-LJNS02S012XN	24	NW	8 x 2.25
STH-WHT-LJNS02S012XW	24	WW	8 x 2.25
STH-WHT-LJNS02S012XR	24	Red	8 x 2.25
STH-WHT-LJNS02S012XG	24	Green	8 x 2.25
STH-WHT-LJNS02S012XB	24	Blue	8 x 2.25

### Technical data:

- Input voltage range: 12 V DC (with adapter)
- Luminous efficacy: >90 Lm / W
- Roll: 5 meter with cut points
- No. of LEDs: 60 LEDs / meter



## Strip Driver

Item Code	Voltage (V)	Current (A)
AHL-WHT-LSTD02A012X	12 DC	2



### Product specifications:

- Options: 60 LED/meter & 120 LED/meter
- Length: 45 meter/roll
- CRI: ≥80
- Available Colours: CW / WW / Red / Green  
Blue / Ice Blue / Amber

## Rope Light

Item Code	LED/Meter	CCT (K)	Dimension
STH-WHT-LJNP01S060XC	60	CW	45m/Roll
STH-WHT-LJNP01S060XW	60	WW	45m/Roll
STH-WHT-LJNP01S060XR	60	RED	45m/Roll
STH-WHT-LJNP01S060XG	60	GREEN	45m/Roll
STH-WHT-LJNP01S060XB	60	BLUE	45m/Roll
STH-WHT-LJNP01S060XI	60	ICE BLUE	45m/Roll
STH-WHT-LJNP01S060XA	60	AMBER	45m/Roll
STH-WHT-LJNP01S120XC	120	CW	45m/Roll
STH-WHT-LJNP01S120XW	120	WW	45m/Roll
STH-WHT-LJNP01S120XR	120	RED	45m/Roll
STH-WHT-LJNP01S120XG	120	GREEN	45m/Roll
STH-WHT-LJNP01S120XB	120	BLUE	45m/Roll
STH-WHT-LJNP01S120XI	120	ICE BLUE	45m/Roll
STH-WHT-LJNP01S120XA	120	AMBER	45m/Roll
STH-WHT-LJNP01S120XT	120	TRI-COLOUR	18m/Roll
STH-WHT-LJNP01S120XW	120	WW	18m/Roll
STH-WHT-LJPMACD01S45			

### Technical data:

- Easy to install
- IP65 LED Rope Light
- Long lasting and bright light to make your home, factory, and office bright and stylish
- Can be used in POP Cove
- Rated input voltage-220-240 V AC
- Dazzle-free soft light
- Very easy to decorate patterns, designs and characters
- Low power consumption, safe and reliable





# Street Lights

Create a safe city with Jaquar's street lights. Made for high-performance, our range of street lights are engineered to withstand tough weather condition. Available in a range of 20-30 watts, these street lights emit a warm and subtle light.

## APPLICATIONS



Parkings



Walkways



**Technical data:**

- Input voltage range: 100 V - 300 V AC
- Luminous efficacy: >100 Lm / W
- THD: <10%
- IP65
- Housing material: Die cast aluminium



## Hummer

Item Code	Wattage (W)	CCT (K)	Pole Mounting Dimensions (MM)	Dimension (MM)
HSL-GRY-LHMR01SL020C	20	CW	Ø 40	320 x 75 x 60
HSL-GRY-LHMR01SL030C	30	CW	Ø 40	320 x 75 x 60



**Technical data:**

- Input voltage range: 220 to 240 V AV
- Battery voltage: 3.7V Li-ION
- Battery capacity: 2600 mAh
- Luminous flux on AC mode: 1800 Lm
- Luminous flux on battery mode: 500 Lm
- Power factor: >0.95
- Full battery charging time: 9 Hours
- IP66



BATTERY BACKUP

## KRIZA EMERGENCY STREET LIGHT

Item Code	Wattage (W)	CCT (K)	Pole Mounting Dimensions (MM)	Dimension (MM)
HSL-WHT-LKRZ01SL018C	18	CW	40 (Tol.±5)	355 x 105 x 75



**Technical data:**

- Input voltage range: 100 V - 300 V AC
- Luminous efficacy: >100 Lm / W
- THD: <10%
- IP66
- Housing material: Die cast aluminium



## PCR

Item Code	Wattage (W)	CCT (K)	Pole Mounting Dimensions (MM)	Dimension (MM)
OSL-GRY-LPCRST25WLC	25	CW	Ø 42	330 x 117 x 67



Long life



CRI > 80



Beam angle  
> 120°

## Technical data:

- Input voltage range: 100 V - 300 V AC
- Luminous efficacy: >100 Lm / W
- THD: <10%
- IP65
- Housing material: Die cast aluminium



## Street Light

Item Code	Wattage (W)	CCT (K)	Pole Mounting Dimensions (MM)	Dimension (MM)
HSL-WHT-LSRT01F025XC	25 W	CW	Ø 42	325 x 145 x 65



# Flood Lights

Create a safe city with Jaquar's street lights. Made for high-performance, our range of street lights are engineered to withstand tough weather condition. Available in a range of 20-30 watts, these street lights emit a warm and subtle light.

## APPLICATIONS



Parkings



Walkways



Long life



CRI > 80



Beam angle  
> 60°

### Technical data:

- Operating voltage range: 140 - 270V
- Luminous efficacy: >100 Lm/W
- Power factor:  $\geq 0.95$
- THD: <10%
- IP66
- Lens: PMMA lens for proper distribution of light
- No harmful UV & IR radiations
- Housing material: Die cast aluminum housing for superior heat dissipation



30 W



50 W

## Faro

Item Code	Wattage (W)	CCT (K)	Dimension (MM)
HFL-GRY-LFRO01S030XC	30	CW	198 x 188 x 36
HFL-GRY-LFRO01S030XN	30	NW	198 x 188 x 36
HFL-GRY-LFRO01S030XW	30	WW	198 x 188 x 36
HFL-GRY-LFRO01S050XC	50	CW	238 x 228 x 36
HFL-GRY-LFRO01S050XN	50	NW	238 x 228 x 36
HFL-GRY-LFRO01S050XW	50	WW	238 x 228 x 36

## JAQUAR GROUP

Global Headquarters,  
Plot No. 3, Sector-11, IMT Manesar, Gurugram-122050 India  
For more information: Visit any of our 21 Orientation Centres  
or log on to [www.jaquar.com](http://www.jaquar.com), e-mail: [ccare.lighting@jaquar.com](mailto:ccare.lighting@jaquar.com)  
For any query call: 18002126808 (Toll Free)

### ORIENTATION CENTRES:

**AHMEDABAD:** Ground Floor,  
Commerce House-4, B/S Shell Petrol  
Pump, Near Anand Nagar Cross  
Roads, 100 Ft. Road, Prahlad Nagar,  
Satellite, Ahmedabad  
Ph.: 079-30452600  
Email: [ahmedabad@jaquar.com](mailto:ahmedabad@jaquar.com)

**BANGALORE:** No. 10, V.N. Street,  
Next to Hotel Ramada, Shivaji Nagar,  
Tasker Town, Bangalore-560051  
Email: [bangalore@jaquar.com](mailto:bangalore@jaquar.com)

**BHOPAL:** T- 7, 8, 3rd Floor, City  
Center, Above Lotus Electronics,  
1 Press Complex, M. P. Nagar,  
Zone-1, Bhopal- 462011  
Ph.: 0755-6550888  
Email: [bhopal@jaquar.com](mailto:bhopal@jaquar.com)

**BHUBANESWAR:** Plot No. 853/1671,  
2nd Floor, Jharpada, Cuttack Road,  
Bhubaneswar-751006  
Ph.: 0674-2575501  
Email: [bhubaneswar@jaquar.com](mailto:bhubaneswar@jaquar.com)

**CHANDIGARH:** S.C.O. 52-53, Sector  
17-A, Opp. Hotel Park Plaza, Adjacent  
to Fab India,  
Chandigarh-160017  
Ph.: 0172-4071727  
Email: [chandigarhoc@jaquar.com](mailto:chandigarhoc@jaquar.com)

**CHENNAI:** Ground Floor, KGN Towers,  
#62, Ethiraj Salai, Egmore,  
Chennai- 600008  
Phone: 044-42693001  
Email: [chennai@jaquar.com](mailto:chennai@jaquar.com)

**COCHIN:** No. 35/563, Opposite  
International Stadium, Palarivattom  
P.O., Cochin-682025  
Email: [cochin@jaquar.com](mailto:cochin@jaquar.com)

**GUWAHATI:** "Swagota Envision"  
Ground Floor, G.S. Road, Sixmile,  
Khanapara (Opp. Directorate of  
Agriculture, Assam)  
Guwahati-781022  
Email: [guwahati@jaquar.com](mailto:guwahati@jaquar.com)

**HYDERABAD:** Unit No. 202,  
Reliance Classic, Banjara Hills,  
Road No.1, Hyderabad-500034  
Email: [hyderabad@jaquar.co](mailto:hyderabad@jaquar.co)

**JAIPUR:** Neelkanth, 1 Bhawani  
Singh Road, Opp. Nehru Sehkar  
Bhawan, C-Scheme,  
Jaipur-302001  
Ph.: 0141-5115609  
Email: [jaipur@jaquar.com](mailto:jaipur@jaquar.com)

**JAMMU:** Bonny Square, NH  
Bypass, Near Vishal Mega Mart,  
Kunjwani, Jammu-180010  
Ph.: 0191-2484876  
Email: [jammu@jaquar.com](mailto:jammu@jaquar.com)

**KOLKATA:** 2nd Floor, 55,  
Chowringhee Road,  
Kolkata-700071  
Ph.: 033-40054891  
Email: [kolkata@jaquar.com](mailto:kolkata@jaquar.com)

**LUCKNOW:** Asha Bhawan, 27/II A,  
Gokhle Marg, Lucknow  
Ph.: 0522-4001434  
Email: [lucknow@jaquar.com](mailto:lucknow@jaquar.com)

**LUDHIANA:** 2nd Floor, Lodhi  
Complex, Mall Road,  
Ludhiana-141001  
Ph.: 0161-5094974  
Email: [ludhiana@jaquar.com](mailto:ludhiana@jaquar.com)

**MUMBAI:** 101,102,103, Kamla  
Spaces, Above Kohinoor  
Electronics, S.V. Road, Santacruz  
West, Mumbai-400054  
Ph.: 022-26613279  
Email: [mumbai@jaquar.com](mailto:mumbai@jaquar.com)

**NAGPUR:** Kala Bhavan, 103/A,  
South Ambazari Road,  
Shradhanand Peth Square,  
Laxmi Nagar, Nagpur-440022  
Ph.: 0712-2223395  
Email: [nagpur@jaquar.com](mailto:nagpur@jaquar.com)

**NEW DELHI:** D-56, Defence Colony,  
New Delhi-110024  
Ph.: 011-24636807  
Email: [delhincr@jaquar.com](mailto:delhincr@jaquar.com)

**PUNE:** DSK Gandharva Heights,  
5th Floor, Office No. 501,  
Near Hotel Pride Executive,  
Ganeshkhind Road,  
Shivajinagar, Pune-411005  
Email: [pune@jaquar.com](mailto:pune@jaquar.com)

**RAIPUR:** M K Planet, Ring Road  
No. 1, New Rajendra Nagar,  
Raipur-492001.  
Ph.: 0771-6556789  
Email: [raipur@jaquar.com](mailto:raipur@jaquar.com)

**SILIGURI:** 1st Floor, M-Square  
Building, Opp. Hotel Sachitra,  
2½ Mile, Sevoke Road,  
Siliguri-734002  
Email: [siliguri@jaquar.com](mailto:siliguri@jaquar.com)

**SURAT:** 23, Siddhi Shopping  
Centre, Near Agrasen  
Bhavan Char Rasta,  
City Light Road, Surat  
Email: [suratcare@jaquar.com](mailto:suratcare@jaquar.com)



Looking for  
Jaquar Lighting Products?

**CALL**  
**PURCHASE ASSISTANCE**  
**1800-120-332222**  
(Toll Free)

And we'll make it easy!

Speak to our Lighting Experts, who will suggest the right product that you should go in for and where to buy it from.



KNOW MORE