



FUNCTIONAL LIGHTS

Bring out the best in your home with the Philips range of Functional lights, Spotlights and COBs.

Equipped with the latest LED technology and designed for excellence in performance and quality, Philips Functional lights are the perfect blend of innovation and modern design. Philips Functional lights offer energy-saving benefits of LED, good light quality and maintenance free operation.



MOD COB

Made by you. Made for you.


Make your luxurious living spaces come alive with Philips Mod COB.

A unique product designed to create lighting that perfectly complements your aesthetic taste.

Elevate your home's ambience with countless combinations of lighting accessories that allows you to blend your lighting with your décor.



CRI



Color rendering index (CRI) is a quantitative measure of the ability of a light source to reveal the colors of various objects in comparison with a natural or standard light source. MOD COBs come with CRI>90 which helps in showcasing the objects in their true colors as compared to other LED products.

ATTACHMENTS & ACCESSORIES

COLORS: Choose from 11 captivating colors.



SHAPES

Get creative with square, circle, oval and semi-circle light shapes.



Square

Circle

Oval

Semi Circle

MOUNT

Enhance your ceiling with square, round, surface and trimless mounts.



Square

Surface

Round

Surface

Trimless



LIGHT UP THE WAY YOU LOVE IT



3 beam angles with angular tilt
Accentuate your décor's highlights
with style décor's highlights with style.



CRI 90 for enhanced color clarity
Experience your surroundings
in its true colors.



2964 lighting combinations
Create perfect lighting for
every ambience.



MULTIPLE BEAM ANGLES

Optics - Beam Angles

Optics in COBs are crucial elements, as they alter the directionality and intensity of light from the LED source. Different lens/reflector type helps control the beam angle of the output light, to create either crisp-edged or diffused light, or to concentrate light in certain areas while limiting it in others. The MOD COB is available with options of 15/ 24/ 36 degree which helps manage the light beam angle to spot/narrow/medium and direct the light as per your needs.



IP44 COB



Rose Gold



Matt Black



Chrome

Elegant choices for beautiful homes

- Unique honeycomb design to reduce glare
- IP44 splash proof housing
- Focused beam angle - 7W : 36°, 12W : 28°, 20W : 30°
- Longer life with 20,000 hours[^]
- Super robust construction with premium aluminum housing
- Wide voltage protection from 160V-360V and surge protection up to 2.5kV
- Multiple colours to choose from
- No harmful UV radiation
- BIS compliant; 2 years warranty

	IP44 COB	IP44 COB	IP44 COB
Wattage	7W	12W	20W
Product Dimensions (mm)	83.5x83.5x48	103.5x103.5x49	128x128x59
Cutout Dia (mm)	73	91	116
Lumen	420lm	720lm	1200lm
CCT	3000K/4000K	3000K/4000K	3000K/4000K
CRI	-	-	-
Colour	WW/NW	WW/NW	WW/NW
Reflector Colour	Rose Gold/Matt Black/Chrome		
Material	Aluminum	Aluminum	Aluminum


Voltage: 220V-240V-

[^]System lifetime (Hours) @8hours/day

Product images are only for representation

All the feature mentioned on packaging are under standard test conditions.

Specification are subject to change without prior notice



Deco COB



Rose Gold



Black



Silver



Chrome

Enhances the décor

- Decorative finish with multiple options to choose from
- Minimalistic outer trim to blend well with the ceiling
- Deep recessed COB for low glare
- Focused 36 degree beam angle
- Longer life with 35,000 hours[^]
- Super robust construction - wide voltage protection from 160V-360V and surge protection up to 2.5kV
- Metal housing for longer life
- No harmful UV radiation
- BIS compliant; 2 years warranty

	Deco COB	Deco COB
Wattage	7W	12W
Product Dimensions (mm)	76x76x64	86x86x75
Cutout Dia (mm)	66	76
Lumen	560lm	960lm
CCT	3000K/4000K/6500K	3000K/4000K/6500K
CRI	90	90
Colour	WW/NW/CDL	WW/NW/CDL
Material	Aluminium	Aluminium

Voltage: 220V-240V-

[^]System lifetime (Hours) @8hours/day

Product images are only for representation

All the feature mentioned on packaging are under standard test conditions.

Specification are subject to change without prior notice



Thin Trim Deep Recessed COB



The elegant face of illumination

- Minimalistic outer trim to blend well with the ceiling
- Deep recessed COB for low glare
- Available in 24 and 36 degree beam angle
- Longer life with 25,000 hours[^]
- Super robust construction - Wide voltage protection from 160V-360V and surge protection up to 2.5kV
- Metal housing for longer life
- No harmful UV radiation
- BIS compliant; 2 years warranty

	LED Dimmable Spot Light	LED Dimmable Spot Light	LED Spot Light	LED Spot Light	LED Spot Light
Wattage	7W	12W	7W	12W	18W
Product Dimensions (mm)	55x55x100	75x75x100	55x55x100	75x75x100	92x92x120
Cutout Dia (mm)	52	68	52	68	81
Lumen	350lm	760lm	410lm	840lm	1260lm
CCT	3000K/ 4000K/6500K	3000K/ 4000K/6500K	3000K/ 4000K/6500K	3000K/ 4000K/6500K	3000K/ 4000K/6500K
CRI	90	90	90	90	90
Colour	WW/NW/CDL	WW/NW/CDL	WW/NW/CDL	WW/NW/CDL	WW/NW/CDL
Material	Aluminium	Aluminium	Aluminium	Aluminium	Aluminium


Voltage: 220V-240V-

[^]System lifetime (Hours) @8hours/day

Product images are only for representation

All the feature mentioned on packaging are under standard test conditions.

Specification are subject to change without prior notice



FlexFocus



Adjustable focused light

- Unique design with flexible focus
- 360 degree rotation to change the light beam
- Available in 30 degree beam angle
- Longer life with 20,000 hours[^]
- Super robust construction
- Wide voltage protection from 160V-360V and surge protection up to 2.5kV
- Premium white aluminum housing
- No harmful UV radiation

	FlexFocus
Wattage	3W
Product Dimensions (mm)	53x53x50
Cutout Dia (mm)	40
Lumen	210lm
CCT	3000K/4000K/6500K
Colour	WW/NW/CDL
Material	Aluminum


Voltage: 220V-240V-

[^]System lifetime (Hours) @8hours/day

Product images are only for representation

All the feature mentioned on packaging are under standard test conditions.

Specification are subject to change without prior notice



Surface COB



Focused surface light for your home & shop

- Brighter light output
- Premium aluminium material for better heat dissipation and endurance
- Uniform light output over product life of 20,000 hours
- No visible flickering, no UV/IR and low glare to prevent eye strain
- Surge protection up to 2.5kV with wide voltage protection 160-360V
- No harmful UV radiation
- Available in 7W, 12W and 18W CCTs of 3000K, 4000K & 6500K in round shape
- BIS compliant; 2 years warranty

	Surface COB	Surface COB	Surface COB
Wattage	7W	12W	18W
Product Dimensions (mm)	50x50x90	70x70x127	90x90x140
Cutout Dia (mm)	–	–	–
Lumen	595lm	1020lm	1530lm
CCT	3000K/4000K/6500K	3000K/4000K/6500K	3000K/4000K/6500K
CRI	80	80	80
Colour	WW/NW/CDL	WW/NW/CDL	WW/NW/CDL
Material	Aluminium	Aluminium	Aluminium

Voltage: 220V-240V-
Product images are only for representation
All the feature mentioned on packaging are under standard test conditions.
Specification are subject to change without prior notice



FlexSpot



Tilttable Spotlight with adjustable focus

- Direct the light at any angle with 230 degree tilt and 360 Degree rotation
- 36 Degree beam angle.
- Premium Aluminum housing in White & Black
- Longer life with 20,000 hours[^]
- Super robust construction
- Wide voltage protection from 160V – 360V and surge protection up to 2.5kV
- No harmful UV radiation

	FlexSpot
Wattage	10W
Product Dimensions (mm)	56x56x186
Cutout Dia (mm)	75
Lumen	850lm
CCT	3000K/4000K
Colour	WW/NW
Material	Aluminum

Voltage: 220V-240V-

[^]System lifetime (Hours) @ 8hours/day

Product images are only for representation

All the feature mentioned on packaging are under standard test conditions.

Specification are subject to change without prior notice



Surface FlexSpot



Tilttable Spotlight with adjustable focus

- Direct the light at any angle with 230 degree tilt and 360 degree rotation
- 36 Degree beam angle.
- Premium Aluminum housing in White & Black
- Longer life with 20,000 hours[^]
- Super robust construction
- Wide voltage protection from 160V – 360V and surge protection up to 2.5kV
- No harmful UV radiation

	Surface FlexSpot
Wattage	10W
Product Dimensions (mm)	56x56x186
Cutout Dia (mm)	-
Lumen	850lm
CCT	3000K/4000K
Colour	WW/NW
Material	Aluminum

Voltage: 220V-240V-

[^]System lifetime (Hours) @ 8hours/day

Product images are only for representation

All the feature mentioned on packaging are under standard test conditions.

Specification are subject to change without prior notice



Deco Surface COB



Rose Gold



Chrome



Black



White

Feel inspired with beautiful metallic lights

- Premium surface COB range with metallic finish reflectors
- An attractive range of colours to choose from
- Deep recessed light source for low glare
- Focused 36 Degree beam angle
- Longer Life with 20,000 hours[^]
- Super robust construction
- Wide voltage protection from 160V – 360V and surge protection up to 2.5kV
- Premium aluminium housing in White and Black with different combination
- No harmful UV radiation

	Deco Surface COB	Deco Surface COB
Wattage	7W	12W
Product Dimensions (mm)	56x56x73	80x80x91
Cutout Dia (mm)	-	-
Lumen	525lm	1020lm
CCT	3000K/4000K/6500K	3000K/4000K/6500K
Colour	WW/NW/CDL	WW/NW/CDL
Material	Aluminium	Aluminium

Voltage: 220V-240V-

[^]System lifetime (Hours) @8hours/day

Product images are only for representation

All the feature mentioned on packaging are under standard test conditions.

Specification are subject to change without prior notice



FlexBeam



Rotatable and tiltable focused light

- Super bright light spectrum
- Lumen efficacy
- Choice of directing the light to any direction with 360 degree rotation
- Deep recessed COB source for low glare
- Focused 36 Degree beam angle
- Longer Life with 20,000 hours[^]
- Super robust construction
- Wide voltage protection from 160V – 360V and surge protection up to 2.5kV
- Premium white aluminum housing
- No harmful UV radiation

	FlexBeam	FlexBeam	FlexBeam	FlexBeam
Wattage	7W	12W	18W	22W
Product Dimensions (mm)	87x87x60	97x97x64	108x108x80	108x108x89
Cutout Dia (mm)	77	88	98	98
Lumen	600lm	1020lm	1530lm	1870lm
CCT	3000K/4000K/6500K	3000K/4000K/6500K	3000K/4000K/6500K	3000K/4000K/6500K
Colour	WW/NW/CDL	WW/NW/CDL	WW/NW/CDL	WW/NW/CDL
Material	Aluminum	Aluminum	Aluminum	Aluminum

Voltage: 220V-240V-

[^]System lifetime (Hours) @8hours/day

Product images are only for representation

All the feature mentioned on packaging are under standard test conditions.

Specification are subject to change without prior notice



COB Pro



Express elegance beautifully

- Super bright light spectrum
- Delivers: 90lm/watt
- Focused 36 degree adjustable beam
- Longer life with 35,000 hours[^]
- Super robust construction
- Premium white aluminium housing
- Wide voltage protection from 160V–360V and surge protection up to 2.5kV
- No harmful UV radiation

	COB Pro				
Wattage	2W	7W	12W	18W	22W
Product Dimensions (mm)	42 x 42 x 23	90x90x50	105x105x52	120x120x65	120x120x80
Cutout Dia (mm)	29	81	95	110	110
Lumen	100lm	630lm	1080lm	1620lm	1980lm
CCT	3000K/ 4000K/6500K	3000K/ 4000K/6500K	3000K/ 4000K/6500K	3000K/ 4000K/6500K	3000K/ 4000K/6500K
CRI	80	90	90	90	90
Colour	WW/NW/CDL	WW/NW/CDL	WW/NW/CDL	WW/NW/CDL	WW/NW/CDL
Material	Aluminium	Aluminium	Aluminium	Aluminium	Aluminium

Voltage: 220V-240V-

[^]System lifetime (Hours) @8hours/day

Product images are only for representation

All the feature mentioned on packaging are under standard test conditions.

Specification are subject to change without prior notice



Aura StylEdge Downlighter



Light with style

- Decorative finish downlighter with hallmark silver ring for beautiful aesthetics
- Ultra thin trim for a seamless fit
- High lumen efficiency
- Aluminum housing for better performance
- Designed for robustness: wide voltage protection from 160V-360V
- Surge protection up to 2.5kV
- Available in 5W, 7W, 10W & 15W in round shape only

	Aura StylEdge	Aura StylEdge	Aura StylEdge	Aura StylEdge
Wattage	5W	7W	10W	15W
Product Dimensions (mm)	87x87x45	110x110x47	121x121x47	150x150x47
Cutout Dia (mm)	78	100	110	137
Lumen	450lm	620lm	900lm	1420lm
CCT	3000K/4000K/6500K	3000K/4000K/6500K	3000K/4000K/6500K	3000K/4000K/6500K
CRI	90	90	90	90
Colour	WW/NW/CDL	WW/NW/CDL	WW/NW/CDL	WW/NW/CDL
Material	Aluminium	Aluminium	Aluminium	Aluminium

Voltage: 220V-240V-
Product images are only for representation
All the feature mentioned on packaging are under standard test conditions.
Specification are subject to change without prior notice



DuraSlim

105lm
per watt*



Slimmest metal panel with 50k life hours!

- Premium aluminium housing with unique slim design
- Longer life of 50k hrs[^]
- Only 10mm thickness to fit into all type of ceiling
- Extra bright light
- Surge protection up to 2.5 kV with wide voltage protection 160-360V
- No visible flickering, no UV/IR and low glare to prevent eye strain, CRI-90
- Even and comfortable light perfected for your eye comfort
- Available in 5 wattages of 7W/12W/15W/18W/22W
- 6500K/4000K and 3000K CCTs available in round & square shape

	Dura Slim	Dura Slim	Dura Slim	Dura Slim	Dura Slim
Wattage	7W	12W	15W	18W	22W
Product Dimensions (mm)	R: 120x120x10 S: 110x110x10	R: 160x160x10 S: 140x140x10	R: 180x180x10 S: 170x170x10	R: 20x200x10 S: 180x180x10	R: 225x225x10 S: 225x225x10
Cutout Dia (mm)	R: 105 S: 95	R: 145 S: 120	R: 165 S: 152	R: 185 S: 162	R: 208 S: 208
Lumen	735lm	1260lm	1575lm	1890lm	2310lm
CCT	3000K/ 4000K/6500K	3000K/ 4000K/6500K	3000K/ 4000K/6500K	3000K/ 4000K/6500K	3000K/ 4000K/6500K
CRI	90	90	90	90	90
Colour	WW/NW/CDL	WW/NW/CDL	WW/NW/CDL	WW/NW/CDL	WW/NW/CDL
Material	Aluminium	Aluminium	Aluminium	Aluminium	Aluminium

Voltage: 220V-240V-

[^]System lifetime (Hours) @8hours/day

Product images are only for representation

All the feature mentioned on packaging are under standard test conditions.

Specification are subject to change without prior notice



Slim Surface Mount+/ Surface Mount+



A sleeker, slimmer, metal surface mount ceiling light

- Die-cast premium aluminium material for reliable performance
- Even and comfortable light perfected for your eye comfort
- No visible flickering, no UV/IR and low glare to prevent eye strain
- Surge protection up to 2.5 kV with wide voltage protection 160-360V
- Improved lumen (80lm/w)
- Life of 35,000 hours[^]
- BIS safety standard, IEC 60598 registered and tested for 35° Ta

	Surface Mount +	Surface Mount +	Surface Mount +	Surface Mount +
Wattage	3W	12W	15W	22W
Product Dimensions (mm)	R: 90x90x35 S: 90x90x35	R: 164x164x30 S: 144x144x30	R: 187x187x30 S: 181x181x30	R: 235x235x46 S: 230x230x46
Lumen	190lm	920lm	1200lm	1840lm
CCT	3000K/ 4000K/6500K	3000K/ 4000K/6500K	3000K/ 4000K/6500K	3000K/ 4000K/6500K
Colour	WW/NW/CDL	WW/NW/CDL	WW/NW/CDL	WW/NW/CDL
Material	Aluminium	Aluminium	Aluminium	Aluminium

Voltage: 220V-240V-
[^]System lifetime (Hours) @8hours/day @ Ta 30° C
 Product images are only for representation
 All the feature mentioned on packaging are under standard test conditions.
 Specification are subject to change without prior notice



Metal FullGlow Surface

Sleeker Design



Longer life brighter light

- Brightest metal surface light with 100lm/W light output
- Full low diffusor allows for wider light spread of 270 degrees
- Aluminum die cast housing for better heat dissipation
- Longer life of 30,000 hours[^]
- Super slim design with a height of just 38mm allowing the product to blend seamlessly with the ceiling
- Surge protection of 3kV with wide voltage protection of 160-360V

	Metal FullGlow Surface	Metal FullGlow Surface	Metal FullGlow Surface
Wattage	12W	15W	20W
Product Dimensions (mm)	145 x 145 x 38	145 x 145 x 38	200 x 200 x 38
Lumen	1200	1500	2000
CCT	3000K/4000K/6500K	3000K/4000K/6500K	3000K/4000K/6500K
Colour	WW/NW/CDL	WW/NW/CDL	WW/NW/CDL
Material	Aluminum	Aluminum	Aluminum

Voltage: 220V-240V-

[^]System lifetime (Hours) @8hours/day


Product images are only for representation

All the feature mentioned on packaging are under standard test conditions.

Specification are subject to change without prior notice



Linea Sharp Slim



Brighter light, longer life


- Strong focused 33° beam
- Wide voltage tolerance 160V-360V
- Glare free - easy on the eye
- Slimmer design for minimalistic look
- Super robust construction
- Premium aluminum housing for better heat management
- Surge protection up to 2.5kV

	Linea Sharp Slim					
Wattage	2.5W	4W	6W	8W	10W	15W
Product Dimensions (mm)	51x32x40	62x32x40	52x52x40	108x32x40	71x71x40	204x32x40
Cutout Dia (mm)	45x26	57x27	47x47	102x26	65x65	197x26
Lumen	140lm	225lm	400lm	520lm	650lm	975lm
CCT	3000K/4000K	3000K/4000K	3000K/4000K	3000K/4000K	3000K/4000K	3000K/4000K
Colour	WW/NW	WW/NW	WW/NW	WW/NW	WW/NW	WW/NW
Material	Aluminum	Aluminum	Aluminum	Aluminum	Aluminum	Aluminum

Voltage: 220V-240V-
 ^System lifetime (Hours) @8hours/day
 Product images are only for representation
 All the feature mentioned on packaging are under standard test conditions.
 Specification are subject to change without prior notice



Linea Sharp



Brighter light, longer life

- Strong focused 40° beam
- Wide voltage tolerance
- Glare free - easy on the eye

	Linea Sharp				
Wattage	3W	6W	10W	20W	30W
Product Dimensions (mm)	45x45x49	75x45x49	147x45x49	280x45x49	413x45x49
Cutout Dia (mm)	37x37	66x36	139x36	271x36	403x36
Lumen	150lm	360lm	700lm	1400lm	2100lm
CCT	3000K/4000K/ 6500K	3000K/4000K/ 6500K	3000K/4000K/ 6500K	3000K/4000K/ 6500K	3000K/4000K/ 6500K
Colour	WW/NW/CDL	WW/NW/CDL	WW/NW/CDL	WW/NW/CDL	WW/NW/CDL
Material	Aluminium	Aluminium	Aluminium	Aluminium	Aluminium

Voltage: 220V-240V- | Surge Protection up to 2.5kV
 ^System lifetime (Hours) @8hours/day
 Product images are only for representation
 All the feature mentioned on packaging are under standard test conditions.
 Specification are subject to change without prior notice





LINEAR LIGHTING

Enhance the ambience of your space with the linear lighting solutions from Philips.

These strip lights, rope lights and cabinet lights with their minimalistic design offer subtle yet impactful lighting that's sure to impress.

Take your creativity to the next level and experiment with new designs to accentuate the interiors.



ProGlow Nxt & Slim Edge Profile Strip

1000lm
per Mtr



600lm
per Mtr



Design with light

Express yourself with the Philips Profile lighting. These strip lights are designed for seamless profile lighting with their high LED count and bright lumen output.

- Accentuates your interiors
- High LED count per meter ensures uniform bright light through the diffuser of your profiles
- Flexible and customisable
- Superior adhesive for easy installation

	ProGlow Nxt	Slim Edge Profile Strip
Wattage	55W	25W
Lumen	1000lm/mtr	600lm/mtr
No. of LEDs	264 LED/mtr	144 LED/mtr
Material	NA	NA
CCT	3000K/4000K/6500K	3000K/4000K/6500K
Colour	WW/NW/CDL	WW/NW/CDL
CRI	80	80
Product Dimensions (mm)	5000X10X2	5000X10X2
Recommended driver by Philips	12V 5A	12V 2A

Product images are only for representation
All the feature mentioned on packaging are under standard test conditions.
Specification are subject to change without prior notice



High Lumen Rope

1000lm
per Mtr



Dazzling rope light for opulent spaces

- Brightest rope light in Philips portfolio
- IP65 rated linear lighting solution for both outdoor and indoor application
- Evenly-spaced LEDs to offer uniform illumination with no dark spots
- 50m length for maximum coverage

	Marathon Rope
Wattage	500W
Lumen	1000lm/mtr
CCT	3000K/4000K/6500K
No. of LEDs	72 LED/mtr
Material	Transparent silicon coating
CCT	3000K/4000K/6500K
Colour	WW/NW/CDL
CRI	-
Product Dimensions (mm)	50000x11x6
Recommended driver by Philips	Marathon Gen 3 accessory

All the features mentioned in packaging are under standard conditions. Specifications are subject to change without prior notice.
Note: LEDs can be contaminated with exposure to VOCs emissions. We strongly recommend to install our ROPE Light at least 15 days post completion of paint or varnishing job.
Product image is for representation purpose only, actual product may vary.



LineaGlow

1200lm
per Mtr



Personalize your space with brighter lights

Brightest cove lighting solution in the Philips portfolio.

- Versatile strip light to perform as soft cove and powerful profile lighting solution
- Evenly-spaced LEDs to offer uniform illumination with no dark spots
- 5m length to accommodate most applications
- Superior adhesive for easy and worry-free installation

	LineaGlow
Wattage	70W
Lumen	1200lm/mtr
CCT	3000K/4000K/6500K
No. of LEDs	120 LED/mtr
Material	White and uncoated synthetic
Colour	WW/NW/CDL
Product Dimensions (mm)	5000x10x2
Recommended driver by Philips	10A 12V

All the features mentioned in packaging are under standard conditions. Specifications are subject to change without prior notice.
Note: LEDs can be contaminated with exposure to VOCs emissions. We strongly recommend to install our ROPE Light at least 15 days post completion of paint or varnishing job.
Product image is for representation purpose only, actual product may vary.



Linea Bright

500lm
per Mtr*



Gentle illumination for ambient cove lighting

- Evenly-spaced LEDs to offer uniform illumination with no dark spots
- Equipped with driver necessary for its functioning
- Superior adhesive for easy installation

	LineaBright
Wattage	28W with driver
Lumen	500lm/mtr
CCT	3000K/4000K/6500K
No. of LEDs	72 LED/mtr
Material	NA
Colour	WW/NW/CDL
Product Dimensions (mm)	5000x8x0.3 (5 mtr.)

Voltage: 220-240V

All the features mentioned in packaging are under standard conditions. Specifications are subject to change without prior notice.
Note: LEDs can be contaminated with exposure to VOCs emissions. We strongly recommend to install our ROPE Light at least 15 days post completion of paint or varnishing job.

Product image is for representation purpose only, actual product may vary.



ColorMagic 3 in 1



Experience a different ambience with a flick of a switch


- Evenly-spaced LEDs to offer uniform illumination with no dark spots
- Equipped with driver necessary for its functioning
- Superior adhesive for easy installation

	ColourMagic 3 in 1
Wattage	28W with driver
Lumen	620lm/mtr
CCT	3000K/4000K/6500K (3-in-1)
No. of LEDs	120 LED/mtr
Material	NA
Colour	WW/NW/CDL (3-in-1)
Product Dimensions (mm)	5000x10x0.3

Voltage: 220-240V
 Product images are only for representation
 All the feature mentioned on packaging are under standard test conditions.
 Specification are subject to change without prior notice



SpaceGlow




Stylish, slim light to brighten up your home spaces

- Low-depth cabinet light perfect for all your under-cabinet, wardrobe, kitchen spaces and more
- Engineering for safety with a PC body
- Evenly-spaced LEDs to offer uniform illumination with no dark spots
- Available in 1ft and 2ft lengths
- AC-powered fixture

	SpaceGlow	SpaceGlow
Wattage	6W	12W
Lumen	420lm	900lm
CCT	3000K/4000K/6500K	3000K/4000K/6500K
Material	PC	PC
Colour	WW/NW/CDL	WW/NW/CDL
Product Dimensions (mm)	300x21x8	600x21x8

All the features mentioned in packaging are under standard conditions. Specifications are subject to change without prior notice. Product image is for representation purpose only, actual product may vary.





TRACK LIGHT

Be it public spaces or private homes, Track Lights offer an efficient and elegant way to illuminate your spaces - anytime of night or day.

Philips offers a range of versatile Track Lights that are easily installable on ceiling or wall mounted fixtures, and offer a tasteful approach to illumination.

Be it the relaxing glow of 'warm lighting' for intimate home moments, or the energetic spark of 'cold lighting' to enhance retail ambiances and experiences - the Philips Track Light range delivers the best of style, performance and value.



Model No. 31447

Stanchion Track Light



Model No. 31445



Model No. 31446



Model No. 31447



Model No. 31448



Track 1 meter

Reimagine retail

There's more to things than meets the eye, Philips track light range is a must for every retail outlet which will not only enhance the product appearance but take it from usual to the ultimate best.

- Customizable wattage options
- Long-lasting fixture
- Robust metal construction
- Functional, minimal design
- Perfect fit for any home/outlet

	Track Head	Track Head	Track Head	Track Head
Model No.	31445	31446	31447	31448
Colour	Black&White	Black&White	Black&White	Black
Material	Aluminium	Aluminium	Aluminium	Aluminium
Dimensions (mm)	180x50x110	158x65x125	165x82x154	122x68x130
Lamp Base	LED	LED	LED	GU10
Wattage	10W	20W	30W	1x10W Max*
Lumen/CCT	700lm/WW, CW, NW	1500lm/WW, CW, NW	2150lm/WW, CW, NW	-

* Not Included